


...made by



## PRICE LIST 0425 EN-BG

**FORKLIFT TRUCK ATTACHMENTS**

**WORKSPACE MATERIAL HANDLING**

**ENVIRONMENT / STORAGE**

**HAZARDOUS MATERIALS CONTAINERS**

**INNOVATION – CONSTRUCTION – PRODUCTION**  
*... for more than 55 years*

## Price List 0425 en-BG

### Forklift Truck Attachments

| Drum Gripper Type 3P                                      | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| 3P, painted                                               | B        | 910,–  | 138,–           | 1048,–                          |
| 3P, hot-dip galvanized                                    | B        | 956,–  | 138,–           | 1094,–                          |
| Tilting Container Type 3S                                 | Category | Price  | Freight charges | Price including freight charges |
| 3S 300, painted                                           | A        | 1201,– | 226,–           | 1427,–                          |
| Lid, galvanized                                           | A        | 168,–  | 18,–            | 186,–                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,–  | 15,–            | 146,–                           |
| 3S 300, hot-dip galvanized                                | A        | 1296,– | 331,–           | 1627,–                          |
| Lid, galvanized                                           | A        | 168,–  | 18,–            | 186,–                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,–  | 15,–            | 146,–                           |
| 3S 600, painted                                           | A        | 1256,– | 331,–           | 1587,–                          |
| Lid, galvanized                                           | A        | 189,–  | 22,–            | 211,–                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,–  | 15,–            | 146,–                           |
| 3S 600, hot-dip galvanized                                | A        | 1354,– | 331,–           | 1685,–                          |
| Lid, galvanized                                           | A        | 189,–  | 22,–            | 211,–                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,–  | 15,–            | 146,–                           |
| Automatic Tilting Container Type 4A                       | Category | Price  | Freight charges | Price including freight charges |
| 4A 600, painted                                           | A        | 1065,– | 226,–           | 1291,–                          |
| Lid, galvanized                                           | A        | 189,–  | 22,–            | 211,–                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,–   | 0,–             | 75,–                            |
| 4A 600, hot-dip galvanized                                | A        | 1207,– | 226,–           | 1433,–                          |
| Lid, galvanized                                           | A        | 189,–  | 22,–            | 211,–                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,–   | 0,–             | 75,–                            |
| 4A 900, painted                                           | A        | 1197,– | 331,–           | 1528,–                          |
| Lid, galvanized                                           | A        | 215,–  | 27,–            | 242,–                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,–   | 0,–             | 75,–                            |
| 4A 900, hot-dip galvanized                                | A        | 1375,– | 331,–           | 1706,–                          |
| Lid, galvanized                                           | A        | 215,–  | 27,–            | 242,–                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,–   | 0,–             | 75,–                            |
| 4A 1200, painted                                          | A        | 1282,– | 331,–           | 1613,–                          |
| Lid, galvanized                                           | A        | 215,–  | 26,–            | 241,–                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,–  | 0,–             | 116,–                           |
| 4A 1200, hot-dip galvanized                               | A        | 1505,– | 331,–           | 1836,–                          |
| Lid, galvanized                                           | A        | 215,–  | 26,–            | 241,–                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,–  | 0,–             | 116,–                           |
| Drum Gripper Type 4P                                      | Category | Price  | Freight charges | Price including freight charges |
| 4P, painted                                               | B        | 558,–  | 118,–           | 676,–                           |
| 4P, hot-dip galvanized                                    | B        | 532,–  | 118,–           | 650,–                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Drum Gripper Type 4P-D                                    | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| 4P-D120, painted                                          | B        | 558,—  | 118,—           | 676,—                           |
| 4P-D120, hot-dip galvanized                               | B        | 532,—  | 118,—           | 650,—                           |
| 4P-D220, painted                                          | B        | 558,—  | 118,—           | 676,—                           |
| 4P-D220, hot-dip galvanized                               | B        | 532,—  | 118,—           | 650,—                           |
| Tilting Container Type AK                                 | Category | Price  | Freight charges | Price including freight charges |
| <b>AK 50, painted</b>                                     | A        | 774,—  | 226,—           | 1000,—                          |
| Lid, galvanized                                           | A        | 135,—  | 16,—            | 151,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>AK 50, hot-dip galvanized</b>                          | A        | 923,—  | 226,—           | 1149,—                          |
| Lid, galvanized                                           | A        | 135,—  | 16,—            | 151,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>AK 75, painted</b>                                     | A        | 866,—  | 226,—           | 1092,—                          |
| Lid, galvanized                                           | A        | 185,—  | 21,—            | 206,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>AK 75, hot-dip galvanized</b>                          | A        | 1012,— | 331,—           | 1343,—                          |
| Lid, galvanized                                           | A        | 185,—  | 21,—            | 206,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>AK 100, painted</b>                                    | A        | 937,—  | 331,—           | 1268,—                          |
| Lid, galvanized                                           | A        | 210,—  | 26,—            | 236,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>AK 100, hot-dip galvanized</b>                         | A        | 1094,— | 331,—           | 1425,—                          |
| Lid, galvanized                                           | A        | 210,—  | 26,—            | 236,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>AK 150, painted</b>                                    | A        | 1196,— | 331,—           | 1527,—                          |
| Lid, galvanized                                           | A        | 294,—  | 28,—            | 322,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>AK 150, hot-dip galvanized</b>                         | A        | 1399,— | 331,—           | 1730,—                          |
| Lid, galvanized                                           | A        | 294,—  | 28,—            | 322,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| Container for Building Materials Type BBG                 | Category | Price  | Freight charges | Price including freight charges |
| <b>BBG 100, painted</b>                                   | A        | 391,—  | 226,—           | 617,—                           |
| Lid, galvanized                                           | A        | 182,—  | 138,—           | 320,—                           |
| <b>BBG 100, hot-dip galvanized</b>                        | A        | 479,—  | 226,—           | 705,—                           |
| Lid, galvanized                                           | A        | 182,—  | 138,—           | 320,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Container for Building Materials Type BBK                                 | Category | Price  | Freight charges | Price including freight charges |
|---------------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| BBK 100, painted                                                          | A        | 479,—  | 226,—           | 705,—                           |
| Lid, galvanized                                                           | A        | 182,—  | 138,—           | 320,—                           |
| BBK 100, hot-dip galvanized                                               | A        | 551,—  | 226,—           | 777,—                           |
| Lid, galvanized                                                           | A        | 182,—  | 138,—           | 320,—                           |
| Material Container Type BBM                                               | Category | Price  | Freight charges | Price including freight charges |
| BBM 500, painted                                                          | A        | 314,—  | 138,—           | 452,—                           |
| BBM 500, hot-dip galvanized                                               | A        | 346,—  | 138,—           | 484,—                           |
| Container for Building Materials Type BBP                                 | Category | Price  | Freight charges | Price including freight charges |
| BBP 100, painted                                                          | A        | 418,—  | 138,—           | 556,—                           |
| Lid, galvanized                                                           | A        | 182,—  | 138,—           | 320,—                           |
| Pick-up cones (pins) and angle iron traverse lock                         | A        | 49,—   | 10,—            | 59,—                            |
| BBP 100, hot-dip galvanized                                               | A        | 493,—  | 138,—           | 631,—                           |
| Lid, galvanized                                                           | A        | 182,—  | 138,—           | 320,—                           |
| Pick-up cones (pins) and angle iron traverse lock                         | A        | 49,—   | 10,—            | 59,—                            |
| Tilting Traverse for Containers for Building Material Containers Type BBT | Category | Price  | Freight charges | Price including freight charges |
| BBT, painted                                                              | A        | 551,—  | 226,—           | 777,—                           |
| BBT, hot-dip galvanized                                                   | A        | 627,—  | 226,—           | 853,—                           |
| Building Materials Container Type BC                                      | Category | Price  | Freight charges | Price including freight charges |
| BC 500, painted                                                           | B        | 924,—  | 226,—           | 1150,—                          |
| Lid, galvanized                                                           | B        | 138,—  | 16,—            | 154,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                 | A        | 185,—  | 15,—            | 200,—                           |
| BC 500, hot-dip galvanized                                                | B        | 1139,— | 331,—           | 1470,—                          |
| Lid, galvanized                                                           | B        | 138,—  | 16,—            | 154,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                 | A        | 185,—  | 15,—            | 200,—                           |
| BC 500 (brick clamp operated), painted                                    | B        | 991,—  | 226,—           | 1217,—                          |
| Lid, galvanized                                                           | B        | 138,—  | 16,—            | 154,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                 | A        | 185,—  | 15,—            | 200,—                           |
| BC 500 (brick clamp operated), hot-dip galvanized                         | B        | 1207,— | 331,—           | 1538,—                          |
| Lid, galvanized                                                           | B        | 138,—  | 16,—            | 154,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                 | A        | 185,—  | 15,—            | 200,—                           |
| BC 1000, painted                                                          | B        | 1007,— | 331,—           | 1338,—                          |
| Lid, galvanized                                                           | B        | 138,—  | 16,—            | 154,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                 | A        | 185,—  | 15,—            | 200,—                           |
| BC 1000, hot-dip galvanized                                               | B        | 1271,— | 331,—           | 1602,—                          |
| Lid, galvanized                                                           | B        | 138,—  | 16,—            | 154,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                 | A        | 185,—  | 15,—            | 200,—                           |
| BC 1000 (brick clamp operated), painted                                   | B        | 1073,— | 331,—           | 1404,—                          |
| Lid, galvanized                                                           | B        | 138,—  | 16,—            | 154,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                 | A        | 185,—  | 15,—            | 200,—                           |
| BC 1000 (brick clamp operated), hot-dip galvanized                        | B        | 1339,— | 331,—           | 1670,—                          |
| Lid, galvanized                                                           | B        | 138,—  | 16,—            | 154,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Building Materials Container Type BC                                 | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Tilting Container Type BK                                            | Category | Price  | Freight charges | Price including freight charges |
| <b>BK 30, painted</b>                                                | A        | 676,—  | 226,—           | 902,—                           |
| Lid, galvanized                                                      | A        | 94,—   | 18,—            | 112,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 75,—   | 0,—             | 75,—                            |
| <b>BK 30, hot-dip galvanized</b>                                     | A        | 950,—  | 226,—           | 1176,—                          |
| Lid, galvanized                                                      | A        | 94,—   | 18,—            | 112,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 75,—   | 0,—             | 75,—                            |
| <b>BK 50, painted</b>                                                | A        | 950,—  | 226,—           | 1176,—                          |
| Lid, galvanized                                                      | A        | 94,—   | 20,—            | 114,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 75,—   | 0,—             | 75,—                            |
| <b>BK 50, hot-dip galvanized</b>                                     | A        | 1282,— | 331,—           | 1613,—                          |
| Lid, galvanized                                                      | A        | 94,—   | 20,—            | 114,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 75,—   | 0,—             | 75,—                            |
| <b>BK 80, painted</b>                                                | A        | 1253,— | 331,—           | 1584,—                          |
| Lid, galvanized                                                      | A        | 139,—  | 22,—            | 161,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 75,—   | 0,—             | 75,—                            |
| <b>BK 80, hot-dip galvanized</b>                                     | A        | 1752,— | 331,—           | 2083,—                          |
| Lid, galvanized                                                      | A        | 139,—  | 22,—            | 161,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 75,—   | 0,—             | 75,—                            |
| <b>BK 100, painted</b>                                               | A        | 1457,— | 331,—           | 1788,—                          |
| Lid, galvanized                                                      | A        | 167,—  | 27,—            | 194,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| <b>BK 100, hot-dip galvanized</b>                                    | A        | 2000,— | 331,—           | 2331,—                          |
| Lid, galvanized                                                      | A        | 167,—  | 27,—            | 194,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| <b>BK 120, painted</b>                                               | A        | 1584,— | 331,—           | 1915,—                          |
| Lid, galvanized                                                      | A        | 177,—  | 32,—            | 209,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Tilting Container Type BK                                            | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| <b>BK 120, hot-dip galvanized</b>                                    | A        | 2159,— | 331,—           | 2490,—                          |
| Lid, galvanized                                                      | A        | 177,—  | 32,—            | 209,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| <b>BK 150, painted</b>                                               | A        | 1740,— | 402,—           | 2142,—                          |
| Lid, galvanized                                                      | A        | 203,—  | 39,—            | 242,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| <b>BK 150, hot-dip galvanized</b>                                    | A        | 2361,— | 402,—           | 2763,—                          |
| Lid, galvanized                                                      | A        | 203,—  | 39,—            | 242,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| <b>BK 200, painted</b>                                               | A        | 2164,— | 402,—           | 2566,—                          |
| Lid, galvanized                                                      | A        | 215,—  | 138,—           | 353,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| <b>BK 200, hot-dip galvanized</b>                                    | A        | 2948,— | 582,—           | 3530,—                          |
| Lid, galvanized                                                      | A        | 215,—  | 138,—           | 353,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| Container With Drop Away Base Type BKB                               | Category | Price  | Freight charges | Price including freight charges |
| <b>BKB 500, painted</b>                                              | A        | 737,—  | 226,—           | 963,—                           |
| Lid, galvanized                                                      | A        | 189,—  | 18,—            | 207,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| <b>BKB 500, hot-dip galvanized</b>                                   | A        | 876,—  | 226,—           | 1102,—                          |
| Lid, galvanized                                                      | A        | 189,—  | 18,—            | 207,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| <b>BKB 700, painted</b>                                              | A        | 788,—  | 226,—           | 1014,—                          |
| Lid, galvanized                                                      | A        | 189,—  | 18,—            | 207,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| <b>BKB 700, hot-dip galvanized</b>                                   | A        | 927,—  | 226,—           | 1153,—                          |
| Lid, galvanized                                                      | A        | 189,—  | 18,—            | 207,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| <b>BKB 1000, painted</b>                                             | A        | 835,—  | 226,—           | 1061,—                          |
| Lid, galvanized                                                      | A        | 189,—  | 18,—            | 207,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| <b>BKB 1000, hot-dip galvanized</b>                                  | A        | 994,—  | 226,—           | 1220,—                          |
| Lid, galvanized                                                      | A        | 189,—  | 18,—            | 207,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Container With Drop Away Base Type BKB                    | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Tilting Container Type BKC                                | Category | Price  | Freight charges | Price including freight charges |
| <b>BKC 200, painted</b>                                   | A        | 2229,— | 582,—           | 2811,—                          |
| Lid, galvanized                                           | A        | 434,—  | 138,—           | 572,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKC 200, hot-dip galvanized</b>                        | A        | 2984,— | 582,—           | 3566,—                          |
| Lid, galvanized                                           | A        | 434,—  | 138,—           | 572,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKC 300, painted</b>                                   | A        | 2471,— | 582,—           | 3053,—                          |
| Lid, galvanized                                           | A        | 434,—  | 138,—           | 572,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKC 300, hot-dip galvanized</b>                        | A        | 3253,— | 582,—           | 3835,—                          |
| Lid, galvanized                                           | A        | 434,—  | 138,—           | 572,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKC 400, painted</b>                                   | A        | 3043,— | 582,—           | 3625,—                          |
| Lid, galvanized                                           | A        | 434,—  | 226,—           | 660,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKC 400, hot-dip galvanized</b>                        | A        | 3929,— | 763,—           | 4692,—                          |
| Lid, galvanized                                           | A        | 434,—  | 226,—           | 660,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKC 500, painted</b>                                   | A        | 3535,— | 763,—           | 4298,—                          |
| Lid, galvanized                                           | A        | 434,—  | 226,—           | 660,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKC 500, hot-dip galvanized</b>                        | A        | 4484,— | 763,—           | 5247,—                          |
| Lid, galvanized                                           | A        | 434,—  | 226,—           | 660,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| Tilting Container Type BKC-H                              | Category | Price  | Freight charges | Price including freight charges |
| <b>BKC-H 200, painted</b>                                 | A        | 3306,— | 582,—           | 3888,—                          |
| Lid, galvanized                                           | A        | 434,—  | 138,—           | 572,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKC-H 200, hot-dip galvanized</b>                      | A        | 4061,— | 582,—           | 4643,—                          |
| Lid, galvanized                                           | A        | 434,—  | 138,—           | 572,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKC-H 300, painted</b>                                 | A        | 3548,— | 582,—           | 4130,—                          |
| Lid, galvanized                                           | A        | 434,—  | 138,—           | 572,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKC-H 300, hot-dip galvanized</b>                      | A        | 4331,— | 582,—           | 4913,—                          |
| Lid, galvanized                                           | A        | 434,—  | 138,—           | 572,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKC-H 400, painted</b>                                 | A        | 4120,— | 582,—           | 4702,—                          |
| Lid, galvanized                                           | A        | 434,—  | 226,—           | 660,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKC-H 400, hot-dip galvanized</b>                      | A        | 5006,— | 763,—           | 5769,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Tilting Container Type BKC-H         | Category | Price  | Freight charges | Price including freight charges |
|--------------------------------------|----------|--------|-----------------|---------------------------------|
| Lid, galvanized                      | A        | 434,—  | 226,—           | 660,—                           |
| Skip Body Welded Oil and Watertight  | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKC-H 500, painted</b>            | A        | 4612,— | 763,—           | 5375,—                          |
| Lid, galvanized                      | A        | 434,—  | 226,—           | 660,—                           |
| Skip Body Welded Oil and Watertight  | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKC-H 500, hot-dip galvanized</b> | A        | 5561,— | 763,—           | 6324,—                          |
| Lid, galvanized                      | A        | 434,—  | 226,—           | 660,—                           |
| Skip Body Welded Oil and Watertight  | A        | 116,—  | 0,—             | 116,—                           |

| Tilting Container Type BKM                                           | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>BKM 30, painted</b>                                               | A        | 676,—  | 226,—           | 902,—                           |
| Lid, galvanized                                                      | A        | 100,—  | 18,—            | 118,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 75,—   | 0,—             | 75,—                            |
| <b>BKM 30, hot-dip galvanized</b>                                    | A        | 950,—  | 226,—           | 1176,—                          |
| Lid, galvanized                                                      | A        | 100,—  | 18,—            | 118,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 75,—   | 0,—             | 75,—                            |
| <b>BKM 50, painted</b>                                               | A        | 950,—  | 226,—           | 1176,—                          |
| Lid, galvanized                                                      | A        | 125,—  | 21,—            | 146,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 75,—   | 0,—             | 75,—                            |
| <b>BKM 50, hot-dip galvanized</b>                                    | A        | 1282,— | 226,—           | 1508,—                          |
| Lid, galvanized                                                      | A        | 125,—  | 21,—            | 146,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 75,—   | 0,—             | 75,—                            |
| <b>BKM 75, painted</b>                                               | A        | 1203,— | 331,—           | 1534,—                          |
| Lid, galvanized                                                      | A        | 137,—  | 22,—            | 159,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 75,—   | 0,—             | 75,—                            |
| <b>BKM 75, hot-dip galvanized</b>                                    | A        | 1615,— | 331,—           | 1946,—                          |
| Lid, galvanized                                                      | A        | 137,—  | 22,—            | 159,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 75,—   | 0,—             | 75,—                            |
| <b>BKM 100, painted</b>                                              | A        | 1457,— | 331,—           | 1788,—                          |
| Lid, galvanized                                                      | A        | 178,—  | 27,—            | 205,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKM 100, hot-dip galvanized</b>                                   | A        | 2000,— | 331,—           | 2331,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Tilting Container Type BKM                                           | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Lid, galvanized                                                      | A        | 178,—  | 27,—            | 205,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKM 150, painted</b>                                              | A        | 1740,— | 402,—           | 2142,—                          |
| Lid, galvanized                                                      | A        | 261,—  | 36,—            | 297,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKM 150, hot-dip galvanized</b>                                   | A        | 2361,— | 402,—           | 2763,—                          |
| Lid, galvanized                                                      | A        | 261,—  | 36,—            | 297,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKM 200, painted</b>                                              | A        | 2164,— | 402,—           | 2566,—                          |
| Lid, galvanized                                                      | A        | 291,—  | 138,—           | 429,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| Lid, galvanized                                                      | A        | 291,—  | 138,—           | 429,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| Traverse For Stacking Tipplers Type BKT                              | Category | Price  | Freight charges | Price including freight charges |
| <b>BKT 30, painted</b>                                               | A        | 355,—  | 226,—           | 581,—                           |
| Traverse Stand Type TS, hot-dip galvanized                           | A        | 75,—   | 8,—             | 83,—                            |
| <b>BKT 55, painted</b>                                               | A        | 376,—  | 226,—           | 602,—                           |
| Traverse Stand Type TS, hot-dip galvanized                           | A        | 75,—   | 9,—             | 84,—                            |
| <b>BKT 70, painted</b>                                               | A        | 376,—  | 226,—           | 602,—                           |
| Traverse Stand Type TS, hot-dip galvanized                           | A        | 75,—   | 9,—             | 84,—                            |
| <b>BKT 90, painted</b>                                               | A        | 378,—  | 226,—           | 604,—                           |
| Traverse Stand Type TS, hot-dip galvanized                           | A        | 75,—   | 9,—             | 84,—                            |
| <b>BKT 150, painted</b>                                              | A        | 609,—  | 226,—           | 835,—                           |
| Traverse Stand Type TS, hot-dip galvanized                           | A        | 75,—   | 9,—             | 84,—                            |
| <b>BKT 200, painted</b>                                              | A        | 672,—  | 226,—           | 898,—                           |
| Traverse Stand Type TS, hot-dip galvanized                           | A        | 75,—   | 9,—             | 84,—                            |
| Shovel Type BSE                                                      | Category | Price  | Freight charges | Price including freight charges |
| <b>BSE 50, painted</b>                                               | A        | 1435,— | 331,—           | 1766,—                          |
| <b>BSE 75, painted</b>                                               | A        | 1709,— | 331,—           | 2040,—                          |
| <b>BSE 100, painted</b>                                              | A        | 2143,— | 402,—           | 2545,—                          |
| <b>BSE 150, painted</b>                                              | A        | 2422,— | 402,—           | 2824,—                          |
| <b>BSE 200, painted</b>                                              | A        | 2691,— | 582,—           | 3273,—                          |
| <b>BSE 250, painted</b>                                              | A        | 3316,— | 635,—           | 3951,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Shovel Type BSI                                                                                | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| BSI 50, painted                                                                                | A        | 1214,— | 226,—           | 1440,—                          |
| BSI 75, painted                                                                                | A        | 1375,— | 331,—           | 1706,—                          |
| BSI 100, painted                                                                               | A        | 1725,— | 331,—           | 2056,—                          |
| Stacking Tipper Type BSK                                                                       | Category | Price  | Freight charges | Price including freight charges |
| <b>BSK 30, painted</b>                                                                         | A        | 256,—  | 138,—           | 394,—                           |
| Lid, galvanized                                                                                | A        | 66,—   | 12,—            | 78,—                            |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 28,—   | on request      | on request                      |
| <b>BSK 30, hot-dip galvanized</b>                                                              | A        | 309,—  | 138,—           | 447,—                           |
| Lid, galvanized                                                                                | A        | 66,—   | 12,—            | 78,—                            |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 28,—   | on request      | on request                      |
| <b>BSK 55, painted</b>                                                                         | A        | 320,—  | 138,—           | 458,—                           |
| Lid, galvanized                                                                                | A        | 94,—   | 15,—            | 109,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 28,—   | on request      | on request                      |
| <b>BSK 55, hot-dip galvanized</b>                                                              | A        | 391,—  | 138,—           | 529,—                           |
| Lid, galvanized                                                                                | A        | 94,—   | 15,—            | 109,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 28,—   | on request      | on request                      |
| <b>BSK 70, painted</b>                                                                         | A        | 340,—  | 138,—           | 478,—                           |
| Lid, galvanized                                                                                | A        | 117,—  | 15,—            | 132,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 28,—   | on request      | on request                      |
| <b>BSK 70, hot-dip galvanized</b>                                                              | A        | 441,—  | 138,—           | 579,—                           |
| Lid, galvanized                                                                                | A        | 117,—  | 15,—            | 132,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 28,—   | on request      | on request                      |
| <b>BSK 90, painted</b>                                                                         | A        | 366,—  | 138,—           | 504,—                           |
| Lid, galvanized                                                                                | A        | 160,—  | 18,—            | 178,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 28,—   | on request      | on request                      |
| <b>BSK 90, hot-dip galvanized</b>                                                              | A        | 470,—  | 226,—           | 696,—                           |
| Lid, galvanized                                                                                | A        | 160,—  | 18,—            | 178,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 28,—   | on request      | on request                      |
| <b>BSK 150, painted</b>                                                                        | A        | 841,—  | 226,—           | 1067,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Stacking Tipper Type BSK                                                                       | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Lid, galvanized                                                                                | A        | 215,—  | 21,—            | 236,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 116,—  | 0,—             | 116,—                           |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 28,—   | on request      | on request                      |
| <b>BSK 150, hot-dip galvanized</b>                                                             | A        | 984,—  | 226,—           | 1210,—                          |
| Lid, galvanized                                                                                | A        | 215,—  | 21,—            | 236,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 116,—  | 0,—             | 116,—                           |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 28,—   | on request      | on request                      |
| <b>BSK 200, painted</b>                                                                        | A        | 902,—  | 226,—           | 1128,—                          |
| Lid, galvanized                                                                                | A        | 274,—  | 26,—            | 300,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 116,—  | 0,—             | 116,—                           |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 28,—   | on request      | on request                      |
| <b>BSK 200, hot-dip galvanized</b>                                                             | A        | 1129,— | 226,—           | 1355,—                          |
| Lid, galvanized                                                                                | A        | 274,—  | 26,—            | 300,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 116,—  | 0,—             | 116,—                           |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 28,—   | on request      | on request                      |
| Lattice Tilting Container Type BSK-G                                                           | Category | Price  | Freight charges | Price including freight charges |
| <b>BSK-G 90, painted</b>                                                                       | A        | 332,—  | 138,—           | 470,—                           |
| Lid, galvanized                                                                                | A        | 160,—  | 18,—            | 178,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| <b>BSK-G 90, hot-dip galvanized</b>                                                            | A        | 404,—  | 138,—           | 542,—                           |
| Lid, galvanized                                                                                | A        | 160,—  | 18,—            | 178,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Swarf Stacking Tipper Type BSL                                                                 | Category | Price  | Freight charges | Price including freight charges |
| <b>BSL 30, painted</b>                                                                         | A        | 570,—  | 138,—           | 708,—                           |
| Lid, galvanized                                                                                | A        | 66,—   | 12,—            | 78,—                            |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| <b>BSL 30, hot-dip galvanized</b>                                                              | A        | 656,—  | 138,—           | 794,—                           |
| Lid, galvanized                                                                                | A        | 66,—   | 12,—            | 78,—                            |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| <b>BSL 55, painted</b>                                                                         | A        | 701,—  | 226,—           | 927,—                           |
| Lid, galvanized                                                                                | A        | 94,—   | 15,—            | 109,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| <b>BSL 55, hot-dip galvanized</b>                                                              | A        | 823,—  | 226,—           | 1049,—                          |
| Lid, galvanized                                                                                | A        | 94,—   | 15,—            | 109,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| <b>BSL 70, painted</b>                                                                         | A        | 737,—  | 226,—           | 963,—                           |
| Lid, galvanized                                                                                | A        | 117,—  | 15,—            | 132,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| <b>BSL 70, hot-dip galvanized</b>                                                              | A        | 881,—  | 226,—           | 1107,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| <b>Swarf Stacking Tipper Type BSL</b>                     | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|-----------------------------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| Lid, galvanized                                           | A               | 117,—        | 15,—                   | 132,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>BSL 90, painted</b>                                    | A               | 801,—        | 226,—                  | 1027,—                                 |
| Lid, galvanized                                           | A               | 160,—        | 18,—                   | 178,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>BSL 90, hot-dip galvanized</b>                         | A               | 970,—        | 226,—                  | 1196,—                                 |
| Lid, galvanized                                           | A               | 160,—        | 18,—                   | 178,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>BSL 150, painted</b>                                   | A               | 1185,—       | 226,—                  | 1411,—                                 |
| Lid, galvanized                                           | A               | 215,—        | 21,—                   | 236,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>BSL 150, hot-dip galvanized</b>                        | A               | 1439,—       | 331,—                  | 1770,—                                 |
| Lid, galvanized                                           | A               | 215,—        | 21,—                   | 236,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>BSL 200, painted</b>                                   | A               | 1282,—       | 331,—                  | 1613,—                                 |
| Lid, galvanized                                           | A               | 274,—        | 26,—                   | 300,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>BSL 200, hot-dip galvanized</b>                        | A               | 1731,—       | 331,—                  | 2062,—                                 |
| Lid, galvanized                                           | A               | 274,—        | 26,—                   | 300,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>Shovel Type BSM</b>                                    | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>BSM 50, painted</b>                                    | A               | 1435,—       | 226,—                  | 1661,—                                 |
| <b>BSM 75, painted</b>                                    | A               | 1709,—       | 331,—                  | 2040,—                                 |
| <b>BSM 100, painted</b>                                   | A               | 2143,—       | 402,—                  | 2545,—                                 |
| <b>BSM 150, painted</b>                                   | A               | 2422,—       | 402,—                  | 2824,—                                 |
| <b>BSM 200, painted</b>                                   | A               | 2691,—       | 582,—                  | 3273,—                                 |
| <b>BSM 250, painted</b>                                   | A               | 3316,—       | 635,—                  | 3951,—                                 |
| <b>Swarf Stacking Tipper Type BSS</b>                     | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>BSS 30, painted</b>                                    | A               | 407,—        | 138,—                  | 545,—                                  |
| Lid, galvanized                                           | A               | 66,—         | 12,—                   | 78,—                                   |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>BSS 30, hot-dip galvanized</b>                         | A               | 473,—        | 138,—                  | 611,—                                  |
| Lid, galvanized                                           | A               | 66,—         | 12,—                   | 78,—                                   |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>BSS 55, painted</b>                                    | A               | 505,—        | 138,—                  | 643,—                                  |
| Lid, galvanized                                           | A               | 94,—         | 15,—                   | 109,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>BSS 55, hot-dip galvanized</b>                         | A               | 626,—        | 138,—                  | 764,—                                  |
| Lid, galvanized                                           | A               | 94,—         | 15,—                   | 109,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>BSS 70, painted</b>                                    | A               | 542,—        | 138,—                  | 680,—                                  |
| Lid, galvanized                                           | A               | 117,—        | 15,—                   | 132,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| <b>Swarf Stacking Tipper Type BSS</b>                     | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|-----------------------------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| <b>BSS 70, hot-dip galvanized</b>                         | A               | 684,—        | 226,—                  | 910,—                                  |
| Lid, galvanized                                           | A               | 117,—        | 15,—                   | 132,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>BSS 90, painted</b>                                    | A               | 576,—        | 226,—                  | 802,—                                  |
| Lid, galvanized                                           | A               | 160,—        | 18,—                   | 178,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>BSS 90, hot-dip galvanized</b>                         | A               | 739,—        | 226,—                  | 965,—                                  |
| Lid, galvanized                                           | A               | 160,—        | 18,—                   | 178,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>BSS 150, painted</b>                                   | A               | 876,—        | 226,—                  | 1102,—                                 |
| Lid, galvanized                                           | A               | 215,—        | 21,—                   | 236,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>BSS 150, hot-dip galvanized</b>                        | A               | 1126,—       | 226,—                  | 1352,—                                 |
| Lid, galvanized                                           | A               | 215,—        | 21,—                   | 236,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>BSS 200, painted</b>                                   | A               | 989,—        | 226,—                  | 1215,—                                 |
| Lid, galvanized                                           | A               | 274,—        | 26,—                   | 300,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>BSS 200, hot-dip galvanized</b>                        | A               | 1324,—       | 331,—                  | 1655,—                                 |
| Lid, galvanized                                           | A               | 274,—        | 26,—                   | 300,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>Traverse For Stacking Tipplers Type BST</b>            | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>BST 30, painted</b>                                    | A               | 320,—        | 138,—                  | 458,—                                  |
| Traverse Stand Type TS, hot-dip galvanized                | A               | 75,—         | 8,—                    | 83,—                                   |
| <b>BST 55, painted</b>                                    | A               | 342,—        | 138,—                  | 480,—                                  |
| Traverse Stand Type TS, hot-dip galvanized                | A               | 75,—         | 9,—                    | 84,—                                   |
| <b>BST 70, painted</b>                                    | A               | 342,—        | 138,—                  | 480,—                                  |
| Traverse Stand Type TS, hot-dip galvanized                | A               | 75,—         | 9,—                    | 84,—                                   |
| <b>BST 90, painted</b>                                    | A               | 355,—        | 138,—                  | 493,—                                  |
| Traverse Stand Type TS, hot-dip galvanized                | A               | 75,—         | 9,—                    | 84,—                                   |
| <b>BST 150, painted</b>                                   | A               | 532,—        | 226,—                  | 758,—                                  |
| Traverse Stand Type TS, hot-dip galvanized                | A               | 75,—         | 9,—                    | 84,—                                   |
| <b>BST 200, painted</b>                                   | A               | 591,—        | 226,—                  | 817,—                                  |
| Traverse Stand Type TS, hot-dip galvanized                | A               | 75,—         | 9,—                    | 84,—                                   |
| <b>Traverse For Stacking Tipplers Type BST-H</b>          | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>BST-H 30, painted</b>                                  | A               | 2055,—       | 226,—                  | 2281,—                                 |
| Traverse Stand Type TS, hot-dip galvanized                | A               | 75,—         | 8,—                    | 83,—                                   |
| <b>BST-H 55, painted</b>                                  | A               | 2180,—       | 226,—                  | 2406,—                                 |
| Traverse Stand Type TS, hot-dip galvanized                | A               | 75,—         | 8,—                    | 83,—                                   |
| <b>BST-H 70, painted</b>                                  | A               | 2180,—       | 226,—                  | 2406,—                                 |
| Traverse Stand Type TS, hot-dip galvanized                | A               | 75,—         | 8,—                    | 83,—                                   |
| <b>BST-H 90, painted</b>                                  | A               | 2293,—       | 226,—                  | 2519,—                                 |
| Traverse Stand Type TS, hot-dip galvanized                | A               | 75,—         | 8,—                    | 83,—                                   |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Traverse For Stacking Tipplers Type BST-H  | Category | Price  | Freight charges | Price including freight charges |
|--------------------------------------------|----------|--------|-----------------|---------------------------------|
| BST-H 150, painted                         | A        | 2608,— | 331,—           | 2939,—                          |
| Traverse Stand Type TS, hot-dip galvanized | A        | 75,—   | 9,—             | 84,—                            |
| BST-H 200, painted                         | A        | 2871,— | 331,—           | 3202,—                          |
| Traverse Stand Type TS, hot-dip galvanized | A        | 75,—   | 9,—             | 84,—                            |
| Traverse For Stacking Tipplers Type BST-U  | Category | Price  | Freight charges | Price including freight charges |
| BST-U 30, painted                          | A        | 923,—  | 226,—           | 1149,—                          |
| BST-U 55, painted                          | A        | 985,—  | 226,—           | 1211,—                          |
| BST-U 70, painted                          | A        | 985,—  | 226,—           | 1211,—                          |
| BST-U 90, painted                          | A        | 1011,— | 226,—           | 1237,—                          |
| Beam Traverse Type BT                      | Category | Price  | Freight charges | Price including freight charges |
| BT 3001, painted                           | A        | 1813,— | 308,—           | 2121,—                          |
| Support frames, hot-dip galvanized         | A        | 266,—  | 138,—           | 404,—                           |
| BT 3002, painted                           | A        | 2045,— | 308,—           | 2353,—                          |
| Support frames, hot-dip galvanized         | A        | 266,—  | 138,—           | 404,—                           |
| BT 3003, painted                           | A        | 2199,— | 308,—           | 2507,—                          |
| Support frames, hot-dip galvanized         | A        | 266,—  | 138,—           | 404,—                           |
| BT 3005, painted                           | A        | 2508,— | 412,—           | 2920,—                          |
| Support frames, hot-dip galvanized         | A        | 266,—  | 138,—           | 404,—                           |
| Filling Hopper Type BTM                    | Category | Price  | Freight charges | Price including freight charges |
| BTM, painted                               | A        | 2377,— | 402,—           | 2779,—                          |
| Filling Hopper Type BTS                    | Category | Price  | Freight charges | Price including freight charges |
| BTS, painted                               | A        | 2035,— | 402,—           | 2437,—                          |
| Bin Type C                                 | Category | Price  | Freight charges | Price including freight charges |
| C 30, painted                              | A        | 407,—  | 138,—           | 545,—                           |
| C 30, hot-dip galvanized                   | A        | 447,—  | 138,—           | 585,—                           |
| C 80, painted                              | A        | 586,—  | 138,—           | 724,—                           |
| C 80, hot-dip galvanized                   | A        | 630,—  | 138,—           | 768,—                           |
| Swarf Bin Type CS                          | Category | Price  | Freight charges | Price including freight charges |
| CS 30, painted                             | A        | 469,—  | 138,—           | 607,—                           |
| CS 30, hot-dip galvanized                  | A        | 514,—  | 138,—           | 652,—                           |
| CS 80, painted                             | A        | 692,—  | 138,—           | 830,—                           |
| CS 80, hot-dip galvanized                  | A        | 740,—  | 226,—           | 966,—                           |
| Shovel Type DGS                            | Category | Price  | Freight charges | Price including freight charges |
| DGS 500, painted                           | A        | 2565,— | 331,—           | 2896,—                          |
| DGS 700, painted                           | A        | 2594,— | 331,—           | 2925,—                          |
| DGS 950, painted                           | A        | 2630,— | 402,—           | 3032,—                          |
| DGS 1200, painted                          | A        | 2825,— | 402,—           | 3227,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Tilting Container Type DUO                                                                     | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>DUO, painted</b>                                                                            | A        | 1803,— | 331,—           | 2134,—                          |
| Lid, galvanized                                                                                | A        | 228,—  | 27,—            | 255,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 28,—   | on request      | on request                      |
| Tilting Container Type EXPO®                                                                   | Category | Price  | Freight charges | Price including freight charges |
| <b>EXPO 150, painted</b>                                                                       | A        | 587,—  | 138,—           | 725,—                           |
| Lid, galvanized                                                                                | A        | 168,—  | 18,—            | 186,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set                                      | A        | 150,—  | 15,—            | 165,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| <b>EXPO 150, hot-dip galvanized</b>                                                            | A        | 692,—  | 138,—           | 830,—                           |
| Lid, galvanized                                                                                | A        | 168,—  | 18,—            | 186,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set                                      | A        | 150,—  | 15,—            | 165,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| <b>EXPO 225, painted</b>                                                                       | A        | 639,—  | 138,—           | 777,—                           |
| Lid, galvanized                                                                                | A        | 168,—  | 18,—            | 186,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set                                      | A        | 150,—  | 15,—            | 165,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| <b>EXPO 225, hot-dip galvanized</b>                                                            | A        | 758,—  | 138,—           | 896,—                           |
| Lid, galvanized                                                                                | A        | 168,—  | 18,—            | 186,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set                                      | A        | 150,—  | 15,—            | 165,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| <b>EXPO 275, painted</b>                                                                       | A        | 667,—  | 138,—           | 805,—                           |
| Lid, galvanized                                                                                | A        | 168,—  | 18,—            | 186,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set                                      | A        | 150,—  | 15,—            | 165,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| <b>EXPO 275, hot-dip galvanized</b>                                                            | A        | 798,—  | 138,—           | 936,—                           |
| Lid, galvanized                                                                                | A        | 168,—  | 18,—            | 186,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set                                      | A        | 150,—  | 15,—            | 165,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| <b>EXPO 300, painted</b>                                                                       | A        | 601,—  | 226,—           | 827,—                           |
| Lid, galvanized                                                                                | A        | 168,—  | 18,—            | 186,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| <b>EXPO 300, hot-dip galvanized</b>                                                            | A        | 771,—  | 226,—           | 997,—                           |
| Lid, galvanized                                                                                | A        | 168,—  | 18,—            | 186,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| <b>EXPO 600, painted</b>                                                                       | A        | 708,—  | 226,—           | 934,—                           |
| Lid, galvanized                                                                                | A        | 189,—  | 22,—            | 211,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| <b>EXPO 600, hot-dip galvanized</b>                                                            | A        | 849,—  | 226,—           | 1075,—                          |
| Lid, galvanized                                                                                | A        | 189,—  | 22,—            | 211,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Tilting Container Type EXPO®                              | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>EXPO 900, painted</b>                                  | A        | 790,—  | 226,—           | 1016,—                          |
| Lid, galvanized                                           | A        | 215,—  | 27,—            | 242,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>EXPO 900, hot-dip galvanized</b>                       | A        | 931,—  | 226,—           | 1157,—                          |
| Lid, galvanized                                           | A        | 215,—  | 27,—            | 242,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>EXPO 1200, painted</b>                                 | A        | 855,—  | 331,—           | 1186,—                          |
| Lid, galvanized                                           | A        | 215,—  | 26,—            | 241,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>EXPO 1200, hot-dip galvanized</b>                      | A        | 1006,— | 331,—           | 1337,—                          |
| Lid, galvanized                                           | A        | 215,—  | 26,—            | 241,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>EXPO 1700, painted</b>                                 | A        | 1161,— | 331,—           | 1492,—                          |
| Lid, galvanized                                           | A        | 266,—  | 33,—            | 299,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>EXPO 1700, hot-dip galvanized</b>                      | A        | 1386,— | 331,—           | 1717,—                          |
| Lid, galvanized                                           | A        | 266,—  | 33,—            | 299,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>EXPO 2100, painted</b>                                 | A        | 1280,— | 331,—           | 1611,—                          |
| Lid, galvanized                                           | A        | 347,—  | 36,—            | 383,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>EXPO 2100, hot-dip galvanized</b>                      | A        | 1551,— | 331,—           | 1882,—                          |
| Lid, galvanized                                           | A        | 347,—  | 36,—            | 383,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |

| Swarf Tilting Container Type EXPO®-E                      | Category | Price | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|-------|-----------------|---------------------------------|
| <b>EXPO-E 150, painted</b>                                | A        | 704,— | 138,—           | 842,—                           |
| Lid, galvanized                                           | A        | 168,— | 18,—            | 186,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,— | 15,—            | 165,—                           |
| <b>EXPO-E 150, hot-dip galvanized</b>                     | A        | 808,— | 138,—           | 946,—                           |
| Lid, galvanized                                           | A        | 168,— | 18,—            | 186,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,— | 15,—            | 165,—                           |
| <b>EXPO-E 225, painted</b>                                | A        | 755,— | 138,—           | 893,—                           |
| Lid, galvanized                                           | A        | 168,— | 18,—            | 186,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,— | 15,—            | 165,—                           |
| <b>EXPO-E 225, hot-dip galvanized</b>                     | A        | 876,— | 138,—           | 1014,—                          |
| Lid, galvanized                                           | A        | 168,— | 18,—            | 186,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,— | 15,—            | 165,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| <b>Swarf Tilting Container Type EXPO®-E</b>               | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|-----------------------------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| <b>EXPO-E 275, painted</b>                                | A               | 784,—        | 138,—                  | 922,—                                  |
| Lid, galvanized                                           | A               | 168,—        | 18,—                   | 186,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A               | 150,—        | 15,—                   | 165,—                                  |
| <b>EXPO-E 275, hot-dip galvanized</b>                     | A               | 912,—        | 138,—                  | 1050,—                                 |
| Lid, galvanized                                           | A               | 168,—        | 18,—                   | 186,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A               | 150,—        | 15,—                   | 165,—                                  |
| <b>EXPO-E 300, painted</b>                                | A               | 718,—        | 226,—                  | 944,—                                  |
| Lid, galvanized                                           | A               | 168,—        | 18,—                   | 186,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>EXPO-E 300, hot-dip galvanized</b>                     | A               | 887,—        | 226,—                  | 1113,—                                 |
| Lid, galvanized                                           | A               | 168,—        | 18,—                   | 186,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>EXPO-E 600, painted</b>                                | A               | 824,—        | 226,—                  | 1050,—                                 |
| Lid, galvanized                                           | A               | 189,—        | 22,—                   | 211,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>EXPO-E 600, hot-dip galvanized</b>                     | A               | 965,—        | 226,—                  | 1191,—                                 |
| Lid, galvanized                                           | A               | 189,—        | 22,—                   | 211,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>EXPO-E 900, painted</b>                                | A               | 906,—        | 226,—                  | 1132,—                                 |
| Lid, galvanized                                           | A               | 215,—        | 27,—                   | 242,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>EXPO-E 900, hot-dip galvanized</b>                     | A               | 1048,—       | 226,—                  | 1274,—                                 |
| Lid, galvanized                                           | A               | 215,—        | 27,—                   | 242,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>EXPO-E 1200, painted</b>                               | A               | 1012,—       | 331,—                  | 1343,—                                 |
| Lid, galvanized                                           | A               | 215,—        | 26,—                   | 241,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>EXPO-E 1200, hot-dip galvanized</b>                    | A               | 1163,—       | 331,—                  | 1494,—                                 |
| Lid, galvanized                                           | A               | 215,—        | 26,—                   | 241,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>EXPO-E 1700, painted</b>                               | A               | 1318,—       | 331,—                  | 1649,—                                 |
| Lid, galvanized                                           | A               | 266,—        | 33,—                   | 299,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>EXPO-E 1700, hot-dip galvanized</b>                    | A               | 1543,—       | 331,—                  | 1874,—                                 |
| Lid, galvanized                                           | A               | 266,—        | 33,—                   | 299,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>EXPO-E 2100, painted</b>                               | A               | 1437,—       | 331,—                  | 1768,—                                 |
| Lid, galvanized                                           | A               | 347,—        | 36,—                   | 383,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>EXPO-E 2100, hot-dip galvanized</b>                    | A               | 1708,—       | 331,—                  | 2039,—                                 |
| Lid, galvanized                                           | A               | 347,—        | 36,—                   | 383,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>Container With Drop Away Base Type FB</b>              | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>FB 500, painted</b>                                    | A               | 781,—        | 226,—                  | 1007,—                                 |
| Lid, galvanized                                           | A               | 189,—        | 15,—                   | 204,—                                  |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Container With Drop Away Base Type FB                     | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Guiding Plates, galvanized                                | A        | 112,—  | 12,—            | 124,—                           |
| <b>FB 500, hot-dip galvanized</b>                         | A        | 960,—  | 226,—           | 1186,—                          |
| Lid, galvanized                                           | A        | 189,—  | 15,—            | 204,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Guiding Plates, galvanized                                | A        | 112,—  | 12,—            | 124,—                           |
| <b>FB 750, painted</b>                                    | A        | 850,—  | 226,—           | 1076,—                          |
| Lid, galvanized                                           | A        | 189,—  | 15,—            | 204,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Guiding Plates, galvanized                                | A        | 112,—  | 12,—            | 124,—                           |
| <b>FB 750, hot-dip galvanized</b>                         | A        | 1038,— | 226,—           | 1264,—                          |
| Lid, galvanized                                           | A        | 189,—  | 15,—            | 204,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Guiding Plates, galvanized                                | A        | 112,—  | 12,—            | 124,—                           |
| <b>FB 1000, painted</b>                                   | A        | 910,—  | 226,—           | 1136,—                          |
| Lid, galvanized                                           | A        | 229,—  | 18,—            | 247,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Guiding Plates, galvanized                                | A        | 112,—  | 12,—            | 124,—                           |
| <b>FB 1000, hot-dip galvanized</b>                        | A        | 1117,— | 226,—           | 1343,—                          |
| Lid, galvanized                                           | A        | 229,—  | 18,—            | 247,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Guiding Plates, galvanized                                | A        | 112,—  | 12,—            | 124,—                           |
| <b>FB 1500, painted</b>                                   | A        | 1067,— | 331,—           | 1398,—                          |
| Lid, galvanized                                           | A        | 339,—  | 21,—            | 360,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Guiding Plates, galvanized                                | A        | 112,—  | 12,—            | 124,—                           |
| <b>FB 1500, hot-dip galvanized</b>                        | A        | 1344,— | 331,—           | 1675,—                          |
| Lid, galvanized                                           | A        | 339,—  | 21,—            | 360,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Guiding Plates, galvanized                                | A        | 112,—  | 12,—            | 124,—                           |
| <b>FB 2000, painted</b>                                   | A        | 1151,— | 331,—           | 1482,—                          |
| Lid, galvanized                                           | A        | 339,—  | 21,—            | 360,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Guiding Plates, galvanized                                | A        | 112,—  | 12,—            | 124,—                           |
| <b>FB 2000, hot-dip galvanized</b>                        | A        | 1460,— | 331,—           | 1791,—                          |
| Lid, galvanized                                           | A        | 339,—  | 21,—            | 360,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Guiding Plates, galvanized                                | A        | 112,—  | 12,—            | 124,—                           |
| Drum Tipper Type FD/L-HK                                  | Category | Price  | Freight charges | Price including freight charges |
| FD/L-HK, painted                                          | B        | 2245,— | 226,—           | 2471,—                          |
| FD/L-HK, hot-dip galvanized                               | B        | 2671,— | 226,—           | 2897,—                          |
| Drum Tipper Type FD/L-K                                   | Category | Price  | Freight charges | Price including freight charges |
| FD/L-K, painted                                           | B        | 2429,— | 226,—           | 2655,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Drum Tipper Type FD/L-K          | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------|----------|--------|-----------------|---------------------------------|
| FD/L-K, hot-dip galvanized       | B        | 2864,— | 226,—           | 3090,—                          |
| Drum Tipper Type FD-H            | Category | Price  | Freight charges | Price including freight charges |
| FD-H, painted                    | B        | 2505,— | 138,—           | 2643,—                          |
| FD-H, hot-dip galvanized         | B        | 2732,— | 138,—           | 2870,—                          |
| Drum Tipper Type FD-HK           | Category | Price  | Freight charges | Price including freight charges |
| FD-HK, painted                   | B        | 1929,— | 138,—           | 2067,—                          |
| FD-HK, hot-dip galvanized        | B        | 2161,— | 138,—           | 2299,—                          |
| Drum Tipper Type FD-K            | Category | Price  | Freight charges | Price including freight charges |
| FD-K, painted                    | B        | 2114,— | 138,—           | 2252,—                          |
| FD-K, hot-dip galvanized         | B        | 2354,— | 138,—           | 2492,—                          |
| Drum Tipper Type FD-SK           | Category | Price  | Freight charges | Price including freight charges |
| FD-SK, painted                   | B        | 1929,— | 138,—           | 2067,—                          |
| FD-SK, hot-dip galvanized        | B        | 2161,— | 138,—           | 2299,—                          |
| Drum Jack Type FH                | Category | Price  | Freight charges | Price including freight charges |
| FH-I 120, painted                | B        | 1589,— | 138,—           | 1727,—                          |
| FH-I 120, hot-dip galvanized     | B        | 1761,— | 138,—           | 1899,—                          |
| FH-I 220, painted                | B        | 1589,— | 138,—           | 1727,—                          |
| FH-I 220, hot-dip galvanized     | B        | 1789,— | 138,—           | 1927,—                          |
| FH-II 120, painted               | B        | 2320,— | 138,—           | 2458,—                          |
| FH-II 120, hot-dip galvanized    | B        | 2582,— | 138,—           | 2720,—                          |
| FH-II 220, painted               | B        | 2320,— | 138,—           | 2458,—                          |
| FH-II 220, hot-dip galvanized    | B        | 2636,— | 138,—           | 2774,—                          |
| Drum Gripper Type FK             | Category | Price  | Freight charges | Price including freight charges |
| FK-I, painted                    | B        | 1208,— | 138,—           | 1346,—                          |
| FK-I, hot-dip galvanized         | B        | 1472,— | 138,—           | 1610,—                          |
| FK-II, painted                   | B        | 1437,— | 226,—           | 1663,—                          |
| FK-II, hot-dip galvanized        | B        | 1818,— | 226,—           | 2044,—                          |
| Drum Clamp Type FKL              | Category | Price  | Freight charges | Price including freight charges |
| FKL, painted                     | B        | 463,—  | 118,—           | 581,—                           |
| Drum Tipper Type FLEX-HK         | Category | Price  | Freight charges | Price including freight charges |
| FLEX-HK, painted                 | B        | 2090,— | 138,—           | 2228,—                          |
| Shelf Drum Pallet RP, galvanized | B        | 140,—  | 118,—           | 258,—                           |
| FLEX-HK, hot-dip galvanized      | B        | 2258,— | 138,—           | 2396,—                          |
| Shelf Drum Pallet RP, galvanized | B        | 140,—  | 118,—           | 258,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Drum Tipper Type FLEX-K           | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------|----------|--------|-----------------|---------------------------------|
| FLEX-K, painted                   | B        | 2283,— | 138,—           | 2421,—                          |
| Shelf Drum Pallet RP, galvanized  | B        | 140,—  | 118,—           | 258,—                           |
| FLEX-K, hot-dip galvanized        | B        | 2447,— | 138,—           | 2585,—                          |
| Shelf Drum Pallet RP, galvanized  | B        | 140,—  | 118,—           | 258,—                           |
| Drum Traverse Type FT/M           | Category | Price  | Freight charges | Price including freight charges |
| FT/M, galvanized                  | B        | 305,—  | 118,—           | 423,—                           |
| Drum Traverse Type FT/MK          | Category | Price  | Freight charges | Price including freight charges |
| FT/MK, galvanized                 | B        | 349,—  | 118,—           | 467,—                           |
| Drum Turner Type FW               | Category | Price  | Freight charges | Price including freight charges |
| FW-I, painted                     | B        | 1342,— | 226,—           | 1568,—                          |
| FW-I, hot-dip galvanized          | B        | 1742,— | 226,—           | 1968,—                          |
| FW-II, painted                    | B        | 1879,— | 226,—           | 2105,—                          |
| FW-II, hot-dip galvanized         | B        | 2447,— | 226,—           | 2673,—                          |
| Drum Turning Claw Type FWZ        | Category | Price  | Freight charges | Price including freight charges |
| FWZ-60, painted                   | B        | 1309,— | 138,—           | 1447,—                          |
| FWZ-60, hot-dip galvanized        | B        | 1289,— | 138,—           | 1427,—                          |
| FWZ-200, painted                  | B        | 1349,— | 138,—           | 1487,—                          |
| FWZ-200, hot-dip galvanized       | B        | 1329,— | 138,—           | 1467,—                          |
| Fork Extensions Type GG           | Category | Price  | Freight charges | Price including freight charges |
| GG 80/40 (1600 mm long), painted  | A        | 522,—  | 138,—           | 660,—                           |
| GG 80/40 (1800 mm long), painted  | A        | 550,—  | 138,—           | 688,—                           |
| GG 80/40 (2000 mm long), painted  | A        | 580,—  | 138,—           | 718,—                           |
| GG 100/40 (1600 mm long), painted | A        | 522,—  | 138,—           | 660,—                           |
| GG 100/40 (1800 mm long), painted | A        | 550,—  | 138,—           | 688,—                           |
| GG 100/40 (2000 mm long), painted | A        | 580,—  | 138,—           | 718,—                           |
| GG 100/45 (1600 mm long), painted | A        | 522,—  | 138,—           | 660,—                           |
| GG 100/45 (1800 mm long), painted | A        | 550,—  | 138,—           | 688,—                           |
| GG 100/45 (2000 mm long), painted | A        | 580,—  | 138,—           | 718,—                           |
| GG 100/50 (1600 mm long), painted | A        | 522,—  | 138,—           | 660,—                           |
| GG 100/50 (1800 mm long), painted | A        | 550,—  | 138,—           | 688,—                           |
| GG 100/50 (2000 mm long), painted | A        | 580,—  | 226,—           | 806,—                           |
| GG 120/40 (1600 mm long), painted | A        | 550,—  | 138,—           | 688,—                           |
| GG 120/40 (1800 mm long), painted | A        | 580,—  | 226,—           | 806,—                           |
| GG 120/40 (2000 mm long), painted | A        | 623,—  | 226,—           | 849,—                           |
| GG 120/50 (1600 mm long), painted | A        | 550,—  | 138,—           | 688,—                           |
| GG 120/50 (1800 mm long), painted | A        | 580,—  | 226,—           | 806,—                           |
| GG 120/50 (2000 mm long), painted | A        | 623,—  | 226,—           | 849,—                           |
| GG 125/45 (1600 mm long), painted | A        | 550,—  | 138,—           | 688,—                           |
| GG 125/45 (1800 mm long), painted | A        | 580,—  | 226,—           | 806,—                           |
| GG 125/45 (2000 mm long), painted | A        | 623,—  | 226,—           | 849,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Fork Extensions Type GG           | Category | Price | Freight charges | Price including freight charges |
|-----------------------------------|----------|-------|-----------------|---------------------------------|
| GG 125/50 (1600 mm long), painted | A        | 550,— | 138,—           | 688,—                           |
| GG 125/50 (1800 mm long), painted | A        | 580,— | 226,—           | 806,—                           |
| GG 125/50 (2000 mm long), painted | A        | 623,— | 226,—           | 849,—                           |
| GG 150/50 (1600 mm long), painted | A        | 612,— | 226,—           | 838,—                           |
| GG 150/50 (1800 mm long), painted | A        | 657,— | 226,—           | 883,—                           |
| GG 150/50 (2000 mm long), painted | A        | 688,— | 226,—           | 914,—                           |
| GG 150/70 (1600 mm long), painted | A        | 612,— | 226,—           | 838,—                           |
| GG 150/70 (1800 mm long), painted | A        | 657,— | 226,—           | 883,—                           |
| GG 150/70 (2000 mm long), painted | A        | 688,— | 226,—           | 914,—                           |

| Fork Extensions Type GO           | Category | Price | Freight charges | Price including freight charges |
|-----------------------------------|----------|-------|-----------------|---------------------------------|
| GO 80/40 (1600 mm long), painted  | A        | 376,— | 138,—           | 514,—                           |
| GO 80/40 (1800 mm long), painted  | A        | 382,— | 138,—           | 520,—                           |
| GO 80/40 (2000 mm long), painted  | A        | 397,— | 138,—           | 535,—                           |
| GO 100/40 (1600 mm long), painted | A        | 376,— | 138,—           | 514,—                           |
| GO 100/40 (1800 mm long), painted | A        | 382,— | 138,—           | 520,—                           |
| GO 100/40 (2000 mm long), painted | A        | 397,— | 138,—           | 535,—                           |
| GO 100/45 (1600 mm long), painted | A        | 376,— | 138,—           | 514,—                           |
| GO 100/45 (1800 mm long), painted | A        | 382,— | 138,—           | 520,—                           |
| GO 100/45 (2000 mm long), painted | A        | 397,— | 138,—           | 535,—                           |
| GO 100/50 (1600 mm long), painted | A        | 376,— | 138,—           | 514,—                           |
| GO 100/50 (1800 mm long), painted | A        | 382,— | 138,—           | 520,—                           |
| GO 100/50 (2000 mm long), painted | A        | 397,— | 138,—           | 535,—                           |
| GO 120/40 (1600 mm long), painted | A        | 382,— | 138,—           | 520,—                           |
| GO 120/40 (1800 mm long), painted | A        | 403,— | 138,—           | 541,—                           |
| GO 120/40 (2000 mm long), painted | A        | 420,— | 138,—           | 558,—                           |
| GO 120/50 (1600 mm long), painted | A        | 382,— | 138,—           | 520,—                           |
| GO 120/50 (1800 mm long), painted | A        | 403,— | 138,—           | 541,—                           |
| GO 120/50 (2000 mm long), painted | A        | 420,— | 138,—           | 558,—                           |
| GO 125/45 (1600 mm long), painted | A        | 382,— | 138,—           | 520,—                           |
| GO 125/45 (1800 mm long), painted | A        | 403,— | 138,—           | 541,—                           |
| GO 125/45 (2000 mm long), painted | A        | 420,— | 138,—           | 558,—                           |
| GO 125/50 (1600 mm long), painted | A        | 382,— | 138,—           | 520,—                           |
| GO 125/50 (1800 mm long), painted | A        | 403,— | 138,—           | 541,—                           |
| GO 125/50 (2000 mm long), painted | A        | 420,— | 138,—           | 558,—                           |
| GO 150/50 (1600 mm long), painted | A        | 458,— | 138,—           | 596,—                           |
| GO 150/50 (1800 mm long), painted | A        | 498,— | 138,—           | 636,—                           |
| GO 150/50 (2000 mm long), painted | A        | 536,— | 138,—           | 674,—                           |
| GO 150/70 (1600 mm long), painted | A        | 458,— | 138,—           | 596,—                           |
| GO 150/70 (1800 mm long), painted | A        | 498,— | 138,—           | 636,—                           |
| GO 150/70 (2000 mm long), painted | A        | 536,— | 138,—           | 674,—                           |

| Tilting Container Type GU | Category | Price | Freight charges | Price including freight charges |
|---------------------------|----------|-------|-----------------|---------------------------------|
| GU 300, painted           | A        | 632,— | 226,—           | 858,—                           |
| Lid, galvanized           | A        | 94,—  | 18,—            | 112,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Tilting Container Type GU                                 | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |
| <b>GU 300, hot-dip galvanized</b>                         | A        | 836,—  | 226,—           | 1062,—                          |
| Lid, galvanized                                           | A        | 94,—   | 18,—            | 112,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |
| <b>GU 500, painted</b>                                    | A        | 860,—  | 226,—           | 1086,—                          |
| Lid, galvanized                                           | A        | 94,—   | 18,—            | 112,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| Adjustable dumping brake                                  | A        | 448,—  | 10,—            | 458,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |
| <b>GU 500, hot-dip galvanized</b>                         | A        | 1120,— | 226,—           | 1346,—                          |
| Lid, galvanized                                           | A        | 94,—   | 18,—            | 112,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| Adjustable dumping brake                                  | A        | 448,—  | 10,—            | 458,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |
| <b>GU 750, painted</b>                                    | A        | 1016,— | 226,—           | 1242,—                          |
| Lid, galvanized                                           | A        | 134,—  | 26,—            | 160,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| Adjustable dumping brake                                  | A        | 448,—  | 10,—            | 458,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |
| <b>GU 750, hot-dip galvanized</b>                         | A        | 1324,— | 226,—           | 1550,—                          |
| Lid, galvanized                                           | A        | 134,—  | 26,—            | 160,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| Adjustable dumping brake                                  | A        | 448,—  | 10,—            | 458,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |
| <b>GU 1000, painted</b>                                   | A        | 1123,— | 226,—           | 1349,—                          |
| Lid, galvanized                                           | A        | 185,—  | 27,—            | 212,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| Adjustable dumping brake                                  | A        | 448,—  | 10,—            | 458,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |
| <b>GU 1000, hot-dip galvanized</b>                        | A        | 1591,— | 331,—           | 1922,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Tilting Container Type GU                                 | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Lid, galvanized                                           | A        | 185,—  | 27,—            | 212,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| Adjustable dumping brake                                  | A        | 448,—  | 10,—            | 458,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |
| <b>GU 1500, painted</b>                                   | A        | 1311,— | 331,—           | 1642,—                          |
| Lid, galvanized                                           | A        | 185,—  | 27,—            | 212,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| Adjustable dumping brake                                  | A        | 448,—  | 10,—            | 458,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |
| <b>GU 1500, hot-dip galvanized</b>                        | A        | 1709,— | 331,—           | 2040,—                          |
| Lid, galvanized                                           | A        | 185,—  | 27,—            | 212,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| Adjustable dumping brake                                  | A        | 448,—  | 10,—            | 458,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |
| <b>GU 2000, painted</b>                                   | A        | 1618,— | 331,—           | 1949,—                          |
| Lid, galvanized                                           | A        | 218,—  | 32,—            | 250,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| Adjustable dumping brake                                  | A        | 448,—  | 10,—            | 458,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |
| <b>GU 2000, hot-dip galvanized</b>                        | A        | 2125,— | 331,—           | 2456,—                          |
| Lid, galvanized                                           | A        | 218,—  | 32,—            | 250,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| Adjustable dumping brake                                  | A        | 448,—  | 10,—            | 458,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |

| Swarf Tilting Container Type GU-E                         | Category | Price | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|-------|-----------------|---------------------------------|
| <b>GU-E 300, painted</b>                                  | A        | 748,— | 226,—           | 974,—                           |
| Lid, galvanized                                           | A        | 94,—  | 18,—            | 112,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,— | 15,—            | 200,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,— | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—  | 8,—             | 75,—                            |
| <b>GU-E 300, hot-dip galvanized</b>                       | A        | 952,— | 226,—           | 1178,—                          |
| Lid, galvanized                                           | A        | 94,—  | 18,—            | 112,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,— | 15,—            | 200,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,— | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—  | 8,—             | 75,—                            |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| <b>Swarf Tilting Container Type GU-E</b>                  | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|-----------------------------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| <b>GU-E 500, painted</b>                                  | A               | 977,—        | 226,—                  | 1203,—                                 |
| Lid, galvanized                                           | A               | 94,—         | 18,—                   | 112,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>GU-E 500, hot-dip galvanized</b>                       | A               | 1236,—       | 226,—                  | 1462,—                                 |
| Lid, galvanized                                           | A               | 94,—         | 18,—                   | 112,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>GU-E 750, painted</b>                                  | A               | 1132,—       | 226,—                  | 1358,—                                 |
| Lid, galvanized                                           | A               | 134,—        | 26,—                   | 160,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>GU-E 750, hot-dip galvanized</b>                       | A               | 1440,—       | 226,—                  | 1666,—                                 |
| Lid, galvanized                                           | A               | 134,—        | 26,—                   | 160,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>GU-E 1000, painted</b>                                 | A               | 1280,—       | 226,—                  | 1506,—                                 |
| Lid, galvanized                                           | A               | 185,—        | 27,—                   | 212,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>GU-E 1000, hot-dip galvanized</b>                      | A               | 1748,—       | 331,—                  | 2079,—                                 |
| Lid, galvanized                                           | A               | 185,—        | 27,—                   | 212,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>GU-E 1500, painted</b>                                 | A               | 1468,—       | 331,—                  | 1799,—                                 |
| Lid, galvanized                                           | A               | 185,—        | 27,—                   | 212,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>GU-E 1500, hot-dip galvanized</b>                      | A               | 1866,—       | 331,—                  | 2197,—                                 |
| Lid, galvanized                                           | A               | 185,—        | 27,—                   | 212,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| <b>Swarf Tilting Container Type GU-E</b>                  | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|-----------------------------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>GU-E 2000, painted</b>                                 | A               | 1775,—       | 331,—                  | 2106,—                                 |
| Lid, galvanized                                           | A               | 218,—        | 32,—                   | 250,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>GU-E 2000, hot-dip galvanized</b>                      | A               | 2282,—       | 331,—                  | 2613,—                                 |
| Lid, galvanized                                           | A               | 218,—        | 32,—                   | 250,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>Tilting Container Type GU-RZ</b>                       | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>GU-RZ 30, painted</b>                                  | A               | 675,—        | 226,—                  | 901,—                                  |
| Lid, galvanized                                           | A               | 91,—         | 18,—                   | 109,—                                  |
| <b>GU-RZ 30, hot-dip galvanized</b>                       | A               | 752,—        | 226,—                  | 978,—                                  |
| Lid, galvanized                                           | A               | 91,—         | 18,—                   | 109,—                                  |
| <b>GU-RZ 55, painted</b>                                  | A               | 899,—        | 226,—                  | 1125,—                                 |
| Lid, galvanized                                           | A               | 91,—         | 18,—                   | 109,—                                  |
| <b>GU-RZ 55, hot-dip galvanized</b>                       | A               | 991,—        | 226,—                  | 1217,—                                 |
| Lid, galvanized                                           | A               | 91,—         | 18,—                   | 109,—                                  |
| <b>Fork Protection Type GZS</b>                           | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>GZS, painted</b>                                       | F               | 172,—        | 118,—                  | 290,—                                  |
| <b>Container With Drop Away Base Type HKB</b>             | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>HKB 60, painted</b>                                    | A               | 1041,—       | 226,—                  | 1267,—                                 |
| <b>HKB 60, hot-dip galvanized</b>                         | A               | 1220,—       | 226,—                  | 1446,—                                 |
| <b>HKB 70, painted</b>                                    | A               | 1101,—       | 226,—                  | 1327,—                                 |
| <b>HKB 70, hot-dip galvanized</b>                         | A               | 1295,—       | 226,—                  | 1521,—                                 |
| <b>HKB 90, painted</b>                                    | A               | 1369,—       | 226,—                  | 1595,—                                 |
| <b>HKB 90, hot-dip galvanized</b>                         | A               | 1636,—       | 331,—                  | 1967,—                                 |
| <b>Shovel Type HVR</b>                                    | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>HVR 50, painted</b>                                    | A               | 3278,—       | 331,—                  | 3609,—                                 |
| <b>HVR 75, painted</b>                                    | A               | 3841,—       | 402,—                  | 4243,—                                 |
| <b>HVR 80 L, painted</b>                                  | A               | 3956,—       | 402,—                  | 4358,—                                 |
| <b>HVR 100, painted</b>                                   | A               | 4862,—       | 582,—                  | 5444,—                                 |
| <b>HVR 150, painted</b>                                   | A               | 6214,—       | 582,—                  | 6796,—                                 |
| <b>Kippomat Type KG-A</b>                                 | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>KG-A, hot-dip galvanized</b>                           | A               | 3109,—       | 331,—                  | 3440,—                                 |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Kippomat Type KG-B                                          | Category | Price  | Freight charges | Price including freight charges |
|-------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| KG-B, hot-dip galvanized                                    | A        | 3030,— | 331,—           | 3361,—                          |
| Kippomat Type KG-C                                          | Category | Price  | Freight charges | Price including freight charges |
| KG-C, hot-dip galvanized                                    | A        | 2010,— | 226,—           | 2236,—                          |
| Tipping Skip Type KK                                        | Category | Price  | Freight charges | Price including freight charges |
| <b>KK 250, painted</b>                                      | E        | 467,—  | 138,—           | 605,—                           |
| Lid, galvanized                                             | E        | 131,—  | 15,—            | 146,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 131,—  | 15,—            | 146,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 99,—   | 15,—            | 114,—                           |
| <b>KK 250, hot-dip galvanized</b>                           | E        | 515,—  | 138,—           | 653,—                           |
| Lid, galvanized                                             | E        | 131,—  | 15,—            | 146,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 131,—  | 15,—            | 146,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 99,—   | 15,—            | 114,—                           |
| <b>KK 400, painted</b>                                      | E        | 532,—  | 138,—           | 670,—                           |
| Lid, galvanized                                             | E        | 150,—  | 16,—            | 166,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 131,—  | 15,—            | 146,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 99,—   | 15,—            | 114,—                           |
| <b>KK 400, hot-dip galvanized</b>                           | E        | 579,—  | 138,—           | 717,—                           |
| Lid, galvanized                                             | E        | 150,—  | 16,—            | 166,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 131,—  | 15,—            | 146,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 99,—   | 15,—            | 114,—                           |
| <b>KK 600, painted</b>                                      | E        | 738,—  | 226,—           | 964,—                           |
| Lid, galvanized                                             | E        | 167,—  | 20,—            | 187,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 131,—  | 15,—            | 146,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 99,—   | 15,—            | 114,—                           |
| <b>KK 600, hot-dip galvanized</b>                           | E        | 835,—  | 226,—           | 1061,—                          |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 99,—   | 15,—            | 114,—                           |
| Lid, galvanized                                             | E        | 167,—  | 20,—            | 187,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 131,—  | 15,—            | 146,—                           |
| <b>KK 800, painted</b>                                      | E        | 795,—  | 226,—           | 1021,—                          |
| Lid, galvanized                                             | E        | 174,—  | 21,—            | 195,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 131,—  | 15,—            | 146,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 99,—   | 15,—            | 114,—                           |
| <b>KK 800, hot-dip galvanized</b>                           | E        | 898,—  | 226,—           | 1124,—                          |
| Lid, galvanized                                             | E        | 174,—  | 21,—            | 195,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 131,—  | 15,—            | 146,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 99,—   | 15,—            | 114,—                           |
| <b>KK 1000, painted</b>                                     | E        | 851,—  | 226,—           | 1077,—                          |
| Lid, galvanized                                             | E        | 186,—  | 22,—            | 208,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 131,—  | 15,—            | 146,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 99,—   | 15,—            | 114,—                           |
| <b>KK 1000, hot-dip galvanized</b>                          | E        | 979,—  | 226,—           | 1205,—                          |
| Lid, galvanized                                             | E        | 186,—  | 22,—            | 208,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 131,—  | 15,—            | 146,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| <b>Tipping Skip Type KK</b>                                 | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|-------------------------------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>Kippomat Type KM</b>                                     | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| KM, hot-dip galvanized                                      | A               | 3109,—       | 226,—                  | 3335,—                                 |
| <b>Tipping Skip Type KN</b>                                 | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>KN 250, painted</b>                                      | E               | 467,—        | 138,—                  | 605,—                                  |
| Lid, galvanized                                             | E               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>KN 250, hot-dip galvanized</b>                           | E               | 515,—        | 138,—                  | 653,—                                  |
| Lid, galvanized                                             | E               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>KN 400, painted</b>                                      | E               | 532,—        | 138,—                  | 670,—                                  |
| Lid, galvanized                                             | E               | 150,—        | 16,—                   | 166,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>KN 400, hot-dip galvanized</b>                           | E               | 579,—        | 138,—                  | 717,—                                  |
| Lid, galvanized                                             | E               | 150,—        | 16,—                   | 166,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>Tipping Skip Type KS</b>                                 | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| KS 400, painted                                             | E               | 869,—        | 226,—                  | 1095,—                                 |
| KS 550, painted                                             | E               | 931,—        | 226,—                  | 1157,—                                 |
| KS 700, painted                                             | E               | 989,—        | 226,—                  | 1215,—                                 |
| <b>Extensible Crane Arm Type KT</b>                         | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| KT 2,5, painted                                             | A               | 1399,—       | 226,—                  | 1625,—                                 |
| KT 2,5, hot-dip galvanized                                  | A               | 1703,—       | 331,—                  | 2034,—                                 |
| KT 5,0, painted                                             | A               | 1737,—       | 331,—                  | 2068,—                                 |
| KT 5,0, hot-dip galvanized                                  | A               | 2166,—       | 331,—                  | 2497,—                                 |
| <b>Extensible Crane Arm Type KTH</b>                        | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| KTH 2,5, painted                                            | A               | 1688,—       | 331,—                  | 2019,—                                 |
| KTH 2,5, hot-dip galvanized                                 | A               | 1998,—       | 331,—                  | 2329,—                                 |
| KTH 5,0, painted                                            | A               | 1943,—       | 331,—                  | 2274,—                                 |
| KTH 5,0, hot-dip galvanized                                 | A               | 2292,—       | 331,—                  | 2623,—                                 |
| <b>Extensible Crane Arm Type KTH-K</b>                      | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| KTH-K 2,5, painted                                          | A               | 1551,—       | 226,—                  | 1777,—                                 |
| KTH-K 2,5, hot-dip galvanized                               | A               | 1877,—       | 226,—                  | 2103,—                                 |
| KTH-K 5,0, painted                                          | A               | 1789,—       | 226,—                  | 2015,—                                 |
| KTH-K 5,0, hot-dip galvanized                               | A               | 2156,—       | 331,—                  | 2487,—                                 |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Extensible Crane Arm Type KT-K | Category | Price  | Freight charges | Price including freight charges |
|--------------------------------|----------|--------|-----------------|---------------------------------|
| KT-K 2,5, painted              | A        | 1247,— | 226,—           | 1473,—                          |
| KT-K 2,5, hot-dip galvanized   | A        | 1567,— | 226,—           | 1793,—                          |
| KT-K 5,0, painted              | A        | 1570,— | 226,—           | 1796,—                          |
| KT-K 5,0, hot-dip galvanized   | A        | 2021,— | 226,—           | 2247,—                          |

| Barrow Tipper Type KW-ET       | Category | Price  | Freight charges | Price including freight charges |
|--------------------------------|----------|--------|-----------------|---------------------------------|
| KW-ET 250, painted             | E        | 568,—  | 138,—           | 706,—                           |
| Lid, galvanized                | E        | 131,—  | 15,—            | 146,—                           |
| KW-ET 250, hot-dip galvanized  | E        | 869,—  | 138,—           | 1007,—                          |
| Lid, galvanized                | E        | 131,—  | 15,—            | 146,—                           |
| KW-ET 400, painted             | E        | 626,—  | 138,—           | 764,—                           |
| Lid, galvanized                | E        | 150,—  | 16,—            | 166,—                           |
| KW-ET 400, hot-dip galvanized  | E        | 964,—  | 138,—           | 1102,—                          |
| Lid, galvanized                | E        | 150,—  | 16,—            | 166,—                           |
| KW-ET 600, painted             | E        | 780,—  | 226,—           | 1006,—                          |
| Lid, galvanized                | E        | 167,—  | 20,—            | 187,—                           |
| KW-ET 600, hot-dip galvanized  | E        | 1126,— | 226,—           | 1352,—                          |
| Lid, galvanized                | E        | 167,—  | 20,—            | 187,—                           |
| KW-ET 1000, painted            | E        | 963,—  | 226,—           | 1189,—                          |
| Lid, galvanized                | E        | 186,—  | 22,—            | 208,—                           |
| KW-ET 1000, hot-dip galvanized | E        | 1537,— | 226,—           | 1763,—                          |
| Lid, galvanized                | E        | 186,—  | 22,—            | 208,—                           |

| Loading Arm Type LA             | Category | Price  | Freight charges | Price including freight charges |
|---------------------------------|----------|--------|-----------------|---------------------------------|
| LA 1600-1,0, painted            | A        | 523,—  | 138,—           | 661,—                           |
| LA 1600-1,0, hot-dip galvanized | A        | 561,—  | 138,—           | 699,—                           |
| LA 1600-2,5, painted            | A        | 759,—  | 138,—           | 897,—                           |
| LA 1600-2,5, hot-dip galvanized | A        | 895,—  | 138,—           | 1033,—                          |
| LA 1600-5,0, painted            | A        | 1094,— | 226,—           | 1320,—                          |
| LA 1600-5,0, hot-dip galvanized | A        | 1280,— | 226,—           | 1506,—                          |
| LA 2400-1,0, painted            | A        | 549,—  | 138,—           | 687,—                           |
| LA 2400-1,0, hot-dip galvanized | A        | 610,—  | 138,—           | 748,—                           |
| LA 2400-2,5, painted            | A        | 847,—  | 226,—           | 1073,—                          |
| LA 2400-2,5, hot-dip galvanized | A        | 982,—  | 226,—           | 1208,—                          |
| LA 2400-5,0, painted            | A        | 1207,— | 226,—           | 1433,—                          |
| LA 2400-5,0, hot-dip galvanized | A        | 1429,— | 226,—           | 1655,—                          |
| LA 25-1,0, painted              | A        | 610,—  | 138,—           | 748,—                           |
| LA 25-1,0, hot-dip galvanized   | A        | 659,—  | 138,—           | 797,—                           |

| Loading Arm Type LAT           | Category | Price | Freight charges | Price including freight charges |
|--------------------------------|----------|-------|-----------------|---------------------------------|
| LAT 25-1,0, painted            | A        | 740,— | 138,—           | 878,—                           |
| LAT 25-1,0, hot-dip galvanized | A        | 809,— | 138,—           | 947,—                           |

| Scissor Gripper Type LG | Category | Price | Freight charges | Price including freight charges |
|-------------------------|----------|-------|-----------------|---------------------------------|
| LG 60, painted          | B        | 236,— | 118,—           | 354,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Scissor Gripper Type LG                                   | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| LG 60, galvanized                                         | B        | 215,—  | 118,—           | 333,—                           |
| LG 200, painted                                           | B        | 236,—  | 118,—           | 354,—                           |
| LG 200, galvanized                                        | B        | 215,—  | 118,—           | 333,—                           |
| Container for Long Material Type LGK                      | Category | Price  | Freight charges | Price including freight charges |
| LGK, painted                                              | A        | 1329,— | 226,—           | 1555,—                          |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| LGK, hot-dip galvanized                                   | A        | 1619,— | 226,—           | 1845,—                          |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Long Material Carrier Type LGT                            | Category | Price  | Freight charges | Price including freight charges |
| LGT 1,5, painted                                          | A        | 1863,— | 331,—           | 2194,—                          |
| LGT 1,5, hot-dip galvanized                               | A        | 2186,— | 331,—           | 2517,—                          |
| LGT 2,5, painted                                          | A        | 2090,— | on request      | on request                      |
| LGT 2,5, hot-dip galvanized                               | A        | 2502,— | on request      | on request                      |
| LGT 3,5, painted                                          | A        | 2887,— | on request      | on request                      |
| LGT 3,5, hot-dip galvanized                               | A        | 3545,— | on request      | on request                      |
| LGT 4,5, painted                                          | A        | 3190,— | on request      | on request                      |
| LGT 4,5, hot-dip galvanized                               | A        | 3933,— | on request      | on request                      |
| Drum Claw Type LGZ                                        | Category | Price  | Freight charges | Price including freight charges |
| LGZ 60, painted                                           | B        | 217,—  | 118,—           | 335,—                           |
| LGZ 60, galvanized                                        | B        | 203,—  | 118,—           | 321,—                           |
| LGZ 200, painted                                          | B        | 217,—  | 118,—           | 335,—                           |
| LGZ 200, galvanized                                       | B        | 203,—  | 118,—           | 321,—                           |
| Crane Hook Type LH                                        | Category | Price  | Freight charges | Price including freight charges |
| LH-I 1,0, painted                                         | A        | 192,—  | 118,—           | 310,—                           |
| LH-I 1,0, hot-dip galvanized                              | A        | 215,—  | 118,—           | 333,—                           |
| LH-I 1,5, painted                                         | A        | 210,—  | 118,—           | 328,—                           |
| LH-I 1,5, hot-dip galvanized                              | A        | 233,—  | 118,—           | 351,—                           |
| LH-I 2,0, painted                                         | A        | 221,—  | 118,—           | 339,—                           |
| LH-I 2,0, hot-dip galvanized                              | A        | 245,—  | 118,—           | 363,—                           |
| LH-I 2,5, painted                                         | A        | 246,—  | 118,—           | 364,—                           |
| LH-I 2,5, hot-dip galvanized                              | A        | 269,—  | 118,—           | 387,—                           |
| LH-I 3,0, painted                                         | A        | 319,—  | 118,—           | 437,—                           |
| LH-I 3,0, hot-dip galvanized                              | A        | 343,—  | 118,—           | 461,—                           |
| LH-II 1,5, painted                                        | A        | 317,—  | 118,—           | 435,—                           |
| LH-II 1,5, hot-dip galvanized                             | A        | 365,—  | 118,—           | 483,—                           |
| LH-II 2,5, painted                                        | A        | 419,—  | 118,—           | 537,—                           |
| LH-II 2,5, hot-dip galvanized                             | A        | 498,—  | 118,—           | 616,—                           |
| LH-II 5,0, painted                                        | A        | 695,—  | 138,—           | 833,—                           |
| LH-II 5,0, hot-dip galvanized                             | A        | 780,—  | 138,—           | 918,—                           |
| LH-II 7,5, painted                                        | A        | 827,—  | 138,—           | 965,—                           |
| LH-II 7,5, hot-dip galvanized                             | A        | 916,—  | 138,—           | 1054,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Long Load Handler Type LSL                                | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| LSL, painted                                              | A        | 1102,— | 226,—           | 1328,—                          |
| LSL, hot-dip galvanized                                   | A        | 1265,— | 226,—           | 1491,—                          |
| Long Material Sidecar Type LSW                            | Category | Price  | Freight charges | Price including freight charges |
| LSW 1,3, painted                                          | A        | 920,—  | 138,—           | 1058,—                          |
| LSW 1,3, hot-dip galvanized                               | A        | 982,—  | 226,—           | 1208,—                          |
| LSW 2,5, painted                                          | A        | 1093,— | 138,—           | 1231,—                          |
| LSW 2,5, hot-dip galvanized                               | A        | 1156,— | 226,—           | 1382,—                          |
| Access Safety Platform Type MB-B                          | Category | Price  | Freight charges | Price including freight charges |
| MB-B, painted                                             | A        | 1048,— | 226,—           | 1274,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Access Safety Platform Type MB-B/L                        | Category | Price  | Freight charges | Price including freight charges |
| MB-B/L, painted                                           | A        | 1230,— | 226,—           | 1456,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Access Safety Platform Type MB-D                          | Category | Price  | Freight charges | Price including freight charges |
| MB-D, painted                                             | A        | 877,—  | 226,—           | 1103,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Access Safety Platform Type MB-D/L                        | Category | Price  | Freight charges | Price including freight charges |
| MB-D/L, painted                                           | A        | 1058,— | 226,—           | 1284,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Access Safety Platform Type MB-F                          | Category | Price  | Freight charges | Price including freight charges |
| MB-F, painted                                             | A        | 1037,— | 226,—           | 1263,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Access Safety Platform Type MB-II                         | Category | Price  | Freight charges | Price including freight charges |
| MB-II, painted                                            | A        | 960,—  | 226,—           | 1186,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| MB-II, hot-dip galvanized                                 | A        | 1131,— | 226,—           | 1357,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Access Safety Platform Type MB-K-IV                       | Category | Price  | Freight charges | Price including freight charges |
| MB-K-IV, painted                                          | A        | 1943,— | 280,—           | 2223,—                          |
| Access Safety Platform Type MB-ST                         | Category | Price  | Freight charges | Price including freight charges |
| MB-ST, painted                                            | A        | 2488,— | 226,—           | 2714,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Access Safety Platform Type MB-ST/L                       | Category | Price  | Freight charges | Price including freight charges |
| MB-ST/L, painted                                          | A        | 2670,— | 226,—           | 2896,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Access Safety Platform Type MB-ST/L                       | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Access Safety Platform Type MB-ST/T                       | Category | Price  | Freight charges | Price including freight charges |
| <b>MB-ST/T, painted</b>                                   | A        | 2804,— | 226,—           | 3030,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Access Safety Platform Type MB-ST/T/L                     | Category | Price  | Freight charges | Price including freight charges |
| <b>MB-ST/T/L, painted</b>                                 | A        | 2987,— | 226,—           | 3213,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Mini Tilting Container Type MGU                           | Category | Price  | Freight charges | Price including freight charges |
| <b>MGU 230, painted</b>                                   | A        | 549,—  | 138,—           | 687,—                           |
| Lid, galvanized                                           | A        | 126,—  | 18,—            | 144,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>MGU 230, hot-dip galvanized</b>                        | A        | 632,—  | 226,—           | 858,—                           |
| Lid, galvanized                                           | A        | 126,—  | 18,—            | 144,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>MGU 270, painted</b>                                   | A        | 600,—  | 226,—           | 826,—                           |
| Lid, galvanized                                           | A        | 126,—  | 18,—            | 144,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>MGU 270, hot-dip galvanized</b>                        | A        | 704,—  | 226,—           | 930,—                           |
| Lid, galvanized                                           | A        | 126,—  | 18,—            | 144,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>MGU 460, painted</b>                                   | A        | 787,—  | 226,—           | 1013,—                          |
| Lid, galvanized                                           | A        | 163,—  | 22,—            | 185,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>MGU 460, hot-dip galvanized</b>                        | A        | 934,—  | 226,—           | 1160,—                          |
| Lid, galvanized                                           | A        | 163,—  | 22,—            | 185,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>MGU 610, painted</b>                                   | A        | 887,—  | 226,—           | 1113,—                          |
| Lid, galvanized                                           | A        | 174,—  | 26,—            | 200,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>MGU 610, hot-dip galvanized</b>                        | A        | 1052,— | 226,—           | 1278,—                          |
| Lid, galvanized                                           | A        | 174,—  | 26,—            | 200,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Wheelie Bin Jack Type MH                                  | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| MH-I, painted                                             | A        | 634,–  | 138,–           | 772,–                           |
| MH-II, painted                                            | A        | 700,–  | 138,–           | 838,–                           |
| MH-III, painted                                           | A        | 757,–  | 138,–           | 895,–                           |
| Wheelie Bin Tipper Type MK                                | Category | Price  | Freight charges | Price including freight charges |
| MK 120, painted                                           | A        | 1229,– | 138,–           | 1367,–                          |
| MK 240, painted                                           | A        | 1229,– | 138,–           | 1367,–                          |
| Wheelie Bin Tipper Type MK-H                              | Category | Price  | Freight charges | Price including freight charges |
| MK-H 120, painted                                         | A        | 1837,– | 138,–           | 1975,–                          |
| MK-H 240, painted                                         | A        | 1837,– | 226,–           | 2063,–                          |
| Mini Container With Drop Away Base Type MSB               | Category | Price  | Freight charges | Price including freight charges |
| MSB 150, painted                                          | A        | 614,–  | 138,–           | 752,–                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,–  | 15,–            | 165,–                           |
| Guiding Plates, galvanized                                | A        | 70,–   | 12,–            | 82,–                            |
| MSB 150, hot-dip galvanized                               | A        | 720,–  | 138,–           | 858,–                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,–  | 15,–            | 165,–                           |
| Guiding Plates, galvanized                                | A        | 70,–   | 12,–            | 82,–                            |
| MSB 250, painted                                          | A        | 666,–  | 138,–           | 804,–                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,–  | 15,–            | 165,–                           |
| Guiding Plates, galvanized                                | A        | 70,–   | 12,–            | 82,–                            |
| MSB 250, hot-dip galvanized                               | A        | 798,–  | 138,–           | 936,–                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,–  | 15,–            | 165,–                           |
| Guiding Plates, galvanized                                | A        | 70,–   | 12,–            | 82,–                            |
| MSB 400, painted                                          | A        | 821,–  | 138,–           | 959,–                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,–  | 15,–            | 165,–                           |
| Guiding Plates, galvanized                                | A        | 70,–   | 12,–            | 82,–                            |
| MSB 400, hot-dip galvanized                               | A        | 983,–  | 226,–           | 1209,–                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,–  | 15,–            | 165,–                           |
| Guiding Plates, galvanized                                | A        | 70,–   | 12,–            | 82,–                            |
| Tilting Container Type NK                                 | Category | Price  | Freight charges | Price including freight charges |
| NK 30, painted                                            | A        | 676,–  | 226,–           | 902,–                           |
| Lid, galvanized                                           | A        | 94,–   | 15,–            | 109,–                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,–  | 15,–            | 200,–                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,–   | 0,–             | 75,–                            |
| NK 30, hot-dip galvanized                                 | A        | 950,–  | 226,–           | 1176,–                          |
| Lid, galvanized                                           | A        | 94,–   | 15,–            | 109,–                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,–  | 15,–            | 200,–                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,–   | 0,–             | 75,–                            |
| NK 50, painted                                            | A        | 950,–  | 226,–           | 1176,–                          |
| Lid, galvanized                                           | A        | 94,–   | 18,–            | 112,–                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,–  | 15,–            | 200,–                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,–   | 0,–             | 75,–                            |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Tilting Container Type NK                                 | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>NK 50, hot-dip galvanized</b>                          | A        | 1282,— | 226,—           | 1508,—                          |
| Lid, galvanized                                           | A        | 94,—   | 18,—            | 112,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>NK 75, painted</b>                                     | A        | 1077,— | 331,—           | 1408,—                          |
| Lid, galvanized                                           | A        | 137,—  | 22,—            | 159,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>NK 75, hot-dip galvanized</b>                          | A        | 1684,— | 331,—           | 2015,—                          |
| Lid, galvanized                                           | A        | 137,—  | 22,—            | 159,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>NK 100, painted</b>                                    | A        | 1457,— | 331,—           | 1788,—                          |
| Lid, galvanized                                           | A        | 167,—  | 27,—            | 194,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>NK 100, hot-dip galvanized</b>                         | A        | 2000,— | 331,—           | 2331,—                          |
| Lid, galvanized                                           | A        | 167,—  | 27,—            | 194,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| Cylindrical Container Type RB                             | Category | Price  | Freight charges | Price including freight charges |
| <b>RB 300, painted</b>                                    | A        | 656,—  | 138,—           | 794,—                           |
| Lid, aluminium                                            | A        | 154,—  | 14,—            | 168,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| <b>RB 300, hot-dip galvanized</b>                         | A        | 763,—  | 138,—           | 901,—                           |
| Lid, aluminium                                            | A        | 154,—  | 14,—            | 168,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| <b>RB 450, painted</b>                                    | A        | 766,—  | 138,—           | 904,—                           |
| Lid, aluminium                                            | A        | 154,—  | 14,—            | 168,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| <b>RB 450, hot-dip galvanized</b>                         | A        | 895,—  | 138,—           | 1033,—                          |
| Lid, aluminium                                            | A        | 154,—  | 14,—            | 168,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| Tilting Container Type RD                                 | Category | Price  | Freight charges | Price including freight charges |
| <b>RD 750, painted</b>                                    | A        | 1161,— | 331,—           | 1492,—                          |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>RD 750, hot-dip galvanized</b>                         | A        | 1547,— | 331,—           | 1878,—                          |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>RD 1000, painted</b>                                   | A        | 1400,— | 331,—           | 1731,—                          |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Tilting Container Type RD                                 | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| RD 1000, hot-dip galvanized                               | A        | 1867,— | 331,—           | 2198,—                          |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| Platform for Off-Cuts Type RGP                            | Category | Price  | Freight charges | Price including freight charges |
| RGP-1, painted                                            | A        | 2354,— | on request      | on request                      |
| RGP-1, hot-dip galvanized                                 | A        | 3012,— | on request      | on request                      |
| RGP-2, painted                                            | A        | 2578,— | on request      | on request                      |
| RGP-2, hot-dip galvanized                                 | A        | 3437,— | on request      | on request                      |
| RGP-3, painted                                            | A        | 2808,— | on request      | on request                      |
| RGP-3, hot-dip galvanized                                 | A        | 3783,— | on request      | on request                      |
| Shunting Aid Type RH                                      | Category | Price  | Freight charges | Price including freight charges |
| RH, painted                                               | A        | 411,—  | 118,—           | 529,—                           |
| Shunting Aid Type RH-AC                                   | Category | Price  | Freight charges | Price including freight charges |
| RH-AC, painted                                            | A        | 2227,— | 331,—           | 2558,—                          |
| Shunting Aid Type RH-RA                                   | Category | Price  | Freight charges | Price including freight charges |
| RH-RA, painted                                            | A        | 1532,— | 138,—           | 1670,—                          |
| Shunting Aid Type RH-RAK                                  | Category | Price  | Freight charges | Price including freight charges |
| RH-RAK, painted                                           | A        | 1633,— | 138,—           | 1771,—                          |
| Shunting Aid Type RH-RM                                   | Category | Price  | Freight charges | Price including freight charges |
| RH-RM, painted                                            | A        | 1138,— | 138,—           | 1276,—                          |
| Shunting Aid Type RH-RMK                                  | Category | Price  | Freight charges | Price including freight charges |
| RH-RMK, painted                                           | A        | 1241,— | 138,—           | 1379,—                          |
| Drum Lifter Type RS 60                                    | Category | Price  | Freight charges | Price including freight charges |
| RS 60-I, painted                                          | B        | 978,—  | 138,—           | 1116,—                          |
| RS 60-I, hot-dip galvanized                               | B        | 1039,— | 138,—           | 1177,—                          |
| RS 60-II, painted                                         | B        | 1655,— | 138,—           | 1793,—                          |
| RS 60-II, hot-dip galvanized                              | B        | 1737,— | 138,—           | 1875,—                          |
| Drum Lifter Type RS                                       | Category | Price  | Freight charges | Price including freight charges |
| RS-I/91, painted                                          | B        | 1643,— | 226,—           | 1869,—                          |
| RS-I/91, hot-dip galvanized                               | B        | 1879,— | 226,—           | 2105,—                          |
| RS-II/91, painted                                         | B        | 2848,— | 226,—           | 3074,—                          |
| RS-II/91, hot-dip galvanized                              | B        | 3207,— | 226,—           | 3433,—                          |
| RS-I/M, painted                                           | B        | 1503,— | 138,—           | 1641,—                          |
| RS-I/M, hot-dip galvanized                                | B        | 1737,— | 226,—           | 1963,—                          |
| RS-II/M, painted                                          | B        | 2572,— | 226,—           | 2798,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Drum Lifter Type RS                                                  | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| RS-II/M, hot-dip galvanized                                          | B        | 2927,— | 226,—           | 3153,—                          |
| Drum Lifter Type RS/D 91                                             | Category | Price  | Freight charges | Price including freight charges |
| RS-I/D 91, painted                                                   | B        | 1437,— | 226,—           | 1663,—                          |
| RS-I/D 91, hot-dip galvanized                                        | B        | 1671,— | 226,—           | 1897,—                          |
| RS-II/D 91, painted                                                  | B        | 2435,— | 226,—           | 2661,—                          |
| RS-II/D 91, hot-dip galvanized                                       | B        | 2789,— | 226,—           | 3015,—                          |
| Swarf Tilting Container Type S3S                                     | Category | Price  | Freight charges | Price including freight charges |
| S3S 300, painted                                                     | A        | 1311,— | 226,—           | 1537,—                          |
| Lid, galvanized                                                      | A        | 168,—  | 18,—            | 186,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set            | A        | 131,—  | 15,—            | 146,—                           |
| S3S 300, hot-dip galvanized                                          | A        | 1404,— | 331,—           | 1735,—                          |
| Lid, galvanized                                                      | A        | 168,—  | 18,—            | 186,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set            | A        | 131,—  | 15,—            | 146,—                           |
| S3S 600, painted                                                     | A        | 1365,— | 331,—           | 1696,—                          |
| Lid, galvanized                                                      | A        | 189,—  | 22,—            | 211,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set            | A        | 131,—  | 15,—            | 146,—                           |
| S3S 600, hot-dip galvanized                                          | A        | 1462,— | 331,—           | 1793,—                          |
| Lid, galvanized                                                      | A        | 189,—  | 22,—            | 211,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set            | A        | 131,—  | 15,—            | 146,—                           |
| Swarf Tilting Container Type S4A                                     | Category | Price  | Freight charges | Price including freight charges |
| S4A 600, painted                                                     | A        | 1228,— | 226,—           | 1454,—                          |
| Lid, galvanized                                                      | A        | 189,—  | 22,—            | 211,—                           |
| S4A 600, hot-dip galvanized                                          | A        | 1370,— | 226,—           | 1596,—                          |
| Lid, galvanized                                                      | A        | 189,—  | 22,—            | 211,—                           |
| S4A 900, painted                                                     | A        | 1360,— | 331,—           | 1691,—                          |
| Lid, galvanized                                                      | A        | 215,—  | 27,—            | 242,—                           |
| S4A 900, hot-dip galvanized                                          | A        | 1541,— | 331,—           | 1872,—                          |
| Lid, galvanized                                                      | A        | 215,—  | 27,—            | 242,—                           |
| S4A 1200, painted                                                    | A        | 1446,— | 331,—           | 1777,—                          |
| Lid, galvanized                                                      | A        | 215,—  | 26,—            | 241,—                           |
| S4A 1200, hot-dip galvanized                                         | A        | 1671,— | 331,—           | 2002,—                          |
| Lid, galvanized                                                      | A        | 215,—  | 26,—            | 241,—                           |
| Container With Drop Away Base Type SB                                | Category | Price  | Freight charges | Price including freight charges |
| SB 500, painted                                                      | B        | 966,—  | 226,—           | 1192,—                          |
| Lid, galvanized                                                      | B        | 138,—  | 16,—            | 154,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| SB 500, hot-dip galvanized                                           | B        | 1258,— | 226,—           | 1484,—                          |
| Lid, galvanized                                                      | B        | 138,—  | 16,—            | 154,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Container With Drop Away Base Type SB                                | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>SB 750, painted</b>                                               | B        | 1057,— | 226,—           | 1283,—                          |
| Lid, galvanized                                                      | B        | 138,—  | 16,—            | 154,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| <b>SB 750, hot-dip galvanized</b>                                    | B        | 1468,— | 331,—           | 1799,—                          |
| Lid, galvanized                                                      | B        | 138,—  | 16,—            | 154,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| <b>SB 1000, painted</b>                                              | B        | 1251,— | 331,—           | 1582,—                          |
| Lid, galvanized                                                      | B        | 138,—  | 16,—            | 154,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| <b>SB 1000, hot-dip galvanized</b>                                   | B        | 1740,— | 331,—           | 2071,—                          |
| Lid, galvanized                                                      | B        | 138,—  | 16,—            | 154,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| <b>SB 1500, painted</b>                                              | B        | 1695,— | 331,—           | 2026,—                          |
| Lid, galvanized                                                      | B        | 245,—  | 21,—            | 266,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| <b>SB 1500, hot-dip galvanized</b>                                   | B        | 2360,— | 402,—           | 2762,—                          |
| Lid, galvanized                                                      | B        | 245,—  | 21,—            | 266,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| <b>SB 2000, painted</b>                                              | B        | 1742,— | 402,—           | 2144,—                          |
| Lid, galvanized                                                      | B        | 245,—  | 21,—            | 266,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| <b>SB 2000, hot-dip galvanized</b>                                   | B        | 2493,— | 402,—           | 2895,—                          |
| Lid, galvanized                                                      | B        | 245,—  | 21,—            | 266,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |

| Collecting System Type SBS          | Category | Price | Freight charges | Price including freight charges |
|-------------------------------------|----------|-------|-----------------|---------------------------------|
| <b>SBS 500, painted</b>             | C        | 385,— | 226,—           | 611,—                           |
| Trolley TW 500, hot-dip galvanized  | C        | 249,— | 138,—           | 387,—                           |
| <b>SBS 500, hot-dip galvanized</b>  | C        | 456,— | 226,—           | 682,—                           |
| Trolley TW 500, hot-dip galvanized  | C        | 249,— | 138,—           | 387,—                           |
| <b>SBS 1000, painted</b>            | C        | 491,— | 226,—           | 717,—                           |
| Trolley TW 1000, hot-dip galvanized | C        | 286,— | 138,—           | 424,—                           |
| <b>SBS 1000, hot-dip galvanized</b> | C        | 604,— | 226,—           | 830,—                           |
| Trolley TW 1000, hot-dip galvanized | C        | 286,— | 138,—           | 424,—                           |
| <b>SBS 2000, painted</b>            | C        | 779,— | 384,—           | 1163,—                          |
| Trolley TW 2000, hot-dip galvanized | C        | 487,— | 138,—           | 625,—                           |
| <b>SBS 2000, hot-dip galvanized</b> | C        | 935,— | 384,—           | 1319,—                          |
| Trolley TW 2000, hot-dip galvanized | C        | 487,— | 138,—           | 625,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Filling Hopper Type SBT        | Category | Price  | Freight charges | Price including freight charges |
|--------------------------------|----------|--------|-----------------|---------------------------------|
| SBT, painted                   | A        | 1614,— | 331,—           | 1945,—                          |
| Snowdozer Type SCH-F           | Category | Price  | Freight charges | Price including freight charges |
| SCH-F 150, painted             | A        | 2157,— | 331,—           | 2488,—                          |
| SCH-F 180, painted             | A        | 2422,— | 331,—           | 2753,—                          |
| SCH-F 210, painted             | A        | 2722,— | 331,—           | 3053,—                          |
| SCH-F 240, painted             | A        | 2990,— | 455,—           | 3445,—                          |
| Snowdozer Type SCH-G           | Category | Price  | Freight charges | Price including freight charges |
| SCH-G 150, painted             | A        | 1530,— | 226,—           | 1756,—                          |
| SCH-G 180, painted             | A        | 1671,— | 226,—           | 1897,—                          |
| SCH-G 210, painted             | A        | 1930,— | 331,—           | 2261,—                          |
| SCH-G 240, painted             | A        | 2086,— | 384,—           | 2470,—                          |
| Snowdozer Type SCH-L           | Category | Price  | Freight charges | Price including freight charges |
| SCH-L 1500, painted            | A        | 1142,— | 226,—           | 1368,—                          |
| SCH-L 1500, hot-dip galvanized | A        | 1265,— | 226,—           | 1491,—                          |
| SCH-L 1800, painted            | A        | 1333,— | 226,—           | 1559,—                          |
| SCH-L 1800, hot-dip galvanized | A        | 1480,— | 226,—           | 1706,—                          |
| Snow Plough Type SCH-P-G       | Category | Price  | Freight charges | Price including freight charges |
| SCH-P-G 150, painted           | A        | 2408,— | 331,—           | 2739,—                          |
| SCH-P-G 180, painted           | A        | 2586,— | 331,—           | 2917,—                          |
| SCH-P-G 210, painted           | A        | 2772,— | 331,—           | 3103,—                          |
| SCH-P-G 240, painted           | A        | 3292,— | 384,—           | 3676,—                          |
| Snow Plough Type SCH-P-S       | Category | Price  | Freight charges | Price including freight charges |
| SCH-P-S 150, painted           | A        | 2239,— | 331,—           | 2570,—                          |
| SCH-P-S 180, painted           | A        | 2392,— | 331,—           | 2723,—                          |
| SCH-P-S 210, painted           | A        | 2540,— | 331,—           | 2871,—                          |
| SCH-P-S 240, painted           | A        | 3022,— | 384,—           | 3406,—                          |
| Snow Plough Type SCH-P-V       | Category | Price  | Freight charges | Price including freight charges |
| SCH-P-V 150, painted           | A        | 2590,— | 331,—           | 2921,—                          |
| SCH-P-V 180, painted           | A        | 2849,— | 331,—           | 3180,—                          |
| SCH-P-V 210, painted           | A        | 3091,— | 331,—           | 3422,—                          |
| SCH-P-V 240, painted           | A        | 3614,— | 384,—           | 3998,—                          |
| Snowdozer Type SCH-S           | Category | Price  | Freight charges | Price including freight charges |
| SCH-S 150, painted             | A        | 1359,— | 226,—           | 1585,—                          |
| SCH-S 180, painted             | A        | 1476,— | 226,—           | 1702,—                          |
| SCH-S 210, painted             | A        | 1700,— | 331,—           | 2031,—                          |
| SCH-S 240, painted             | A        | 1816,— | 384,—           | 2200,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Snow Plough Type SCH-U-G     | Category | Price  | Freight charges | Price including freight charges |
|------------------------------|----------|--------|-----------------|---------------------------------|
| SCH-U-G 150, painted         | A        | 2408,— | 331,—           | 2739,—                          |
| SCH-U-G 180, painted         | A        | 2586,— | 331,—           | 2917,—                          |
| SCH-U-G 210, painted         | A        | 2772,— | 331,—           | 3103,—                          |
| SCH-U-G 240, painted         | A        | 3292,— | 384,—           | 3676,—                          |
| Snow Plough Type SCH-U-S     | Category | Price  | Freight charges | Price including freight charges |
| SCH-U-S 150, painted         | A        | 2239,— | 331,—           | 2570,—                          |
| SCH-U-S 180, painted         | A        | 2392,— | 331,—           | 2723,—                          |
| SCH-U-S 210, painted         | A        | 2540,— | 331,—           | 2871,—                          |
| SCH-U-S 240, painted         | A        | 3022,— | 384,—           | 3406,—                          |
| Snow Plough Type SCH-U-V     | Category | Price  | Freight charges | Price including freight charges |
| SCH-U-V 150, painted         | A        | 2590,— | 331,—           | 2921,—                          |
| SCH-U-V 180, painted         | A        | 2849,— | 331,—           | 3180,—                          |
| SCH-U-V 210, painted         | A        | 3091,— | 331,—           | 3422,—                          |
| SCH-U-V 240, painted         | A        | 3614,— | 384,—           | 3998,—                          |
| Snowdozer Type SCH-V         | Category | Price  | Freight charges | Price including freight charges |
| SCH-V 150, painted           | A        | 1709,— | 226,—           | 1935,—                          |
| SCH-V 180, painted           | A        | 1923,— | 226,—           | 2149,—                          |
| SCH-V 210, painted           | A        | 2252,— | 331,—           | 2583,—                          |
| SCH-V 240, painted           | A        | 2407,— | 384,—           | 2791,—                          |
| Silo Container Type SG       | Category | Price  | Freight charges | Price including freight charges |
| SG 375, painted              | E        | 979,—  | 226,—           | 1205,—                          |
| Lid, galvanized              | E        | 126,—  | 28,—            | 154,—                           |
| SG 375, hot-dip galvanized   | E        | 1700,— | 226,—           | 1926,—                          |
| Lid, galvanized              | E        | 126,—  | 28,—            | 154,—                           |
| SG 600, painted              | E        | 1168,— | 226,—           | 1394,—                          |
| Lid, galvanized              | E        | 126,—  | 28,—            | 154,—                           |
| SG 600, hot-dip galvanized   | E        | 1885,— | 226,—           | 2111,—                          |
| Lid, galvanized              | E        | 126,—  | 28,—            | 154,—                           |
| Silo Container Type SG-D     | Category | Price  | Freight charges | Price including freight charges |
| SG-D 375, painted            | E        | 979,—  | 138,—           | 1117,—                          |
| Lid, galvanized              | E        | 126,—  | 28,—            | 154,—                           |
| SG-D 375, hot-dip galvanized | E        | 1700,— | 226,—           | 1926,—                          |
| Lid, galvanized              | E        | 126,—  | 28,—            | 154,—                           |
| SG-D 600, painted            | E        | 1168,— | 226,—           | 1394,—                          |
| Lid, galvanized              | E        | 126,—  | 28,—            | 154,—                           |
| SG-D 600, hot-dip galvanized | E        | 1885,— | 226,—           | 2111,—                          |
| Lid, galvanized              | E        | 126,—  | 28,—            | 154,—                           |
| Silo Container Type SGK      | Category | Price  | Freight charges | Price including freight charges |
| SGK 50, painted              | A        | 1077,— | 226,—           | 1303,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Silo Container Type SGK                                   | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| SGK 50, hot-dip galvanized                                | A        | 1103,— | 226,—           | 1329,—                          |
| SGK 75, painted                                           | A        | 1172,— | 226,—           | 1398,—                          |
| SGK 75, hot-dip galvanized                                | A        | 1208,— | 226,—           | 1434,—                          |
| SGK 100, painted                                          | A        | 1282,— | 226,—           | 1508,—                          |
| SGK 100, hot-dip galvanized                               | A        | 1320,— | 226,—           | 1546,—                          |
| Silo Container Type SGS                                   | Category | Price  | Freight charges | Price including freight charges |
| SGS 50, painted                                           | A        | 855,—  | 138,—           | 993,—                           |
| SGS 50, hot-dip galvanized                                | A        | 871,—  | 226,—           | 1097,—                          |
| SGS 75, painted                                           | A        | 948,—  | 226,—           | 1174,—                          |
| SGS 75, hot-dip galvanized                                | A        | 980,—  | 226,—           | 1206,—                          |
| SGS 100, painted                                          | A        | 1041,— | 226,—           | 1267,—                          |
| SGS 100, hot-dip galvanized                               | A        | 1072,— | 226,—           | 1298,—                          |
| Swarf Tilting Container Type SGU                          | Category | Price  | Freight charges | Price including freight charges |
| SGU 30, painted                                           | A        | 908,—  | 226,—           | 1134,—                          |
| Lid, galvanized                                           | A        | 94,—   | 18,—            | 112,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |
| SGU 30, hot-dip galvanized                                | A        | 1079,— | 226,—           | 1305,—                          |
| Lid, galvanized                                           | A        | 94,—   | 18,—            | 112,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |
| SGU 50, painted                                           | A        | 1123,— | 226,—           | 1349,—                          |
| Lid, galvanized                                           | A        | 94,—   | 18,—            | 112,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Adjustable dumping brake                                  | A        | 448,—  | 10,—            | 458,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |
| SGU 50, hot-dip galvanized                                | A        | 1359,— | 226,—           | 1585,—                          |
| Lid, galvanized                                           | A        | 94,—   | 18,—            | 112,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Adjustable dumping brake                                  | A        | 448,—  | 10,—            | 458,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |
| SGU 75, painted                                           | A        | 1267,— | 226,—           | 1493,—                          |
| Lid, galvanized                                           | A        | 134,—  | 26,—            | 160,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Adjustable dumping brake                                  | A        | 448,—  | 10,—            | 458,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |
| SGU 75, hot-dip galvanized                                | A        | 1568,— | 226,—           | 1794,—                          |
| Lid, galvanized                                           | A        | 134,—  | 26,—            | 160,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| <b>Swarf Tilting Container Type SGU</b>                   | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|-----------------------------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>SGU 100, painted</b>                                   | A               | 1517,—       | 331,—                  | 1848,—                                 |
| Lid, galvanized                                           | A               | 185,—        | 27,—                   | 212,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>SGU 100, hot-dip galvanized</b>                        | A               | 2048,—       | 331,—                  | 2379,—                                 |
| Lid, galvanized                                           | A               | 185,—        | 27,—                   | 212,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>SGU 150, painted</b>                                   | A               | 1704,—       | 331,—                  | 2035,—                                 |
| Lid, galvanized                                           | A               | 185,—        | 27,—                   | 212,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>SGU 150, hot-dip galvanized</b>                        | A               | 2166,—       | 331,—                  | 2497,—                                 |
| Lid, galvanized                                           | A               | 185,—        | 27,—                   | 212,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>SGU 200, painted</b>                                   | A               | 2140,—       | 402,—                  | 2542,—                                 |
| Lid, galvanized                                           | A               | 218,—        | 32,—                   | 250,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>SGU 200, hot-dip galvanized</b>                        | A               | 2685,—       | 402,—                  | 3087,—                                 |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Lid, galvanized                                           | A               | 218,—        | 32,—                   | 250,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>Swarf Tilting Container Type SGU-RZ</b>                | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>SGU-RZ 30, painted</b>                                 | A               | 939,—        | 226,—                  | 1165,—                                 |
| Lid, galvanized                                           | A               | 91,—         | 18,—                   | 109,—                                  |
| <b>SGU-RZ 30, hot-dip galvanized</b>                      | A               | 1059,—       | 226,—                  | 1285,—                                 |
| Lid, galvanized                                           | A               | 91,—         | 18,—                   | 109,—                                  |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| <b>Swarf Tilting Container Type SGU-RZ</b>                           | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|----------------------------------------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| <b>SGU-RZ 55, painted</b>                                            | A               | 1161,—       | 226,—                  | 1387,—                                 |
| Lid, galvanized                                                      | A               | 91,—         | 18,—                   | 109,—                                  |
| <b>SGU-RZ 55, hot-dip galvanized</b>                                 | A               | 1269,—       | 226,—                  | 1495,—                                 |
| Lid, galvanized                                                      | A               | 91,—         | 18,—                   | 109,—                                  |
| <b>Gritter Type SH</b>                                               | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>SH, painted</b>                                                   | A               | 3448,—       | 226,—                  | 3674,—                                 |
| Tarpaulin                                                            | A               | 117,—        | 10,—                   | 127,—                                  |
| <b>Forklift Safety Cage Type SIKO</b>                                | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>SIKO, painted</b>                                                 | A               | 701,—        | 226,—                  | 927,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set            | A               | 131,—        | 15,—                   | 146,—                                  |
| <b>Forklift Safety Cage Type SIKO/L</b>                              | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>SIKO/L, painted</b>                                               | A               | 848,—        | 226,—                  | 1074,—                                 |
| Castor Set, polyamide, Load capacity 1050 kg / castor set            | A               | 131,—        | 15,—                   | 146,—                                  |
| <b>Forklift Safety Cage Type SIKO-G</b>                              | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>SIKO-G, painted</b>                                               | A               | 634,—        | 138,—                  | 772,—                                  |
| <b>Forklift Safety Cage Type SIKO-M</b>                              | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>SIKO-M, painted</b>                                               | A               | 511,—        | 138,—                  | 649,—                                  |
| <b>Heavy Duty Tilting Container Type SK</b>                          | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>SK 300, painted</b>                                               | A               | 1237,—       | 331,—                  | 1568,—                                 |
| Lid, galvanized                                                      | A               | 168,—        | 18,—                   | 186,—                                  |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A               | 366,—        | 15,—                   | 381,—                                  |
| Skip Body Welded Oil and Watertight                                  | A               | 75,—         | 0,—                    | 75,—                                   |
| <b>SK 300, hot-dip galvanized</b>                                    | A               | 1502,—       | 331,—                  | 1833,—                                 |
| Lid, galvanized                                                      | A               | 168,—        | 18,—                   | 186,—                                  |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A               | 366,—        | 15,—                   | 381,—                                  |
| Skip Body Welded Oil and Watertight                                  | A               | 75,—         | 0,—                    | 75,—                                   |
| <b>SK 600, painted</b>                                               | A               | 1339,—       | 331,—                  | 1670,—                                 |
| Lid, galvanized                                                      | A               | 189,—        | 22,—                   | 211,—                                  |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A               | 366,—        | 15,—                   | 381,—                                  |
| Skip Body Welded Oil and Watertight                                  | A               | 75,—         | 0,—                    | 75,—                                   |
| <b>SK 600, hot-dip galvanized</b>                                    | A               | 1665,—       | 402,—                  | 2067,—                                 |
| Lid, galvanized                                                      | A               | 189,—        | 22,—                   | 211,—                                  |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A               | 366,—        | 15,—                   | 381,—                                  |
| Skip Body Welded Oil and Watertight                                  | A               | 75,—         | 0,—                    | 75,—                                   |
| <b>SK 900, painted</b>                                               | A               | 1458,—       | 402,—                  | 1860,—                                 |
| Lid, galvanized                                                      | A               | 215,—        | 27,—                   | 242,—                                  |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A               | 366,—        | 15,—                   | 381,—                                  |
| Skip Body Welded Oil and Watertight                                  | A               | 75,—         | 0,—                    | 75,—                                   |
| <b>SK 900, hot-dip galvanized</b>                                    | A               | 1875,—       | 402,—                  | 2277,—                                 |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Heavy Duty Tilting Container Type SK                                 | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Lid, galvanized                                                      | A        | 215,—  | 27,—            | 242,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 75,—   | 0,—             | 75,—                            |
| <b>SK 1200, painted</b>                                              | A        | 1710,— | 402,—           | 2112,—                          |
| Lid, galvanized                                                      | A        | 215,—  | 26,—            | 241,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| <b>SK 1200, hot-dip galvanized</b>                                   | A        | 2200,— | 582,—           | 2782,—                          |
| Lid, galvanized                                                      | A        | 215,—  | 26,—            | 241,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| <b>SK 1700, painted</b>                                              | A        | 1799,— | 582,—           | 2381,—                          |
| Lid, galvanized                                                      | A        | 266,—  | 33,—            | 299,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| <b>SK 1700, hot-dip galvanized</b>                                   | A        | 2407,— | 582,—           | 2989,—                          |
| Lid, galvanized                                                      | A        | 266,—  | 33,—            | 299,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| <b>SK 2100, painted</b>                                              | A        | 1963,— | 582,—           | 2545,—                          |
| Lid, galvanized                                                      | A        | 347,—  | 36,—            | 383,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| <b>SK 2100, hot-dip galvanized</b>                                   | A        | 2646,— | 582,—           | 3228,—                          |
| Lid, galvanized                                                      | A        | 347,—  | 36,—            | 383,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| Broom Type SKB                                                       | Category | Price  | Freight charges | Price including freight charges |
| <b>SKB 100, painted</b>                                              | A        | 925,—  | 138,—           | 1063,—                          |
| <b>SKB 150, painted</b>                                              | A        | 1156,— | 138,—           | 1294,—                          |
| <b>SKB 200, painted</b>                                              | A        | 1425,— | 138,—           | 1563,—                          |
| Broom Type SKB-0                                                     | Category | Price  | Freight charges | Price including freight charges |
| <b>SKB-0 100, painted</b>                                            | A        | 635,—  | 138,—           | 773,—                           |
| <b>SKB-0 150, painted</b>                                            | A        | 867,—  | 138,—           | 1005,—                          |
| <b>SKB-0 200, painted</b>                                            | A        | 1136,— | 138,—           | 1274,—                          |
| Swarf Tipping Skip Type SKK                                          | Category | Price  | Freight charges | Price including freight charges |
| <b>SKK 250, painted</b>                                              | E        | 515,—  | 138,—           | 653,—                           |
| Lid, galvanized                                                      | E        | 131,—  | 15,—            | 146,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set            | A        | 131,—  | 15,—            | 146,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set          | E        | 99,—   | 15,—            | 114,—                           |
| <b>SKK 250, hot-dip galvanized</b>                                   | E        | 563,—  | 138,—           | 701,—                           |
| Lid, galvanized                                                      | E        | 131,—  | 15,—            | 146,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| <b>Swarf Tipping Skip Type SKK</b>                          | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|-------------------------------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>SKK 400, painted</b>                                     | E               | 579,—        | 138,—                  | 717,—                                  |
| Lid, galvanized                                             | E               | 150,—        | 16,—                   | 166,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>SKK 400, hot-dip galvanized</b>                          | E               | 627,—        | 138,—                  | 765,—                                  |
| Lid, galvanized                                             | E               | 150,—        | 16,—                   | 166,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>SKK 600, painted</b>                                     | E               | 787,—        | 226,—                  | 1013,—                                 |
| Lid, galvanized                                             | E               | 167,—        | 20,—                   | 187,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>SKK 600, hot-dip galvanized</b>                          | E               | 883,—        | 226,—                  | 1109,—                                 |
| Lid, galvanized                                             | E               | 167,—        | 20,—                   | 187,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>SKK 800, painted</b>                                     | E               | 842,—        | 226,—                  | 1068,—                                 |
| Lid, galvanized                                             | E               | 174,—        | 21,—                   | 195,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>SKK 800, hot-dip galvanized</b>                          | E               | 946,—        | 226,—                  | 1172,—                                 |
| Lid, galvanized                                             | E               | 174,—        | 21,—                   | 195,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>SKK 1000, painted</b>                                    | E               | 898,—        | 226,—                  | 1124,—                                 |
| Lid, galvanized                                             | E               | 186,—        | 22,—                   | 208,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>SKK 1000, hot-dip galvanized</b>                         | E               | 1027,—       | 226,—                  | 1253,—                                 |
| Lid, galvanized                                             | E               | 186,—        | 22,—                   | 208,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |

| <b>Swarf Tilting Container Type SKM</b> | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|-----------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| <b>SKM 30, painted</b>                  | A               | 917,—        | 226,—                  | 1143,—                                 |
| Lid, galvanized                         | A               | 100,—        | 18,—                   | 118,—                                  |
| <b>SKM 30, hot-dip galvanized</b>       | A               | 1109,—       | 226,—                  | 1335,—                                 |
| Lid, galvanized                         | A               | 100,—        | 18,—                   | 118,—                                  |
| <b>SKM 50, painted</b>                  | A               | 1178,—       | 226,—                  | 1404,—                                 |
| Lid, galvanized                         | A               | 152,—        | 28,—                   | 180,—                                  |
| <b>SKM 50, hot-dip galvanized</b>       | A               | 1428,—       | 226,—                  | 1654,—                                 |
| Lid, galvanized                         | A               | 152,—        | 28,—                   | 180,—                                  |
| <b>SKM 75, painted</b>                  | A               | 1419,—       | 226,—                  | 1645,—                                 |
| Lid, galvanized                         | A               | 169,—        | 33,—                   | 202,—                                  |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| <b>Swarf Tilting Container Type SKM</b>                     | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|-------------------------------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| <b>SKM 75, hot-dip galvanized</b>                           | A               | 1729,—       | 331,—                  | 2060,—                                 |
| Lid, galvanized                                             | A               | 169,—        | 33,—                   | 202,—                                  |
| <b>Swarf Tipping Skip Type SKN</b>                          | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>SKN 250, painted</b>                                     | E               | 515,—        | 138,—                  | 653,—                                  |
| Lid, galvanized                                             | E               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>SKN 250, hot-dip galvanized</b>                          | E               | 563,—        | 138,—                  | 701,—                                  |
| Lid, galvanized                                             | E               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>SKN 400, painted</b>                                     | E               | 579,—        | 138,—                  | 717,—                                  |
| Lid, galvanized                                             | E               | 150,—        | 16,—                   | 166,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>SKN 400, hot-dip galvanized</b>                          | E               | 627,—        | 138,—                  | 765,—                                  |
| Lid, galvanized                                             | E               | 150,—        | 16,—                   | 166,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>Swarf Tipping Skip Type SKS</b>                          | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>SKS 400, painted</b>                                     | E               | 914,—        | 226,—                  | 1140,—                                 |
| <b>SKS 550, painted</b>                                     | E               | 978,—        | 226,—                  | 1204,—                                 |
| <b>SKS 700, painted</b>                                     | E               | 1035,—       | 226,—                  | 1261,—                                 |
| <b>Swarf Barrow Tipper Type SKW-ET</b>                      | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>SKW-ET 250, painted</b>                                  | E               | 616,—        | 138,—                  | 754,—                                  |
| Lid, galvanized                                             | E               | 131,—        | 15,—                   | 146,—                                  |
| <b>SKW-ET 250, hot-dip galvanized</b>                       | E               | 942,—        | 138,—                  | 1080,—                                 |
| Lid, galvanized                                             | E               | 131,—        | 15,—                   | 146,—                                  |
| <b>SKW-ET 400, painted</b>                                  | E               | 673,—        | 138,—                  | 811,—                                  |
| Lid, galvanized                                             | E               | 150,—        | 16,—                   | 166,—                                  |
| <b>SKW-ET 400, hot-dip galvanized</b>                       | E               | 1034,—       | 138,—                  | 1172,—                                 |
| Lid, galvanized                                             | E               | 150,—        | 16,—                   | 166,—                                  |
| <b>SKW-ET 600, painted</b>                                  | E               | 822,—        | 226,—                  | 1048,—                                 |
| Lid, galvanized                                             | E               | 167,—        | 20,—                   | 187,—                                  |
| <b>SKW-ET 600, hot-dip galvanized</b>                       | E               | 1191,—       | 226,—                  | 1417,—                                 |
| Lid, galvanized                                             | E               | 167,—        | 20,—                   | 187,—                                  |
| <b>SKW-ET 1000, painted</b>                                 | E               | 997,—        | 226,—                  | 1223,—                                 |
| Lid, galvanized                                             | E               | 186,—        | 22,—                   | 208,—                                  |
| <b>SKW-ET 1000, hot-dip galvanized</b>                      | E               | 1587,—       | 226,—                  | 1813,—                                 |
| Lid, galvanized                                             | E               | 186,—        | 22,—                   | 208,—                                  |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Mini Swarf Tilting Container Type SMGU                    | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>SMGU 230, painted</b>                                  | A        | 665,—  | 138,—           | 803,—                           |
| Lid, galvanized                                           | A        | 126,—  | 18,—            | 144,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| <b>SMGU 230, hot-dip galvanized</b>                       | A        | 748,—  | 226,—           | 974,—                           |
| Lid, galvanized                                           | A        | 126,—  | 18,—            | 144,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| <b>SMGU 270, painted</b>                                  | A        | 718,—  | 226,—           | 944,—                           |
| Lid, galvanized                                           | A        | 126,—  | 18,—            | 144,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| <b>SMGU 270, hot-dip galvanized</b>                       | A        | 821,—  | 226,—           | 1047,—                          |
| Lid, galvanized                                           | A        | 126,—  | 18,—            | 144,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| <b>SMGU 460, painted</b>                                  | A        | 903,—  | 226,—           | 1129,—                          |
| Lid, galvanized                                           | A        | 163,—  | 22,—            | 185,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| <b>SMGU 460, hot-dip galvanized</b>                       | A        | 1051,— | 226,—           | 1277,—                          |
| Lid, galvanized                                           | A        | 163,—  | 22,—            | 185,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| <b>SMGU 610, painted</b>                                  | A        | 1005,— | 226,—           | 1231,—                          |
| Lid, galvanized                                           | A        | 174,—  | 26,—            | 200,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| <b>SMGU 610, hot-dip galvanized</b>                       | A        | 1168,— | 226,—           | 1394,—                          |
| Lid, galvanized                                           | A        | 174,—  | 26,—            | 200,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| Silo Container Type SR                                    | Category | Price  | Freight charges | Price including freight charges |
| <b>SR 375, painted</b>                                    | E        | 815,—  | 138,—           | 953,—                           |
| Lid, galvanized                                           | E        | 126,—  | 33,—            | 159,—                           |
| <b>SR 375, hot-dip galvanized</b>                         | E        | 1530,— | 138,—           | 1668,—                          |
| Lid, galvanized                                           | E        | 126,—  | 33,—            | 159,—                           |
| <b>SR 600, painted</b>                                    | E        | 1012,— | 226,—           | 1238,—                          |
| Lid, galvanized                                           | E        | 126,—  | 33,—            | 159,—                           |
| <b>SR 600, hot-dip galvanized</b>                         | E        | 1740,— | 226,—           | 1966,—                          |
| Lid, galvanized                                           | E        | 126,—  | 33,—            | 159,—                           |
| Silo Container Type SR-D                                  | Category | Price  | Freight charges | Price including freight charges |
| <b>SR-D 375, painted</b>                                  | E        | 815,—  | 138,—           | 953,—                           |
| Lid, galvanized                                           | E        | 126,—  | 33,—            | 159,—                           |
| <b>SR-D 375, hot-dip galvanized</b>                       | E        | 1530,— | 138,—           | 1668,—                          |
| Lid, galvanized                                           | E        | 126,—  | 33,—            | 159,—                           |
| <b>SR-D 600, painted</b>                                  | E        | 1012,— | 226,—           | 1238,—                          |
| Lid, galvanized                                           | E        | 126,—  | 33,—            | 159,—                           |
| <b>SR-D 600, hot-dip galvanized</b>                       | E        | 1740,— | 226,—           | 1966,—                          |
| Lid, galvanized                                           | E        | 126,—  | 33,—            | 159,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Silo Container Type SRE          | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------|----------|--------|-----------------|---------------------------------|
| SRE 375, painted                 | E        | 929,—  | 226,—           | 1155,—                          |
| Lid, galvanized                  | E        | 126,—  | 33,—            | 159,—                           |
| SRE 375, hot-dip galvanized      | E        | 1664,— | 226,—           | 1890,—                          |
| Lid, galvanized                  | E        | 126,—  | 33,—            | 159,—                           |
| SRE 600, painted                 | E        | 1131,— | 226,—           | 1357,—                          |
| Lid, galvanized                  | E        | 126,—  | 33,—            | 159,—                           |
| SRE 600, hot-dip galvanized      | E        | 1794,— | 226,—           | 2020,—                          |
| Lid, galvanized                  | E        | 126,—  | 33,—            | 159,—                           |
| Silo Container Type SRE-D        | Category | Price  | Freight charges | Price including freight charges |
| SRE-D 375, painted               | E        | 929,—  | 138,—           | 1067,—                          |
| Lid, galvanized                  | E        | 126,—  | 33,—            | 159,—                           |
| SRE-D 375, hot-dip galvanized    | E        | 1664,— | 226,—           | 1890,—                          |
| Lid, galvanized                  | E        | 126,—  | 33,—            | 159,—                           |
| SRE-D 600, painted               | E        | 1131,— | 226,—           | 1357,—                          |
| Lid, galvanized                  | E        | 126,—  | 33,—            | 159,—                           |
| SRE-D 600, hot-dip galvanized    | E        | 1794,— | 226,—           | 2020,—                          |
| Lid, galvanized                  | E        | 126,—  | 33,—            | 159,—                           |
| Forklift Tender System Type STS  | Category | Price  | Freight charges | Price including freight charges |
| STS 2,5, painted                 | C        | 3726,— | on request      | on request                      |
| STS 5,0, painted                 | C        | 4392,— | on request      | on request                      |
| Spreader Type STW                | Category | Price  | Freight charges | Price including freight charges |
| STW 100, painted                 | A        | 1174,— | 138,—           | 1312,—                          |
| Tarpaulin                        | A        | 112,—  | 10,—            | 122,—                           |
| STW 260, painted                 | A        | 2074,— | 138,—           | 2212,—                          |
| Tarpaulin                        | A        | 117,—  | 10,—            | 127,—                           |
| Traverse for Big Bags Type TBB   | Category | Price  | Freight charges | Price including freight charges |
| TBB, painted                     | A        | 870,—  | 138,—           | 1008,—                          |
| Traverse For Big Bags Type TBB-E | Category | Price  | Freight charges | Price including freight charges |
| TBB-E, painted                   | A        | 823,—  | 138,—           | 961,—                           |
| Traverse For Big Bags Type TBB-W | Category | Price  | Freight charges | Price including freight charges |
| TBB-W, painted                   | A        | 1056,— | 138,—           | 1194,—                          |
| Mini Lifting Beam Type TM        | Category | Price  | Freight charges | Price including freight charges |
| TM 200-500, hot-dip galvanized   | F        | 385,—  | 118,—           | 503,—                           |
| TM 400-800, hot-dip galvanized   | F        | 414,—  | 118,—           | 532,—                           |
| TM 800-1200, hot-dip galvanized  | F        | 546,—  | 118,—           | 664,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Tilting Container Type TRI0                                                                    | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>TRI0, painted</b>                                                                           | A        | 2254,— | 402,—           | 2656,—                          |
| Lid, galvanized                                                                                | A        | 207,—  | 26,—            | 233,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 28,—   | on request      | on request                      |
| Universal Container Type UC                                                                    | Category | Price  | Freight charges | Price including freight charges |
| <b>UC 500, painted</b>                                                                         | A        | 652,—  | 138,—           | 790,—                           |
| Lid, galvanized                                                                                | A        | 162,—  | 16,—            | 178,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Pick-up Profile on Type UC for Traverse Type UCT                                               | A        | 102,—  | 0,—             | 102,—                           |
| <b>UC 500, hot-dip galvanized</b>                                                              | A        | 744,—  | 226,—           | 970,—                           |
| Lid, galvanized                                                                                | A        | 162,—  | 16,—            | 178,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Pick-up Profile on Type UC for Traverse Type UCT                                               | A        | 102,—  | 0,—             | 102,—                           |
| <b>UC 750, painted</b>                                                                         | A        | 709,—  | 226,—           | 935,—                           |
| Lid, galvanized                                                                                | A        | 162,—  | 16,—            | 178,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Pick-up Profile on Type UC for Traverse Type UCT                                               | A        | 102,—  | 0,—             | 102,—                           |
| <b>UC 750, hot-dip galvanized</b>                                                              | A        | 824,—  | 226,—           | 1050,—                          |
| Lid, galvanized                                                                                | A        | 162,—  | 16,—            | 178,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Pick-up Profile on Type UC for Traverse Type UCT                                               | A        | 102,—  | 0,—             | 102,—                           |
| <b>UC 1000, painted</b>                                                                        | A        | 744,—  | 226,—           | 970,—                           |
| Lid, galvanized                                                                                | A        | 162,—  | 16,—            | 178,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Pick-up Profile on Type UC for Traverse Type UCT                                               | A        | 102,—  | 0,—             | 102,—                           |
| <b>UC 1000, hot-dip galvanized</b>                                                             | A        | 863,—  | 226,—           | 1089,—                          |
| Lid, galvanized                                                                                | A        | 162,—  | 16,—            | 178,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Pick-up Profile on Type UC for Traverse Type UCT                                               | A        | 102,—  | 0,—             | 102,—                           |
| Hydraulic Traverse Type UCT                                                                    | Category | Price  | Freight charges | Price including freight charges |
| <b>UCT, painted</b>                                                                            | A        | 2644,— | 331,—           | 2975,—                          |
| Tilting Container Type VD                                                                      | Category | Price  | Freight charges | Price including freight charges |
| <b>VD 500, painted</b>                                                                         | A        | 767,—  | 226,—           | 993,—                           |
| Lid, galvanized                                                                                | A        | 139,—  | 18,—            | 157,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| <b>VD 500, hot-dip galvanized</b>                                                              | A        | 998,—  | 226,—           | 1224,—                          |
| Lid, galvanized                                                                                | A        | 139,—  | 18,—            | 157,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| <b>VD 650, painted</b>                                                                         | A        | 838,—  | 226,—           | 1064,—                          |
| Lid, galvanized                                                                                | A        | 139,—  | 18,—            | 157,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Tilting Container Type VD                                 | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>VD 650, hot-dip galvanized</b>                         | A        | 1091,— | 226,—           | 1317,—                          |
| Lid, galvanized                                           | A        | 139,—  | 18,—            | 157,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>VD 800, painted</b>                                    | A        | 957,—  | 226,—           | 1183,—                          |
| Lid, galvanized                                           | A        | 168,—  | 22,—            | 190,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>VD 800, hot-dip galvanized</b>                         | A        | 1300,— | 226,—           | 1526,—                          |
| Lid, galvanized                                           | A        | 168,—  | 22,—            | 190,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>VD 1000, painted</b>                                   | A        | 1005,— | 226,—           | 1231,—                          |
| Lid, galvanized                                           | A        | 168,—  | 22,—            | 190,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>VD 1000, hot-dip galvanized</b>                        | A        | 1419,— | 226,—           | 1645,—                          |
| Lid, galvanized                                           | A        | 168,—  | 22,—            | 190,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| Tilting Container Type VG                                 | Category | Price  | Freight charges | Price including freight charges |
| <b>VG 550, painted</b>                                    | A        | 784,—  | 226,—           | 1010,—                          |
| Lid, galvanized                                           | A        | 139,—  | 18,—            | 157,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>VG 550, hot-dip galvanized</b>                         | A        | 1022,— | 226,—           | 1248,—                          |
| Lid, galvanized                                           | A        | 139,—  | 18,—            | 157,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>VG 700, painted</b>                                    | A        | 929,—  | 226,—           | 1155,—                          |
| Lid, galvanized                                           | A        | 139,—  | 18,—            | 157,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>VG 700, hot-dip galvanized</b>                         | A        | 1209,— | 226,—           | 1435,—                          |
| Lid, galvanized                                           | A        | 139,—  | 18,—            | 157,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>VG 900, painted</b>                                    | A        | 1024,— | 226,—           | 1250,—                          |
| Lid, galvanized                                           | A        | 168,—  | 22,—            | 190,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>VG 900, hot-dip galvanized</b>                         | A        | 1451,— | 226,—           | 1677,—                          |
| Lid, galvanized                                           | A        | 168,—  | 22,—            | 190,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Forklift Truck Attachments



| Tilting Container Type VG                                 | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>VG 1100, painted</b>                                   | A        | 1111,— | 226,—           | 1337,—                          |
| Lid, galvanized                                           | A        | 168,—  | 22,—            | 190,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>VG 1100, hot-dip galvanized</b>                        | A        | 1508,— | 226,—           | 1734,—                          |
| Lid, galvanized                                           | A        | 168,—  | 22,—            | 190,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

## Price List 0425 en-BG

### Workspace Material Handling

| Battery Charging Station Type BL   | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------|----------|--------|-----------------|---------------------------------|
| BL 1, painted                      | A        | 1373,– | 138,–           | 1511,–                          |
| Fire Extinguisher                  | A        | 197,–  | 14,–            | 211,–                           |
| Storage tray for water receptacle  | A        | 61,–   | 13,–            | 74,–                            |
| BL 2, painted                      | A        | 1737,– | 138,–           | 1875,–                          |
| Fire Extinguisher                  | A        | 197,–  | 14,–            | 211,–                           |
| Storage tray for water receptacle  | A        | 61,–   | 13,–            | 74,–                            |
| BL 3, painted                      | A        | 1737,– | 138,–           | 1875,–                          |
| Fire Extinguisher                  | A        | 197,–  | 14,–            | 211,–                           |
| Storage tray for water receptacle  | A        | 61,–   | 13,–            | 74,–                            |
| Drum Jack Roller Type FHR          | Category | Price  | Freight charges | Price including freight charges |
| FHR 600 F, painted                 | B        | 3174,– | 331,–           | 3505,–                          |
| FHR 600 F, hot-dip galvanized      | B        | 3517,– | 331,–           | 3848,–                          |
| FHR 600 G, painted                 | B        | 2528,– | 226,–           | 2754,–                          |
| FHR 600 G, hot-dip galvanized      | B        | 2790,– | 226,–           | 3016,–                          |
| FHR 600 K, painted                 | B        | 2528,– | 226,–           | 2754,–                          |
| FHR 600 K, hot-dip galvanized      | B        | 2790,– | 226,–           | 3016,–                          |
| Drum Trolley Type FP-L             | Category | Price  | Freight charges | Price including freight charges |
| FP-L, galvanized                   | C        | 602,–  | 138,–           | 740,–                           |
| Drum Trolley Type FP-V             | Category | Price  | Freight charges | Price including freight charges |
| FP-V, galvanized                   | C        | 584,–  | 138,–           | 722,–                           |
| Drum Dolly Type FRW                | Category | Price  | Freight charges | Price including freight charges |
| FRW-I, hot-dip galvanized          | A        | 112,–  | 118,–           | 230,–                           |
| FRW-II, hot-dip galvanized         | A        | 148,–  | 118,–           | 266,–                           |
| FRW-III, hot-dip galvanized        | A        | 200,–  | 138,–           | 338,–                           |
| Dolly Type GRW                     | Category | Price  | Freight charges | Price including freight charges |
| GRW-I, hot-dip galvanized          | F        | 121,–  | 118,–           | 239,–                           |
| Handle, galvanized                 | F        | 53,–   | 10,–            | 63,–                            |
| GRW-II, hot-dip galvanized         | F        | 138,–  | 118,–           | 256,–                           |
| Handle, galvanized                 | F        | 53,–   | 10,–            | 63,–                            |
| GRW-III, hot-dip galvanized        | F        | 172,–  | 138,–           | 310,–                           |
| Handle, galvanized                 | F        | 53,–   | 10,–            | 63,–                            |
| Gas Cylinder Wall Bracket Type GWH | Category | Price  | Freight charges | Price including freight charges |
| GWH 140-I, hot-dip galvanized      | F        | 25,–   | 118,–           | 143,–                           |
| GWH 140-II, hot-dip galvanized     | F        | 38,–   | 118,–           | 156,–                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Workspace Material Handling



| Gas Cylinder Wall Bracket Type GWH            | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------|----------|--------|-----------------|---------------------------------|
| GWH 140-III, hot-dip galvanized               | F        | 57,—   | 118,—           | 175,—                           |
| GWH 230-I, hot-dip galvanized                 | F        | 27,—   | 118,—           | 145,—                           |
| GWH 230-II, hot-dip galvanized                | F        | 41,—   | 118,—           | 159,—                           |
| GWH 230-III, hot-dip galvanized               | F        | 62,—   | 118,—           | 180,—                           |
| GWH 320-I, hot-dip galvanized                 | F        | 28,—   | 118,—           | 146,—                           |
| GWH 320-II, hot-dip galvanized                | F        | 46,—   | 118,—           | 164,—                           |
| GWH 320-III, hot-dip galvanized               | F        | 69,—   | 118,—           | 187,—                           |
| Fork Lifter Type GZH-A                        | Category | Price  | Freight charges | Price including freight charges |
| GZH-A, painted                                | F        | 110,—  | 118,—           | 228,—                           |
| Fork Lifter Type GZH-B                        | Category | Price  | Freight charges | Price including freight charges |
| GZH-B, painted                                | F        | 110,—  | 118,—           | 228,—                           |
| Fork Pallet Type GZP                          | Category | Price  | Freight charges | Price including freight charges |
| GZP 4, hot-dip galvanized                     | A        | 155,—  | 138,—           | 293,—                           |
| GZP 8, hot-dip galvanized                     | A        | 194,—  | 138,—           | 332,—                           |
| IBC Residue Drainer Type IR                   | Category | Price  | Freight charges | Price including freight charges |
| IR-1, hot-dip galvanized                      | A        | 575,—  | 138,—           | 713,—                           |
| IR-2, hot-dip galvanized                      | A        | 686,—  | 138,—           | 824,—                           |
| IR-3, hot-dip galvanized                      | A        | 575,—  | 138,—           | 713,—                           |
| Tilting Canister Stand Type KAH               | Category | Price  | Freight charges | Price including freight charges |
| KAH-5, galvanized                             | A        | 92,—   | 118,—           | 210,—                           |
| KAH-25, galvanized                            | A        | 105,—  | 118,—           | 223,—                           |
| KAH-60, galvanized                            | A        | 135,—  | 118,—           | 253,—                           |
| Sheet Metal Storage Units With Trays Type KBR | Category | Price  | Freight charges | Price including freight charges |
| KBR 1, painted                                | A        | 5782,— | 941,—           | 6723,—                          |
| KBR 2, painted                                | A        | 5997,— | on request      | on request                      |
| KBR 3, painted                                | A        | 6441,— | on request      | on request                      |
| Liftomat Type L/E                             | Category | Price  | Freight charges | Price including freight charges |
| L/E 1300, painted                             | B        | 4742,— | 331,—           | 5073,—                          |
| L/E 1300, hot-dip galvanized                  | B        | 5389,— | 331,—           | 5720,—                          |
| Liftomat Type L/M                             | Category | Price  | Freight charges | Price including freight charges |
| L/M 600, painted                              | B        | 3432,— | 226,—           | 3658,—                          |
| L/M 600, hot-dip galvanized                   | B        | 3888,— | 226,—           | 4114,—                          |
| L/M 1300, painted                             | B        | 3851,— | 331,—           | 4182,—                          |
| L/M 1300, hot-dip galvanized                  | B        | 4414,— | 331,—           | 4745,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Workspace Material Handling



| Security Cage for Storage Type LBM                        | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| LBM 1500, hot-dip galvanized                              | A        | 1934,— | 331,—           | 2265,—                          |
| LBM 3000, hot-dip galvanized                              | A        | 2654,— | 582,—           | 3236,—                          |
| LBM 4500, hot-dip galvanized                              | A        | 3373,— | 582,—           | 3955,—                          |
| LBM 6000, hot-dip galvanized                              | A        | 4088,— | 763,—           | 4851,—                          |
| Wheelie Bin Tipping Station Type MKS                      | Category | Price  | Freight charges | Price including freight charges |
| MKS-12V, painted                                          | A        | 3618,— | 226,—           | 3844,—                          |
| External Charger for 12 V electro-hydraulic constructions | A        | 194,—  | 15,—            | 209,—                           |
| MKS-230V, painted                                         | A        | 3618,— | 226,—           | 3844,—                          |
| Wheelie Bin Tipping Station Type MKS-F                    | Category | Price  | Freight charges | Price including freight charges |
| MKS-F, painted                                            | A        | 2375,— | 226,—           | 2601,—                          |
| Wheelie Bin Tipping Station Type MKS-H                    | Category | Price  | Freight charges | Price including freight charges |
| MKS-H, painted                                            | A        | 2375,— | 226,—           | 2601,—                          |
| Stillage Transport Cage Type MTP                          | Category | Price  | Freight charges | Price including freight charges |
| MTP 2000, hot-dip galvanized                              | A        | 2121,— | 331,—           | 2452,—                          |
| Tension belt                                              | A        | 46,—   | 8,—             | 54,—                            |
| MTP 3000, hot-dip galvanized                              | A        | 2680,— | 402,—           | 3082,—                          |
| Tension belt                                              | A        | 46,—   | 8,—             | 54,—                            |
| Two-Wheeled Pallet Picker Type PZ                         | Category | Price  | Freight charges | Price including freight charges |
| PZ, hot-dip galvanized                                    | F        | 440,—  | 118,—           | 558,—                           |
| Tyre Fitting Equipment Type RM                            | Category | Price  | Freight charges | Price including freight charges |
| RM, painted                                               | F        | 442,—  | 118,—           | 560,—                           |
| Surround for Waste Bins Type SECOMAT                      | Category | Price  | Freight charges | Price including freight charges |
| S 120-D, powder coated                                    | B        | 658,—  | 138,—           | 796,—                           |
| S 120-K, powder coated                                    | B        | 738,—  | 138,—           | 876,—                           |
| S 240-D, powder coated                                    | B        | 755,—  | 138,—           | 893,—                           |
| S 240-K, powder coated                                    | B        | 827,—  | 138,—           | 965,—                           |
| S1100, powder-coated                                      | B        | 764,—  | 138,—           | 902,—                           |
| S1100-W, powder-coated                                    | B        | 1004,— | 226,—           | 1230,—                          |
| S1100-WT, powder-coated                                   | B        | 1260,— | 226,—           | 1486,—                          |
| S1100-WTB, powder-coated                                  | B        | 1360,— | 226,—           | 1586,—                          |
| S4USE, powder coated                                      | C        | 2566,— | 331,—           | 2897,—                          |
| Gas Cylinder Pallet Type SFP                              | Category | Price  | Freight charges | Price including freight charges |
| SFP 4, hot-dip galvanized                                 | C        | 334,—  | 138,—           | 472,—                           |
| SFP 8, hot-dip galvanized                                 | C        | 444,—  | 226,—           | 670,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

## Price List 0425 en-BG

### Workspace Material Handling



| Loading Support Type VS | Category | Price | Freight charges | Price including freight charges |
|-------------------------|----------|-------|-----------------|---------------------------------|
| VS, painted             | C        | 739,— | 226,—           | 965,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

## Price List 0425 en-BG

### Environment / Storage

| Sump Trays Type SERIES 2000               | Category | Price | Freight charges | Price including freight charges |
|-------------------------------------------|----------|-------|-----------------|---------------------------------|
| <b>2000, painted</b>                      | B        | 241,– | 138,–           | 379,–                           |
| <b>2000, hot-dip galvanized</b>           | B        | 278,– | 138,–           | 416,–                           |
| <b>2002, painted</b>                      | B        | 275,– | 138,–           | 413,–                           |
| <b>2002, hot-dip galvanized</b>           | B        | 311,– | 138,–           | 449,–                           |
| <b>2008, painted</b>                      | B        | 241,– | 138,–           | 379,–                           |
| <b>2008, hot-dip galvanized</b>           | B        | 289,– | 138,–           | 427,–                           |
| <b>2010, painted</b>                      | B        | 290,– | 138,–           | 428,–                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,– | 15,–            | 120,–                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,– | 18,–            | 132,–                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,– | 21,–            | 154,–                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,– | 15,–            | 129,–                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,– | 118,–           | 251,–                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,– | 118,–           | 251,–                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,– | 118,–           | 251,–                           |
| <b>2010, hot-dip galvanized</b>           | B        | 339,– | 138,–           | 477,–                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,– | 15,–            | 120,–                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,– | 18,–            | 132,–                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,– | 21,–            | 154,–                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,– | 15,–            | 129,–                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,– | 118,–           | 251,–                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,– | 118,–           | 251,–                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,– | 118,–           | 251,–                           |
| <b>2016, painted</b>                      | B        | 253,– | 138,–           | 391,–                           |
| <b>2016, hot-dip galvanized</b>           | B        | 303,– | 138,–           | 441,–                           |
| <b>2018, painted</b>                      | B        | 304,– | 138,–           | 442,–                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,– | 15,–            | 120,–                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,– | 18,–            | 132,–                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,– | 21,–            | 154,–                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,– | 15,–            | 129,–                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,– | 118,–           | 251,–                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,– | 118,–           | 251,–                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,– | 118,–           | 251,–                           |
| <b>2018, hot-dip galvanized</b>           | B        | 352,– | 138,–           | 490,–                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,– | 15,–            | 120,–                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,– | 18,–            | 132,–                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,– | 21,–            | 154,–                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,– | 15,–            | 129,–                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,– | 118,–           | 251,–                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,– | 118,–           | 251,–                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,– | 118,–           | 251,–                           |
| <b>2026, painted</b>                      | B        | 253,– | 138,–           | 391,–                           |
| <b>2026, hot-dip galvanized</b>           | B        | 299,– | 138,–           | 437,–                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Environment / Storage



| Sump Trays Type SERIES 2000               | Category | Price | Freight charges | Price including freight charges |
|-------------------------------------------|----------|-------|-----------------|---------------------------------|
| <b>2028, painted</b>                      | B        | 353,— | 138,—           | 491,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,— | 21,—            | 154,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,— | 15,—            | 129,—                           |
| Drum Support FA 200-2, hot-dip galvanized | B        | 133,— | 22,—            | 155,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| <b>2028, hot-dip galvanized</b>           | B        | 398,— | 138,—           | 536,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,— | 21,—            | 154,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,— | 15,—            | 129,—                           |
| Drum Support FA 200-2, hot-dip galvanized | B        | 133,— | 22,—            | 155,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| <b>2030, painted</b>                      | B        | 265,— | 138,—           | 403,—                           |
| <b>2030, hot-dip galvanized</b>           | B        | 310,— | 138,—           | 448,—                           |
| <b>2032, painted</b>                      | B        | 365,— | 138,—           | 503,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,— | 21,—            | 154,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,— | 15,—            | 129,—                           |
| Drum Support FA 200-2, hot-dip galvanized | B        | 133,— | 22,—            | 155,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| <b>2032, hot-dip galvanized</b>           | B        | 411,— | 138,—           | 549,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,— | 21,—            | 154,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,— | 15,—            | 129,—                           |
| Drum Support FA 200-2, hot-dip galvanized | B        | 133,— | 22,—            | 155,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| <b>2040, painted</b>                      | B        | 339,— | 138,—           | 477,—                           |
| <b>2040, hot-dip galvanized</b>           | B        | 411,— | 138,—           | 549,—                           |
| <b>2042, painted</b>                      | B        | 439,— | 226,—           | 665,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,— | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,— | 118,—           | 251,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Environment / Storage



| Sump Trays Type SERIES 2000              | Category | Price | Freight charges | Price including freight charges |
|------------------------------------------|----------|-------|-----------------|---------------------------------|
| Can Shelf Type GR-C, galvanized          | B        | 133,— | 118,—           | 251,—                           |
| <b>2042, hot-dip galvanized</b>          | B        | 511,— | 226,—           | 737,—                           |
| Drum Support FA 60-1, hot-dip galvanized | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized | B        | 133,— | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized          | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized          | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized          | B        | 133,— | 118,—           | 251,—                           |
| <b>2048, painted</b>                     | B        | 261,— | 138,—           | 399,—                           |
| <b>2048, hot-dip galvanized</b>          | B        | 305,— | 138,—           | 443,—                           |
| <b>2050, painted</b>                     | B        | 356,— | 138,—           | 494,—                           |
| Drum Support FA 60-1, hot-dip galvanized | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized | B        | 133,— | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized          | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized          | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized          | B        | 133,— | 118,—           | 251,—                           |
| <b>2050, hot-dip galvanized</b>          | B        | 400,— | 138,—           | 538,—                           |
| Drum Support FA 60-1, hot-dip galvanized | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized | B        | 133,— | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized          | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized          | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized          | B        | 133,— | 118,—           | 251,—                           |

| Sump Trays Type SERIES 2000/SW            | Category | Price | Freight charges | Price including freight charges |
|-------------------------------------------|----------|-------|-----------------|---------------------------------|
| <b>2002/SW, painted</b>                   | B        | 412,— | 138,—           | 550,—                           |
| <b>2002/SW, hot-dip galvanized</b>        | B        | 448,— | 138,—           | 586,—                           |
| <b>2018/SW, painted</b>                   | B        | 452,— | 226,—           | 678,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,— | 21,—            | 154,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,— | 15,—            | 129,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| <b>2018/SW, hot-dip galvanized</b>        | B        | 499,— | 226,—           | 725,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,— | 21,—            | 154,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,— | 15,—            | 129,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| <b>2032/SW, painted</b>                   | B        | 533,— | 226,—           | 759,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,— | 15,—            | 120,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Environment / Storage



| Sump Trays Type SERIES 2000/SW                   | Category | Price | Freight charges | Price including freight charges |
|--------------------------------------------------|----------|-------|-----------------|---------------------------------|
| Drum Support FA 60-2, hot-dip galvanized         | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized         | B        | 133,— | 21,—            | 154,—                           |
| Drum Support FA 200-1, hot-dip galvanized        | B        | 114,— | 15,—            | 129,—                           |
| Drum Support FA 200-2, hot-dip galvanized        | B        | 133,— | 22,—            | 155,—                           |
| Can Shelf Type GR-A, galvanized                  | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized                  | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized                  | B        | 133,— | 118,—           | 251,—                           |
| <b>2032/SW, hot-dip galvanized</b>               | B        | 579,— | 226,—           | 805,—                           |
| Drum Support FA 60-1, hot-dip galvanized         | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized         | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized         | B        | 133,— | 21,—            | 154,—                           |
| Drum Support FA 200-1, hot-dip galvanized        | B        | 114,— | 15,—            | 129,—                           |
| Drum Support FA 200-2, hot-dip galvanized        | B        | 133,— | 22,—            | 155,—                           |
| Can Shelf Type GR-A, galvanized                  | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized                  | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized                  | B        | 133,— | 118,—           | 251,—                           |
| <b>2042/SW, painted</b>                          | B        | 661,— | 280,—           | 941,—                           |
| Drum Support FA 60-1, hot-dip galvanized         | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized         | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized         | B        | 133,— | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized                  | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized                  | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized                  | B        | 133,— | 118,—           | 251,—                           |
| <b>2042/SW, hot-dip galvanized</b>               | B        | 734,— | 280,—           | 1014,—                          |
| Drum Support FA 60-1, hot-dip galvanized         | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized         | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized         | B        | 133,— | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized                  | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized                  | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized                  | B        | 133,— | 118,—           | 251,—                           |
| Mobile Sump Trays Type SERIES 2000               | Category | Price | Freight charges | Price including freight charges |
| <b>2004, painted</b>                             | B        | 570,— | 138,—           | 708,—                           |
| Fixture and Tension Belt for 1 x 200 Litre Drum  | B        | 46,—  | 9,—             | 55,—                            |
| <b>2004, hot-dip galvanized</b>                  | B        | 634,— | 138,—           | 772,—                           |
| Fixture and Tension Belt for 1 x 200 Litre Drum  | B        | 46,—  | 9,—             | 55,—                            |
| <b>2020, painted</b>                             | B        | 633,— | 138,—           | 771,—                           |
| Fixture and Tension Belt for 2 x 200 Litre Drums | B        | 46,—  | 9,—             | 55,—                            |
| <b>2020, hot-dip galvanized</b>                  | B        | 692,— | 138,—           | 830,—                           |
| Fixture and Tension Belt for 2 x 200 Litre Drums | B        | 46,—  | 9,—             | 55,—                            |
| <b>2050 SR, painted</b>                          | B        | 685,— | 138,—           | 823,—                           |
| Fixture and Tension Belt for 3 x 200 Litre Drums | B        | 46,—  | 9,—             | 55,—                            |
| <b>2050 SR, hot-dip galvanized</b>               | B        | 740,— | 226,—           | 966,—                           |
| Fixture and Tension Belt for 3 x 200 Litre Drums | B        | 46,—  | 9,—             | 55,—                            |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Environment / Storage



| Drum Shelves with Sump Trays Type SERIES 3000 | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>3000, hot-dip galvanized</b>               | B        | 1054,— | 226,—           | 1280,—                          |
| Retainer Bar                                  | B        | 46,—   | 12,—            | 58,—                            |
| Rotating Support RA 200, hot-dip galvanized   | B        | 93,—   | 10,—            | 103,—                           |
| Can Stand Type GS, hot-dip galvanized         | B        | 62,—   | 18,—            | 80,—                            |
| Crash Guard                                   | B        | 72,—   | 9,—             | 81,—                            |
| <b>3001, hot-dip galvanized</b>               | B        | 887,—  | 226,—           | 1113,—                          |
| Retainer Bar                                  | B        | 46,—   | 12,—            | 58,—                            |
| Rotating Support RA 200, hot-dip galvanized   | B        | 93,—   | 10,—            | 103,—                           |
| Can Stand Type GS, hot-dip galvanized         | B        | 62,—   | 18,—            | 80,—                            |
| Crash Guard                                   | B        | 72,—   | 9,—             | 81,—                            |
| <b>3002, hot-dip galvanized</b>               | B        | 1255,— | 280,—           | 1535,—                          |
| Retainer Bar                                  | B        | 46,—   | 12,—            | 58,—                            |
| Rotating Support RA 200, hot-dip galvanized   | B        | 93,—   | 10,—            | 103,—                           |
| Can Stand Type GS, hot-dip galvanized         | B        | 62,—   | 18,—            | 80,—                            |
| Crash Guard                                   | B        | 72,—   | 9,—             | 81,—                            |
| <b>3003, hot-dip galvanized</b>               | B        | 1063,— | 280,—           | 1343,—                          |
| Retainer Bar                                  | B        | 46,—   | 12,—            | 58,—                            |
| Rotating Support RA 200, hot-dip galvanized   | B        | 93,—   | 10,—            | 103,—                           |
| Can Stand Type GS, hot-dip galvanized         | B        | 62,—   | 18,—            | 80,—                            |
| Crash Guard                                   | B        | 72,—   | 9,—             | 81,—                            |
| <b>3004, hot-dip galvanized</b>               | B        | 1298,— | 226,—           | 1524,—                          |
| Retainer Bar                                  | B        | 46,—   | 12,—            | 58,—                            |
| Rotating Support RA 60, hot-dip galvanized    | B        | 93,—   | 9,—             | 102,—                           |
| Can Stand Type GS, hot-dip galvanized         | B        | 62,—   | 18,—            | 80,—                            |
| Crash Guard                                   | B        | 72,—   | 9,—             | 81,—                            |
| <b>3005, hot-dip galvanized</b>               | B        | 1174,— | 226,—           | 1400,—                          |
| Retainer Bar                                  | B        | 46,—   | 12,—            | 58,—                            |
| Rotating Support RA 60, hot-dip galvanized    | B        | 93,—   | 9,—             | 102,—                           |
| Can Stand Type GS, hot-dip galvanized         | B        | 62,—   | 18,—            | 80,—                            |
| Crash Guard                                   | B        | 72,—   | 9,—             | 81,—                            |
| <b>3006, hot-dip galvanized</b>               | B        | 1639,— | 384,—           | 2023,—                          |
| Retainer Bar                                  | B        | 46,—   | 12,—            | 58,—                            |
| Rotating Support RA 60, hot-dip galvanized    | B        | 93,—   | 9,—             | 102,—                           |
| Can Stand Type GS, hot-dip galvanized         | B        | 62,—   | 18,—            | 80,—                            |
| Crash Guard                                   | B        | 72,—   | 9,—             | 81,—                            |
| <b>3007, hot-dip galvanized</b>               | B        | 1400,— | 280,—           | 1680,—                          |
| Retainer Bar                                  | B        | 46,—   | 12,—            | 58,—                            |
| Rotating Support RA 60, hot-dip galvanized    | B        | 93,—   | 9,—             | 102,—                           |
| Can Stand Type GS, hot-dip galvanized         | B        | 62,—   | 18,—            | 80,—                            |
| Crash Guard                                   | B        | 72,—   | 9,—             | 81,—                            |
| <b>3010, hot-dip galvanized</b>               | B        | 1244,— | 280,—           | 1524,—                          |
| Retainer Bar                                  | B        | 46,—   | 12,—            | 58,—                            |
| Rotating Support RA 200, hot-dip galvanized   | B        | 93,—   | 10,—            | 103,—                           |
| Can Stand Type GS, hot-dip galvanized         | B        | 62,—   | 18,—            | 80,—                            |
| Crash Guard                                   | B        | 72,—   | 9,—             | 81,—                            |
| <b>3011, hot-dip galvanized</b>               | B        | 1034,— | 280,—           | 1314,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Environment / Storage



| Drum Shelves with Sump Trays Type SERIES 3000 | Category | Price | Freight charges | Price including freight charges |
|-----------------------------------------------|----------|-------|-----------------|---------------------------------|
| Retainer Bar                                  | B        | 46,–  | 12,–            | 58,–                            |
| Rotating Support RA 200, hot-dip galvanized   | B        | 93,–  | 10,–            | 103,–                           |
| Can Stand Type GS, hot-dip galvanized         | B        | 62,–  | 18,–            | 80,–                            |
| Crash Guard                                   | B        | 72,–  | 9,–             | 81,–                            |

| Small Can Shelves with Sumps Type SERIES 3000 | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------|----------|--------|-----------------|---------------------------------|
| 3017-4E, galvanized                           | B        | 461,–  | 138,–           | 599,–                           |
| 3018-4E, galvanized                           | B        | 383,–  | 138,–           | 521,–                           |
| 3019-4E, galvanized                           | B        | 556,–  | 226,–           | 782,–                           |
| 3020-4E, galvanized                           | B        | 476,–  | 226,–           | 702,–                           |
| 3021-4E, galvanized                           | B        | 694,–  | 226,–           | 920,–                           |
| 3022-4E, galvanized                           | B        | 604,–  | 138,–           | 742,–                           |
| 3023-4E, galvanized                           | B        | 1122,– | 280,–           | 1402,–                          |
| 3024-4E, galvanized                           | B        | 935,–  | 280,–           | 1215,–                          |

| Shelves Type AG             | Category | Price | Freight charges | Price including freight charges |
|-----------------------------|----------|-------|-----------------|---------------------------------|
| AG 60-1, hot-dip galvanized | B        | 108,– | 12,–            | 120,–                           |
| AG 60-2, hot-dip galvanized | B        | 113,– | 14,–            | 127,–                           |
| AG 60-3, hot-dip galvanized | B        | 121,– | 15,–            | 136,–                           |

| Sump Tray Type AM                         | Category | Price | Freight charges | Price including freight charges |
|-------------------------------------------|----------|-------|-----------------|---------------------------------|
| AM-1, painted                             | B        | 323,– | 138,–           | 461,–                           |
| AM-1, hot-dip galvanized                  | B        | 366,– | 138,–           | 504,–                           |
| AM-2, painted                             | B        | 357,– | 138,–           | 495,–                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,– | 15,–            | 120,–                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,– | 18,–            | 132,–                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,– | 21,–            | 154,–                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,– | 15,–            | 129,–                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,– | 118,–           | 251,–                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,– | 118,–           | 251,–                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,– | 118,–           | 251,–                           |
| AM-2, hot-dip galvanized                  | B        | 412,– | 138,–           | 550,–                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,– | 15,–            | 120,–                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,– | 18,–            | 132,–                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,– | 21,–            | 154,–                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,– | 15,–            | 129,–                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,– | 118,–           | 251,–                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,– | 118,–           | 251,–                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,– | 118,–           | 251,–                           |
| AM-4/A, painted                           | B        | 428,– | 138,–           | 566,–                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,– | 15,–            | 120,–                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,– | 18,–            | 132,–                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,– | 21,–            | 154,–                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,– | 15,–            | 129,–                           |
| Drum Support FA 200-2, hot-dip galvanized | B        | 133,– | 22,–            | 155,–                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Environment / Storage



| Sump Tray Type AM                         | Category | Price | Freight charges | Price including freight charges |
|-------------------------------------------|----------|-------|-----------------|---------------------------------|
| Can Shelf Type GR-A, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| <b>AM-4/A, hot-dip galvanized</b>         | B        | 482,— | 226,—           | 708,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,— | 21,—            | 154,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,— | 15,—            | 129,—                           |
| Drum Support FA 200-2, hot-dip galvanized | B        | 133,— | 22,—            | 155,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| <b>AM-4/B, painted</b>                    | B        | 514,— | 226,—           | 740,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,— | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| <b>AM-4/B, hot-dip galvanized</b>         | B        | 602,— | 226,—           | 828,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,— | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| Sump Tray Type AO                         | Category | Price | Freight charges | Price including freight charges |
| <b>AO-1, painted</b>                      | B        | 282,— | 138,—           | 420,—                           |
| <b>AO-1, hot-dip galvanized</b>           | B        | 325,— | 138,—           | 463,—                           |
| <b>AO-2, painted</b>                      | B        | 299,— | 138,—           | 437,—                           |
| <b>AO-2, hot-dip galvanized</b>           | B        | 354,— | 138,—           | 492,—                           |
| <b>AO-4/A, painted</b>                    | B        | 311,— | 138,—           | 449,—                           |
| <b>AO-4/A, hot-dip galvanized</b>         | B        | 365,— | 138,—           | 503,—                           |
| <b>AO-4/B, painted</b>                    | B        | 398,— | 138,—           | 536,—                           |
| <b>AO-4/B, hot-dip galvanized</b>         | B        | 483,— | 138,—           | 621,—                           |
| Sump Tray Type AW                         | Category | Price | Freight charges | Price including freight charges |
| <b>AW 450, painted</b>                    | B        | 619,— | 226,—           | 845,—                           |
| <b>AW 450, hot-dip galvanized</b>         | B        | 768,— | 226,—           | 994,—                           |
| <b>AW 800, painted</b>                    | B        | 644,— | 226,—           | 870,—                           |
| <b>AW 800, hot-dip galvanized</b>         | B        | 802,— | 226,—           | 1028,—                          |
| <b>AW 1000, painted</b>                   | B        | 649,— | 226,—           | 875,—                           |
| <b>AW 1000, hot-dip galvanized</b>        | B        | 809,— | 226,—           | 1035,—                          |
| <b>AW 1000-2, painted</b>                 | B        | 831,— | 384,—           | 1215,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Environment / Storage



| Sump Tray Type AW               | Category | Price  | Freight charges | Price including freight charges |
|---------------------------------|----------|--------|-----------------|---------------------------------|
| AW 1000-2, hot-dip galvanized   | B        | 933,—  | 384,—           | 1317,—                          |
| AW 1000-3, hot-dip galvanized   | B        | 1585,— | 455,—           | 2040,—                          |
| AW 1000-3, painted              | B        | 1472,— | 384,—           | 1856,—                          |
| AW 1000-10F, painted            | B        | 997,—  | 384,—           | 1381,—                          |
| AW 1000-10F, hot-dip galvanized | B        | 1154,— | 384,—           | 1538,—                          |

| Sump Tray Type AW/SW               | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------|----------|--------|-----------------|---------------------------------|
| AW 450/SW, painted                 | B        | 815,—  | 226,—           | 1041,—                          |
| AW 450/SW, hot-dip galvanized      | B        | 964,—  | 331,—           | 1295,—                          |
| AW 800/SW, painted                 | B        | 839,—  | 331,—           | 1170,—                          |
| AW 800/SW, hot-dip galvanized      | B        | 997,—  | 331,—           | 1328,—                          |
| AW 1000/SW, painted                | B        | 844,—  | 331,—           | 1175,—                          |
| AW 1000/SW, hot-dip galvanized     | B        | 1006,— | 331,—           | 1337,—                          |
| AW 1000-2/SW, painted              | B        | 1054,— | 384,—           | 1438,—                          |
| AW 1000-2/SW, hot-dip galvanized   | B        | 1155,— | 455,—           | 1610,—                          |
| AW 1000-3/SW, painted              | B        | 1726,— | on request      | on request                      |
| AW 1000-3/SW, hot-dip galvanized   | B        | 2049,— | on request      | on request                      |
| AW 1000-10F/SW, painted            | B        | 1340,— | 455,—           | 1795,—                          |
| AW 1000-10F/SW, hot-dip galvanized | B        | 1495,— | 455,—           | 1950,—                          |

| Mobile Sump Tray AW 60-1 SR                     | Category | Price | Freight charges | Price including freight charges |
|-------------------------------------------------|----------|-------|-----------------|---------------------------------|
| AW 60-1 SR, painted                             | B        | 314,— | 138,—           | 452,—                           |
| Fixture and Tension belt for 2 x 60 Litre Drums | B        | 43,—  | 8,—             | 51,—                            |
| AW 60-1 SR, hot-dip galvanized                  | B        | 333,— | 138,—           | 471,—                           |
| Fixture and Tension belt for 2 x 60 Litre Drums | B        | 43,—  | 8,—             | 51,—                            |

| Mobile Sump Tray AW 60-1 SRF    | Category | Price | Freight charges | Price including freight charges |
|---------------------------------|----------|-------|-----------------|---------------------------------|
| AW 60-1 SRF, painted            | B        | 414,— | 138,—           | 552,—                           |
| AW 60-1 SRF, hot-dip galvanized | B        | 435,— | 138,—           | 573,—                           |

| Sump Tray Type AW 60                                     | Category | Price | Freight charges | Price including freight charges |
|----------------------------------------------------------|----------|-------|-----------------|---------------------------------|
| AW 60-1, painted                                         | B        | 170,— | 118,—           | 288,—                           |
| Grid GR 60-1, hot-dip galvanized                         | B        | 22,—  | 8,—             | 30,—                            |
| Drum Support FA 60-A for Drum Shelf AG 60, galvanized    | B        | 24,—  | 8,—             | 32,—                            |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 93,—  | 9,—             | 102,—                           |
| AG 60-1, hot-dip galvanized                              | B        | 108,— | 12,—            | 120,—                           |
| Canister Stand AB, galvanized                            | B        | 18,—  | 8,—             | 26,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 83,—  | 15,—            | 98,—                            |
| AW 60-1, hot-dip galvanized                              | B        | 182,— | 118,—           | 300,—                           |
| Grid GR 60-1, hot-dip galvanized                         | B        | 22,—  | 8,—             | 30,—                            |
| Drum Support FA 60-A for Drum Shelf AG 60, galvanized    | B        | 24,—  | 8,—             | 32,—                            |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 93,—  | 9,—             | 102,—                           |
| AG 60-1, hot-dip galvanized                              | B        | 108,— | 12,—            | 120,—                           |
| Canister Stand AB, galvanized                            | B        | 18,—  | 8,—             | 26,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 83,—  | 15,—            | 98,—                            |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Environment / Storage



| Sump Tray Type AW 60                                     | Category | Price | Freight charges | Price including freight charges |
|----------------------------------------------------------|----------|-------|-----------------|---------------------------------|
| <b>AW 60-2, painted</b>                                  | B        | 171,— | 138,—           | 309,—                           |
| Grid GR 60-2, hot-dip galvanized                         | B        | 26,—  | 12,—            | 38,—                            |
| Drum Support FA 60-A for Drum Shelf AG 60, galvanized    | B        | 24,—  | 8,—             | 32,—                            |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 93,—  | 9,—             | 102,—                           |
| <b>AG 60-2, hot-dip galvanized</b>                       | B        | 113,— | 14,—            | 127,—                           |
| Canister Stand AB, galvanized                            | B        | 18,—  | 8,—             | 26,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 83,—  | 15,—            | 98,—                            |
| <b>AW 60-2, hot-dip galvanized</b>                       | B        | 188,— | 138,—           | 326,—                           |
| Grid GR 60-2, hot-dip galvanized                         | B        | 26,—  | 12,—            | 38,—                            |
| Drum Support FA 60-A for Drum Shelf AG 60, galvanized    | B        | 24,—  | 8,—             | 32,—                            |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 93,—  | 9,—             | 102,—                           |
| <b>AG 60-2, hot-dip galvanized</b>                       | B        | 113,— | 14,—            | 127,—                           |
| Canister Stand AB, galvanized                            | B        | 18,—  | 8,—             | 26,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 83,—  | 15,—            | 98,—                            |
| <b>AW 60-3, painted</b>                                  | B        | 186,— | 138,—           | 324,—                           |
| Grid GR 60-3, hot-dip galvanized                         | B        | 38,—  | 14,—            | 52,—                            |
| Drum Support FA 60-A for Drum Shelf AG 60, galvanized    | B        | 24,—  | 8,—             | 32,—                            |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 93,—  | 9,—             | 102,—                           |
| <b>AG 60-3, hot-dip galvanized</b>                       | B        | 121,— | 15,—            | 136,—                           |
| Canister Stand AB, galvanized                            | B        | 18,—  | 8,—             | 26,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 83,—  | 15,—            | 98,—                            |
| <b>AW 60-3, hot-dip galvanized</b>                       | B        | 209,— | 138,—           | 347,—                           |
| Grid GR 60-3, hot-dip galvanized                         | B        | 38,—  | 14,—            | 52,—                            |
| Drum Support FA 60-A for Drum Shelf AG 60, galvanized    | B        | 24,—  | 8,—             | 32,—                            |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 93,—  | 9,—             | 102,—                           |
| <b>AG 60-3, hot-dip galvanized</b>                       | B        | 121,— | 15,—            | 136,—                           |
| Canister Stand AB, galvanized                            | B        | 18,—  | 8,—             | 26,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 83,—  | 15,—            | 98,—                            |
| Sump Tray Type AW 60/M                                   | Category | Price | Freight charges | Price including freight charges |
| <b>AW 60-1/M, painted</b>                                | B        | 189,— | 138,—           | 327,—                           |
| Drum Support FA 60-A for Drum Shelf AG 60, galvanized    | B        | 24,—  | 8,—             | 32,—                            |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 93,—  | 9,—             | 102,—                           |
| <b>AG 60-1, hot-dip galvanized</b>                       | B        | 108,— | 12,—            | 120,—                           |
| Canister Stand AB, galvanized                            | B        | 18,—  | 8,—             | 26,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 83,—  | 15,—            | 98,—                            |
| <b>AW 60-1/M, hot-dip galvanized</b>                     | B        | 203,— | 138,—           | 341,—                           |
| Drum Support FA 60-A for Drum Shelf AG 60, galvanized    | B        | 24,—  | 8,—             | 32,—                            |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 93,—  | 9,—             | 102,—                           |
| <b>AG 60-1, hot-dip galvanized</b>                       | B        | 108,— | 12,—            | 120,—                           |
| Canister Stand AB, galvanized                            | B        | 18,—  | 8,—             | 26,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 83,—  | 15,—            | 98,—                            |
| <b>AW 60-2/M, painted</b>                                | B        | 196,— | 138,—           | 334,—                           |
| Drum Support FA 60-A for Drum Shelf AG 60, galvanized    | B        | 24,—  | 8,—             | 32,—                            |
| Drum Support FA 60-2, hot-dip galvanized                 | B        | 114,— | 18,—            | 132,—                           |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 93,—  | 9,—             | 102,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Environment / Storage



| Sump Tray Type AW 60/M                                   | Category | Price | Freight charges | Price including freight charges |
|----------------------------------------------------------|----------|-------|-----------------|---------------------------------|
| <b>AG 60-2, hot-dip galvanized</b>                       | B        | 113,— | 14,—            | 127,—                           |
| Canister Stand AB, galvanized                            | B        | 18,—  | 8,—             | 26,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 83,—  | 15,—            | 98,—                            |
| <b>AW 60-2/M, hot-dip galvanized</b>                     | B        | 213,— | 138,—           | 351,—                           |
| Drum Support FA 60-A for Drum Shelf AG 60, galvanized    | B        | 24,—  | 8,—             | 32,—                            |
| Drum Support FA 60-2, hot-dip galvanized                 | B        | 114,— | 18,—            | 132,—                           |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 93,—  | 9,—             | 102,—                           |
| <b>AG 60-2, hot-dip galvanized</b>                       | B        | 113,— | 14,—            | 127,—                           |
| Canister Stand AB, galvanized                            | B        | 18,—  | 8,—             | 26,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 83,—  | 15,—            | 98,—                            |
| <b>AW 60-3/M, painted</b>                                | B        | 224,— | 138,—           | 362,—                           |
| Drum Support FA 60-A for Drum Shelf AG 60, galvanized    | B        | 24,—  | 8,—             | 32,—                            |
| Drum Support FA 60-2, hot-dip galvanized                 | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized                 | B        | 133,— | 21,—            | 154,—                           |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 93,—  | 9,—             | 102,—                           |
| <b>AG 60-3, hot-dip galvanized</b>                       | B        | 121,— | 15,—            | 136,—                           |
| Canister Stand AB, galvanized                            | B        | 18,—  | 8,—             | 26,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 83,—  | 15,—            | 98,—                            |
| <b>AW 60-3/M, hot-dip galvanized</b>                     | B        | 245,— | 138,—           | 383,—                           |
| Drum Support FA 60-A for Drum Shelf AG 60, galvanized    | B        | 24,—  | 8,—             | 32,—                            |
| Drum Support FA 60-2, hot-dip galvanized                 | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized                 | B        | 133,— | 21,—            | 154,—                           |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 93,—  | 9,—             | 102,—                           |
| <b>AG 60-3, hot-dip galvanized</b>                       | B        | 121,— | 15,—            | 136,—                           |
| Canister Stand AB, galvanized                            | B        | 18,—  | 8,—             | 26,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 83,—  | 15,—            | 98,—                            |

| Sump Tray Type AW/PE                      | Category | Price | Freight charges | Price including freight charges |
|-------------------------------------------|----------|-------|-----------------|---------------------------------|
| <b>AW-1/PE, painted</b>                   | B        | 635,— | 138,—           | 773,—                           |
| <b>AW-1/PE, hot-dip galvanized</b>        | B        | 664,— | 138,—           | 802,—                           |
| <b>AW-2/PE, painted</b>                   | B        | 696,— | 138,—           | 834,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,— | 21,—            | 154,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,— | 15,—            | 129,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| <b>AW-2/PE, hot-dip galvanized</b>        | B        | 731,— | 138,—           | 869,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,— | 21,—            | 154,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,— | 15,—            | 129,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,— | 118,—           | 251,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Environment / Storage



| Sump Tray Type AW/PE                      | Category | Price  | Freight charges | Price including freight charges |
|-------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>AW-4/A/PE, painted</b>                 | B        | 790,—  | 226,—           | 1016,—                          |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,—  | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,—  | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,—  | 21,—            | 154,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,—  | 15,—            | 129,—                           |
| Drum Support FA 200-2, hot-dip galvanized | B        | 133,—  | 22,—            | 155,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,—  | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,—  | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,—  | 118,—           | 251,—                           |
| <b>AW-4/A/PE, hot-dip galvanized</b>      | B        | 829,—  | 226,—           | 1055,—                          |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,—  | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,—  | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,—  | 21,—            | 154,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,—  | 15,—            | 129,—                           |
| Drum Support FA 200-2, hot-dip galvanized | B        | 133,—  | 22,—            | 155,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,—  | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,—  | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,—  | 118,—           | 251,—                           |
| <b>AW-4/B/PE, painted</b>                 | B        | 986,—  | 280,—           | 1266,—                          |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,—  | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,—  | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,—  | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,—  | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,—  | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,—  | 118,—           | 251,—                           |
| <b>AW-4/B/PE, hot-dip galvanized</b>      | B        | 1058,— | 280,—           | 1338,—                          |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,—  | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,—  | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,—  | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,—  | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,—  | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,—  | 118,—           | 251,—                           |
| <b>AW 1000/PE, painted</b>                | B        | 1339,— | 331,—           | 1670,—                          |
| <b>AW 1000/PE, hot-dip galvanized</b>     | B        | 1521,— | 331,—           | 1852,—                          |
| <b>AW 1000-2/PE, painted</b>              | B        | 1642,— | 384,—           | 2026,—                          |
| <b>AW 1000-2/PE, hot-dip galvanized</b>   | B        | 1756,— | 384,—           | 2140,—                          |

| Sump Trays AW 8-12               | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------|----------|--------|-----------------|---------------------------------|
| <b>AW-8, painted</b>             | B        | 707,—  | 280,—           | 987,—                           |
| <b>AW-8, hot-dip galvanized</b>  | B        | 787,—  | 384,—           | 1171,—                          |
| <b>AW-10, painted</b>            | B        | 873,—  | 384,—           | 1257,—                          |
| <b>AW-10, hot-dip galvanized</b> | B        | 1197,— | 384,—           | 1581,—                          |
| <b>AW-12, painted</b>            | B        | 1000,— | 384,—           | 1384,—                          |
| <b>AW-12, hot-dip galvanized</b> | B        | 1382,— | 384,—           | 1766,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Environment / Storage



| Sump Tray Type AWA             | Category | Price  | Freight charges | Price including freight charges |
|--------------------------------|----------|--------|-----------------|---------------------------------|
| AWA 1000, painted              | B        | 834,—  | 226,—           | 1060,—                          |
| AWA 1000, hot-dip galvanized   | B        | 1009,— | 331,—           | 1340,—                          |
| AWA 1000-2, painted            | B        | 1197,— | 384,—           | 1581,—                          |
| AWA 1000-2, hot-dip galvanized | B        | 1327,— | 384,—           | 1711,—                          |
| AWA 1000-3, painted            | B        | 2177,— | 455,—           | 2632,—                          |
| AWA 1000-3, hot-dip galvanized | B        | 2304,— | 635,—           | 2939,—                          |
| AWA 21, painted                | B        | 1012,— | 384,—           | 1396,—                          |
| AWA 21, hot-dip galvanized     | B        | 1142,— | 384,—           | 1526,—                          |
| AWA 31, painted                | B        | 1889,— | 455,—           | 2344,—                          |
| AWA 31, hot-dip galvanized     | B        | 2006,— | 455,—           | 2461,—                          |
| AWA 32, painted                | B        | 2055,— | 455,—           | 2510,—                          |
| AWA 32, hot-dip galvanized     | B        | 2173,— | 455,—           | 2628,—                          |

| Sump Tray Type AWA/SW             | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------|----------|--------|-----------------|---------------------------------|
| AWA 1000/SW, painted              | B        | 1028,— | 331,—           | 1359,—                          |
| AWA 1000/SW, hot-dip galvanized   | B        | 1203,— | 331,—           | 1534,—                          |
| AWA 1000-2/SW, painted            | B        | 1422,— | 455,—           | 1877,—                          |
| AWA 1000-2/SW, hot-dip galvanized | B        | 1550,— | 455,—           | 2005,—                          |
| AWA 1000-3/SW, painted            | B        | 2432,— | on request      | on request                      |
| AWA 1000-3/SW, hot-dip galvanized | B        | 2558,— | on request      | on request                      |
| AWA 21/SW, painted                | B        | 1234,— | 455,—           | 1689,—                          |
| AWA 21/SW, hot-dip galvanized     | B        | 1365,— | 455,—           | 1820,—                          |
| AWA 31/SW, painted                | B        | 2142,— | on request      | on request                      |
| AWA 31/SW, hot-dip galvanized     | B        | 2259,— | on request      | on request                      |
| AWA 32/SW, painted                | B        | 2307,— | on request      | on request                      |
| AWA 32/SW, hot-dip galvanized     | B        | 2427,— | on request      | on request                      |

| Sump Tray Type AW-F                              | Category | Price | Freight charges | Price including freight charges |
|--------------------------------------------------|----------|-------|-----------------|---------------------------------|
| AW-F 1, painted                                  | B        | 634,— | 138,—           | 772,—                           |
| Fixture and Tension Belt for 1 x 200 Litre Drum  | B        | 46,—  | 9,—             | 55,—                            |
| AW-F 1, hot-dip galvanized                       | B        | 753,— | 138,—           | 891,—                           |
| Fixture and Tension Belt for 1 x 200 Litre Drum  | B        | 46,—  | 9,—             | 55,—                            |
| AW-F 2, painted                                  | B        | 664,— | 138,—           | 802,—                           |
| Fixture and Tension Belt for 2 x 200 Litre Drums | B        | 46,—  | 9,—             | 55,—                            |
| AW-F 2, hot-dip galvanized                       | B        | 813,— | 138,—           | 951,—                           |
| Fixture and Tension Belt for 2 x 200 Litre Drums | B        | 46,—  | 9,—             | 55,—                            |

| Ground Protection Spill Tray Type BSW    | Category | Price | Freight charges | Price including freight charges |
|------------------------------------------|----------|-------|-----------------|---------------------------------|
| BSW 21, galvanized                       | B        | 433,— | 226,—           | 659,—                           |
| Access Ramp AR 21, galvanized            | B        | 160,— | 22,—            | 182,—                           |
| Access Corner Piece AE 24, galvanized    | B        | 125,— | 10,—            | 135,—                           |
| Cross-Shaped Connector KV 24, galvanized | B        | 19,—  | 8,—             | 27,—                            |
| Tray Connecting Strip WV 21, galvanized  | B        | 21,—  | 8,—             | 29,—                            |
| BSW 22, galvanized                       | B        | 570,— | 226,—           | 796,—                           |
| Access Ramp AR 21, galvanized            | B        | 160,— | 22,—            | 182,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and overseas territories excluded

# Price List 0425 en-BG

## Environment / Storage



| Ground Protection Spill Tray Type BSW    | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------------|----------|--------|-----------------|---------------------------------|
| Access Ramp AR 22, galvanized            | B        | 203,—  | 32,—            | 235,—                           |
| Access Corner Piece AE 24, galvanized    | B        | 125,—  | 10,—            | 135,—                           |
| Cross-Shaped Connector KV 24, galvanized | B        | 19,—   | 8,—             | 27,—                            |
| Tray Connecting Strip WV 21, galvanized  | B        | 21,—   | 8,—             | 29,—                            |
| Tray Connecting Strip WV 22, galvanized  | B        | 23,—   | 8,—             | 31,—                            |
| <b>BSW 23, galvanized</b>                | B        | 738,—  | 360,—           | 1098,—                          |
| Access Ramp AR 23, galvanized            | B        | 289,—  | 191,—           | 480,—                           |
| Access Ramp AR 21, galvanized            | B        | 160,—  | 22,—            | 182,—                           |
| Access Corner Piece AE 24, galvanized    | B        | 125,—  | 10,—            | 135,—                           |
| Cross-Shaped Connector KV 24, galvanized | B        | 19,—   | 8,—             | 27,—                            |
| Tray Connecting Strip WV 21, galvanized  | B        | 21,—   | 8,—             | 29,—                            |
| Tray Connecting Strip WV 23, galvanized  | B        | 35,—   | 9,—             | 44,—                            |
| <b>BSW 24, galvanized</b>                | B        | 1295,— | 450,—           | 1745,—                          |
| Access Ramp AR 23, galvanized            | B        | 289,—  | 191,—           | 480,—                           |
| Access Ramp AR 22, galvanized            | B        | 203,—  | 32,—            | 235,—                           |
| Access Corner Piece AE 24, galvanized    | B        | 125,—  | 10,—            | 135,—                           |
| Cross-Shaped Connector KV 24, galvanized | B        | 19,—   | 8,—             | 27,—                            |
| Tray Connecting Strip WV 22, galvanized  | B        | 23,—   | 8,—             | 31,—                            |
| Tray Connecting Strip WV 23, galvanized  | B        | 35,—   | 9,—             | 44,—                            |
| <b>BSW 121, galvanized</b>               | B        | 192,—  | 118,—           | 310,—                           |
| Access Ramp AR 121, galvanized           | B        | 157,—  | 22,—            | 179,—                           |
| Cross-Shaped Connector KV 24, galvanized | B        | 19,—   | 8,—             | 27,—                            |
| Tray Connecting Strip WV 121, galvanized | B        | 20,—   | 9,—             | 29,—                            |
| <b>BSW 122, galvanized</b>               | B        | 234,—  | 138,—           | 372,—                           |
| Access Ramp AR 121, galvanized           | B        | 157,—  | 22,—            | 179,—                           |
| Access Ramp AR 122, galvanized           | B        | 265,—  | 36,—            | 301,—                           |
| Access Corner Piece AE 124, galvanized   | B        | 252,—  | 21,—            | 273,—                           |
| Cross-Shaped Connector KV 24, galvanized | B        | 19,—   | 8,—             | 27,—                            |
| Tray Connecting Strip WV 121, galvanized | B        | 20,—   | 9,—             | 29,—                            |
| Tray Connecting Strip WV 122, galvanized | B        | 25,—   | 9,—             | 34,—                            |
| <b>BSW 123, galvanized</b>               | B        | 327,—  | 138,—           | 465,—                           |
| Access Ramp AR 122, galvanized           | B        | 265,—  | 36,—            | 301,—                           |
| Access Corner Piece AE 124, galvanized   | B        | 252,—  | 21,—            | 273,—                           |
| Cross-Shaped Connector KV 24, galvanized | B        | 19,—   | 8,—             | 27,—                            |
| Tray Connecting Strip WV 122, galvanized | B        | 25,—   | 9,—             | 34,—                            |
| <b>BSW 124, galvanized</b>               | B        | 534,—  | 226,—           | 760,—                           |
| Access Ramp AR 122, galvanized           | B        | 265,—  | 36,—            | 301,—                           |
| Access Ramp AR 123, galvanized           | B        | 326,—  | 226,—           | 552,—                           |
| Access Corner Piece AE 124, galvanized   | B        | 252,—  | 21,—            | 273,—                           |
| Cross-Shaped Connector KV 24, galvanized | B        | 19,—   | 8,—             | 27,—                            |
| Tray Connecting Strip WV 122, galvanized | B        | 25,—   | 9,—             | 34,—                            |
| Tray Connecting Strip WV 123, galvanized | B        | 34,—   | 9,—             | 43,—                            |
| <b>BSW 125, galvanized</b>               | B        | 411,—  | 280,—           | 691,—                           |
| Access Ramp AR 121, galvanized           | B        | 157,—  | 22,—            | 179,—                           |
| Access Ramp AR 124, galvanized           | B        | 378,—  | 280,—           | 658,—                           |
| Access Corner Piece AE 124, galvanized   | B        | 252,—  | 21,—            | 273,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Environment / Storage



| Ground Protection Spill Tray Type BSW           | Category | Price   | Freight charges | Price including freight charges |
|-------------------------------------------------|----------|---------|-----------------|---------------------------------|
| Cross-Shaped Connector KV 24, galvanized        | B        | 19,—    | 8,—             | 27,—                            |
| Tray Connecting Strip WV 121, galvanized        | B        | 20,—    | 9,—             | 29,—                            |
| Tray Connecting Strip WV 124, galvanized        | B        | 47,—    | 9,—             | 56,—                            |
| <b>BSW 126, galvanized</b>                      | B        | 645,—   | 384,—           | 1029,—                          |
| Access Ramp AR 122, galvanized                  | B        | 265,—   | 36,—            | 301,—                           |
| Access Ramp AR 124, galvanized                  | B        | 378,—   | 280,—           | 658,—                           |
| Access Corner Piece AE 124, galvanized          | B        | 252,—   | 21,—            | 273,—                           |
| Cross-Shaped Connector KV 24, galvanized        | B        | 19,—    | 8,—             | 27,—                            |
| Tray Connecting Strip WV 122, galvanized        | B        | 25,—    | 9,—             | 34,—                            |
| Tray Connecting Strip WV 124, galvanized        | B        | 47,—    | 9,—             | 56,—                            |
| Polyethylene Bunded Spill Flooring Type BWP-PE  | Category | Price   | Freight charges | Price including freight charges |
| <b>BWP-PE 150, made of robust polyethylene</b>  | B        | 305,—   | 138,—           | 443,—                           |
| Ramp Type BWR, robust polyethylene, black       | B        | 214,—   | 12,—            | 226,—                           |
| Joining Element BWV 2, stainless steel 1.4301   | B        | 28,—    | 9,—             | 37,—                            |
| <b>BWP-PE 300, made of robust polyethylene</b>  | B        | 619,—   | 138,—           | 757,—                           |
| Ramp Type BWR, robust polyethylene, black       | B        | 214,—   | 12,—            | 226,—                           |
| Joining Element BWV 4, stainless steel 1.4301   | B        | 36,—    | 10,—            | 46,—                            |
| Polyethylene Bunded Spill Flooring Type BWPS-PE | Category | Price   | Freight charges | Price including freight charges |
| <b>BWPS-PE 300, made of robust polyethylene</b> | B        | 759,—   | 191,—           | 950,—                           |
| Ramp Type BWR, robust polyethylene, black       | B        | 214,—   | 12,—            | 226,—                           |
| Joining Element BWV 2, stainless steel 1.4301   | B        | 28,—    | 9,—             | 37,—                            |
| Shelf Container Type CEH                        | Category | Price   | Freight charges | Price including freight charges |
| <b>CEH 29-2, painted</b>                        | C        | 8832,—  | on request      | on request                      |
| <b>CEH 29-2 IBC, painted</b>                    | C        | 9735,—  | on request      | on request                      |
| <b>CEH 36-2 IBC, painted</b>                    | C        | 11330,— | on request      | on request                      |
| <b>CEH 38-2, painted</b>                        | C        | 11322,— | on request      | on request                      |
| <b>CEH 59-2, painted</b>                        | C        | 16765,— | on request      | on request                      |
| <b>CEH 59-2 IBC, painted</b>                    | C        | 17999,— | on request      | on request                      |
| <b>CEH 75-2 IBC, painted</b>                    | C        | 21334,— | on request      | on request                      |
| <b>CEH 81-2, painted</b>                        | C        | 21762,— | on request      | on request                      |
| Shelf Container Type CEN                        | Category | Price   | Freight charges | Price including freight charges |
| <b>CEN 29-2, painted</b>                        | C        | 7453,—  | on request      | on request                      |
| Potential equalisation                          | C        | 177,—   | 0,—             | 177,—                           |
| <b>CEN 29-2 IBC, painted</b>                    | C        | 8136,—  | on request      | on request                      |
| Potential equalisation                          | C        | 177,—   | 0,—             | 177,—                           |
| <b>CEN 29-2b, painted</b>                       | C        | 12990,— | on request      | on request                      |
| Potential equalisation                          | C        | 353,—   | 0,—             | 353,—                           |
| <b>CEN 29-2b IBC, painted</b>                   | C        | 13892,— | on request      | on request                      |
| Potential equalisation                          | C        | 353,—   | 0,—             | 353,—                           |
| <b>CEN 29-3, painted</b>                        | C        | 11729,— | on request      | on request                      |
| Potential equalisation                          | C        | 264,—   | 0,—             | 264,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Environment / Storage



| Shelf Container Type CEN      | Category | Price   | Freight charges | Price including freight charges |
|-------------------------------|----------|---------|-----------------|---------------------------------|
| <b>CEN 29-3 IBC, painted</b>  | C        | 12480,— | on request      | on request                      |
| Potential equalisation        | C        | 264,—   | 0,—             | 264,—                           |
| <b>CEN 29-3b, painted</b>     | C        | 19088,— | on request      | on request                      |
| Potential equalisation        | C        | 527,—   | 0,—             | 527,—                           |
| <b>CEN 29-3b IBC, painted</b> | C        | 20156,— | on request      | on request                      |
| Potential equalisation        | C        | 527,—   | 0,—             | 527,—                           |
| <b>CEN 33-2 IBC, painted</b>  | C        | 9075,—  | on request      | on request                      |
| Potential equalisation        | C        | 177,—   | 0,—             | 177,—                           |
| <b>CEN 33-2b IBC, painted</b> | C        | 15207,— | on request      | on request                      |
| Potential equalisation        | C        | 353,—   | 0,—             | 353,—                           |
| <b>CEN 33-3 IBC, painted</b>  | C        | 13380,— | on request      | on request                      |
| Potential equalisation        | C        | 264,—   | 0,—             | 264,—                           |
| <b>CEN 33-3b IBC, painted</b> | C        | 21273,— | on request      | on request                      |
| Potential equalisation        | C        | 527,—   | 0,—             | 527,—                           |
| <b>CEN 36-2, painted</b>      | C        | 9149,—  | on request      | on request                      |
| Potential equalisation        | C        | 177,—   | 0,—             | 177,—                           |
| <b>CEN 36-2b, painted</b>     | C        | 15565,— | on request      | on request                      |
| Potential equalisation        | C        | 353,—   | 0,—             | 353,—                           |
| <b>CEN 36-3, painted</b>      | C        | 13571,— | on request      | on request                      |
| Potential equalisation        | C        | 264,—   | 0,—             | 264,—                           |
| <b>CEN 36-3b, painted</b>     | C        | 21925,— | on request      | on request                      |
| Potential equalisation        | C        | 527,—   | 0,—             | 527,—                           |
| <b>CEN 59-2, painted</b>      | C        | 12340,— | on request      | on request                      |
| Potential equalisation        | C        | 352,—   | 0,—             | 352,—                           |
| <b>CEN 59-2 IBC, painted</b>  | C        | 13446,— | on request      | on request                      |
| Potential equalisation        | C        | 352,—   | 0,—             | 352,—                           |
| <b>CEN 59-2b, painted</b>     | C        | 21238,— | on request      | on request                      |
| Potential equalisation        | C        | 704,—   | 0,—             | 704,—                           |
| <b>CEN 59-2b IBC, painted</b> | C        | 21984,— | on request      | on request                      |
| Potential equalisation        | C        | 704,—   | 0,—             | 704,—                           |
| <b>CEN 59-3, painted</b>      | C        | 18998,— | on request      | on request                      |
| Potential equalisation        | C        | 526,—   | 0,—             | 526,—                           |
| <b>CEN 59-3 IBC, painted</b>  | C        | 20108,— | on request      | on request                      |
| Potential equalisation        | C        | 526,—   | 0,—             | 526,—                           |
| <b>CEN 59-3b, painted</b>     | C        | 30667,— | on request      | on request                      |
| Potential equalisation        | C        | 1052,—  | 0,—             | 1052,—                          |
| <b>CEN 59-3b IBC, painted</b> | C        | 32274,— | on request      | on request                      |
| Potential equalisation        | C        | 1052,—  | 0,—             | 1052,—                          |
| <b>CEN 65-2 IBC, painted</b>  | C        | 14494,— | on request      | on request                      |
| Potential equalisation        | C        | 352,—   | 0,—             | 352,—                           |
| <b>CEN 65-2b IBC, painted</b> | C        | 24443,— | on request      | on request                      |
| Potential equalisation        | C        | 704,—   | 0,—             | 704,—                           |
| <b>CEN 65-3 IBC, painted</b>  | C        | 21255,— | on request      | on request                      |
| Potential equalisation        | C        | 526,—   | 0,—             | 526,—                           |
| <b>CEN 65-3b IBC, painted</b> | C        | 34704,— | on request      | on request                      |
| Potential equalisation        | C        | 1052,—  | 0,—             | 1052,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Environment / Storage



| Shelf Container Type CEN         | Category | Price   | Freight charges | Price including freight charges |
|----------------------------------|----------|---------|-----------------|---------------------------------|
| CEN 75-2, painted                | C        | 15462,— | on request      | on request                      |
| Potential equalisation           | C        | 352,—   | 0,—             | 352,—                           |
| CEN 75-2b, painted               | C        | 25589,— | on request      | on request                      |
| Potential equalisation           | C        | 704,—   | 0,—             | 704,—                           |
| CEN 75-3, painted                | C        | 22305,— | on request      | on request                      |
| Potential equalisation           | C        | 526,—   | 0,—             | 526,—                           |
| CEN 75-3b, painted               | C        | 36212,— | on request      | on request                      |
| Potential equalisation           | C        | 1052,—  | 0,—             | 1052,—                          |
| CEN 81-2, painted                | C        | 16220,— | on request      | on request                      |
| Potential equalisation           | C        | 352,—   | 0,—             | 352,—                           |
| CEN 81-2b, painted               | C        | 26755,— | on request      | on request                      |
| Potential equalisation           | C        | 704,—   | 0,—             | 704,—                           |
| CEN 81-3, painted                | C        | 23356,— | on request      | on request                      |
| Potential equalisation           | C        | 526,—   | 0,—             | 526,—                           |
| CEN 81-3b, painted               | C        | 37796,— | on request      | on request                      |
| Potential equalisation           | C        | 1052,—  | 0,—             | 1052,—                          |
| Sump Tray for Skips Type CW      | Category | Price   | Freight charges | Price including freight charges |
| CW 1, painted                    | B        | 2852,—  | on request      | on request                      |
| CW 2, painted                    | B        | 3116,—  | on request      | on request                      |
| CW 3, painted                    | B        | 3596,—  | on request      | on request                      |
| Sump Tray Type ECO               | Category | Price   | Freight charges | Price including freight charges |
| ECO 1/200, painted               | B        | 237,—   | 138,—           | 375,—                           |
| ECO 1/200, hot-dip galvanized    | B        | 247,—   | 138,—           | 385,—                           |
| ECO 2/200, painted               | B        | 252,—   | 138,—           | 390,—                           |
| ECO 2/200, hot-dip galvanized    | B        | 260,—   | 138,—           | 398,—                           |
| ECO 4/200, painted               | B        | 275,—   | 138,—           | 413,—                           |
| ECO 4/200, hot-dip galvanized    | B        | 286,—   | 138,—           | 424,—                           |
| ECO 4/400, painted               | B        | 342,—   | 138,—           | 480,—                           |
| ECO 4/400, hot-dip galvanized    | B        | 357,—   | 138,—           | 495,—                           |
| ECO 1/1000, painted              | B        | 610,—   | 226,—           | 836,—                           |
| ECO 1/1000, hot-dip galvanized   | B        | 733,—   | 226,—           | 959,—                           |
| ECO 2/1000, painted              | B        | 798,—   | 280,—           | 1078,—                          |
| ECO 2/1000, hot-dip galvanized   | B        | 884,—   | 280,—           | 1164,—                          |
| Sump Tray Type ECO-A             | Category | Price   | Freight charges | Price including freight charges |
| ECO-A 1/1000, painted            | B        | 802,—   | 226,—           | 1028,—                          |
| ECO-A 1/1000, hot-dip galvanized | B        | 938,—   | 226,—           | 1164,—                          |
| ECO-A 2/1000, painted            | B        | 1179,—  | 384,—           | 1563,—                          |
| ECO-A 2/1000, hot-dip galvanized | B        | 1295,—  | 384,—           | 1679,—                          |
| Sump Tray Type ECO-S             | Category | Price   | Freight charges | Price including freight charges |
| ECO-S 2/200, hot-dip galvanized  | B        | 3330,—  | 690,—           | 4020,—                          |
| ECO-S 4/200, hot-dip galvanized  | B        | 3915,—  | 1050,—          | 4965,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Environment / Storage



| Sump Tray Type ECO-S                               | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------------------------|----------|--------|-----------------|---------------------------------|
| ECO-S 4/400, hot-dip galvanized                    | B        | 4830,— | 1050,—          | 5880,—                          |
| Suspended Sump with Polyethylene Inlay Type EHW PE | Category | Price  | Freight charges | Price including freight charges |
| EHW 1800 PE, painted                               | B        | 878,—  | 226,—           | 1104,—                          |
| EHW 1800 PE, hot-dip galvanized                    | B        | 890,—  | 226,—           | 1116,—                          |
| EHW 2200 PE, painted                               | B        | 953,—  | 226,—           | 1179,—                          |
| EHW 2200 PE, hot-dip galvanized                    | B        | 993,—  | 226,—           | 1219,—                          |
| EHW 2700 PE, painted                               | B        | 1105,— | 384,—           | 1489,—                          |
| EHW 2700 PE, hot-dip galvanized                    | B        | 1170,— | 384,—           | 1554,—                          |
| EHW 3300 PE, painted                               | B        | 1597,— | 384,—           | 1981,—                          |
| EHW 3300 PE, hot-dip galvanized                    | B        | 1668,— | 384,—           | 2052,—                          |
| Suspended Sump Type EHW                            | Category | Price  | Freight charges | Price including freight charges |
| EHW 1800, painted                                  | B        | 491,—  | 226,—           | 717,—                           |
| EHW 1800, hot-dip galvanized                       | B        | 503,—  | 226,—           | 729,—                           |
| EHW 2200, painted                                  | B        | 544,—  | 226,—           | 770,—                           |
| EHW 2200, hot-dip galvanized                       | B        | 584,—  | 226,—           | 810,—                           |
| EHW 2700, painted                                  | B        | 626,—  | 280,—           | 906,—                           |
| EHW 2700, hot-dip galvanized                       | B        | 692,—  | 280,—           | 972,—                           |
| EHW 3300, painted                                  | B        | 968,—  | 384,—           | 1352,—                          |
| EHW 3300, hot-dip galvanized                       | B        | 1039,— | 384,—           | 1423,—                          |
| EHW 3600, painted                                  | B        | 1014,— | 384,—           | 1398,—                          |
| EHW 3600, hot-dip galvanized                       | B        | 1092,— | 384,—           | 1476,—                          |
| Drum Pallet Type FP                                | Category | Price  | Freight charges | Price including freight charges |
| FP 2, hot-dip galvanized                           | B        | 88,—   | 138,—           | 226,—                           |
| Drum Shelf Type FR                                 | Category | Price  | Freight charges | Price including freight charges |
| FR-1, hot-dip galvanized                           | B        | 283,—  | 138,—           | 421,—                           |
| Can Stand Type GS, hot-dip galvanized              | B        | 62,—   | 18,—            | 80,—                            |
| Clip-on Rotating Support, galvanized               | B        | 82,—   | 10,—            | 92,—                            |
| FR-2, hot-dip galvanized                           | B        | 362,—  | 138,—           | 500,—                           |
| Can Stand Type GS, hot-dip galvanized              | B        | 62,—   | 18,—            | 80,—                            |
| Clip-on Rotating Support, galvanized               | B        | 82,—   | 10,—            | 92,—                            |
| FR-3, hot-dip galvanized                           | B        | 404,—  | 138,—           | 542,—                           |
| Can Stand Type GS, hot-dip galvanized              | B        | 62,—   | 18,—            | 80,—                            |
| Rotating Support RA 60, hot-dip galvanized         | B        | 93,—   | 9,—             | 102,—                           |
| Sump Tray Type FRA                                 | Category | Price  | Freight charges | Price including freight charges |
| FRA-1, painted                                     | B        | 299,—  | 138,—           | 437,—                           |
| Grid, hot-dip galvanized                           | B        | 64,—   | 16,—            | 80,—                            |
| FRA-1, hot-dip galvanized                          | B        | 354,—  | 138,—           | 492,—                           |
| Grid, hot-dip galvanized                           | B        | 64,—   | 16,—            | 80,—                            |
| FRA-2, painted                                     | B        | 311,—  | 138,—           | 449,—                           |
| Grid, hot-dip galvanized                           | B        | 127,—  | 24,—            | 151,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Environment / Storage



| Sump Tray Type FRA                         | Category | Price  | Freight charges | Price including freight charges |
|--------------------------------------------|----------|--------|-----------------|---------------------------------|
| FRA-2, hot-dip galvanized                  | B        | 365,—  | 138,—           | 503,—                           |
| Grid, hot-dip galvanized                   | B        | 127,—  | 24,—            | 151,—                           |
| FRA-3, painted                             | B        | 311,—  | 138,—           | 449,—                           |
| Grid, hot-dip galvanized                   | B        | 127,—  | 24,—            | 151,—                           |
| FRA-3, hot-dip galvanized                  | B        | 365,—  | 138,—           | 503,—                           |
| Grid, hot-dip galvanized                   | B        | 127,—  | 24,—            | 151,—                           |
| Drum Shelf Type FRE/M                      | Category | Price  | Freight charges | Price including freight charges |
| FRE-1/M, hot-dip galvanized                | B        | 217,—  | 21,—            | 238,—                           |
| Clip-on Rotating Support, galvanized       | B        | 82,—   | 10,—            | 92,—                            |
| Can Stand Type GS, hot-dip galvanized      | B        | 62,—   | 18,—            | 80,—                            |
| FRE-2/M, hot-dip galvanized                | B        | 252,—  | 22,—            | 274,—                           |
| Clip-on Rotating Support, galvanized       | B        | 82,—   | 10,—            | 92,—                            |
| Can Stand Type GS, hot-dip galvanized      | B        | 62,—   | 18,—            | 80,—                            |
| FRE-3/M, hot-dip galvanized                | B        | 269,—  | 27,—            | 296,—                           |
| Rotating Support RA 60, hot-dip galvanized | B        | 93,—   | 9,—             | 102,—                           |
| Can Stand Type GS, hot-dip galvanized      | B        | 62,—   | 18,—            | 80,—                            |
| Can Shelf Type FRE-G/M                     | Category | Price  | Freight charges | Price including freight charges |
| FRE-G1/M, hot-dip galvanized               | B        | 228,—  | 27,—            | 255,—                           |
| FRE-G2/M, hot-dip galvanized               | B        | 264,—  | 32,—            | 296,—                           |
| Can Shelf for Small Cans Type FRG          | Category | Price  | Freight charges | Price including freight charges |
| FRG, hot-dip galvanized                    | B        | 368,—  | 138,—           | 506,—                           |
| Drum Stacking Pallet Type FSP-D            | Category | Price  | Freight charges | Price including freight charges |
| FSP-1 D, lackiert                          | B        | 816,—  | 226,—           | 1042,—                          |
| FSP-1 D, hot-dip galvanized                | B        | 1068,— | 226,—           | 1294,—                          |
| FSP-2 D, lackiert                          | B        | 870,—  | 226,—           | 1096,—                          |
| FSP-2 D, hot-dip galvanized                | B        | 1180,— | 226,—           | 1406,—                          |
| FSP-4 D, lackiert                          | B        | 1130,— | 226,—           | 1356,—                          |
| FSP-4 D, hot-dip galvanized                | B        | 1560,— | 226,—           | 1786,—                          |
| Drum Stacking Pallet Type FSP-G            | Category | Price  | Freight charges | Price including freight charges |
| FSP-1 G, lackiert                          | B        | 793,—  | 226,—           | 1019,—                          |
| FSP-1 G, hot-dip galvanized                | B        | 1052,— | 226,—           | 1278,—                          |
| FSP-2 G, painted                           | B        | 849,—  | 226,—           | 1075,—                          |
| FSP-2 G, hot-dip galvanized                | B        | 1156,— | 226,—           | 1382,—                          |
| FSP-4 G, painted                           | B        | 1109,— | 331,—           | 1440,—                          |
| FSP-4 G, hot-dip galvanized                | B        | 1533,— | 331,—           | 1864,—                          |
| Drum Stacking Pallet Type FSP              | Category | Price  | Freight charges | Price including freight charges |
| FSP-1, painted                             | B        | 467,—  | 138,—           | 605,—                           |
| FSP-1, hot-dip galvanized                  | B        | 702,—  | 226,—           | 928,—                           |
| FSP-2, painted                             | B        | 632,—  | 226,—           | 858,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Environment / Storage



| Drum Stacking Pallet Type FSP            | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------------|----------|--------|-----------------|---------------------------------|
| FSP-2, hot-dip galvanized                | B        | 882,—  | 226,—           | 1108,—                          |
| FSP-4, painted                           | B        | 720,—  | 226,—           | 946,—                           |
| FSP-4, hot-dip galvanized                | B        | 1112,— | 226,—           | 1338,—                          |
| Hazardous Materials Depot Type GD-A      | Category | Price  | Freight charges | Price including freight charges |
| GD-A, painted                            | C        | 736,—  | 226,—           | 962,—                           |
| Drum Support FA 60-1, hot-dip galvanized | B        | 105,—  | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized | B        | 114,—  | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized | B        | 133,—  | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized          | B        | 133,—  | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized          | B        | 133,—  | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized          | B        | 133,—  | 118,—           | 251,—                           |
| GD-A, hot-dip galvanized                 | C        | 927,—  | 226,—           | 1153,—                          |
| Drum Support FA 60-1, hot-dip galvanized | B        | 105,—  | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized | B        | 114,—  | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized | B        | 133,—  | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized          | B        | 133,—  | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized          | B        | 133,—  | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized          | B        | 133,—  | 118,—           | 251,—                           |
| Hazardous Materials Depot Type GD-B      | Category | Price  | Freight charges | Price including freight charges |
| GD-B, painted                            | C        | 1316,— | 226,—           | 1542,—                          |
| Drum Support FA 60-1, hot-dip galvanized | B        | 105,—  | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized | B        | 114,—  | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized | B        | 133,—  | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized          | B        | 133,—  | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized          | B        | 133,—  | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized          | B        | 133,—  | 118,—           | 251,—                           |
| GD-B, hot-dip galvanized                 | C        | 1570,— | 226,—           | 1796,—                          |
| Drum Support FA 60-1, hot-dip galvanized | B        | 105,—  | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized | B        | 114,—  | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized | B        | 133,—  | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized          | B        | 133,—  | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized          | B        | 133,—  | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized          | B        | 133,—  | 118,—           | 251,—                           |
| Hazardous Materials Depot Type GD-C      | Category | Price  | Freight charges | Price including freight charges |
| GD-C, painted                            | C        | 1123,— | 226,—           | 1349,—                          |
| Drum Support FA 60-1, hot-dip galvanized | B        | 105,—  | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized | B        | 114,—  | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized | B        | 133,—  | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized          | B        | 133,—  | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized          | B        | 133,—  | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized          | B        | 133,—  | 118,—           | 251,—                           |
| GD-C, hot-dip galvanized                 | C        | 1269,— | 226,—           | 1495,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Environment / Storage



| Hazardous Materials Depot Type GD-C            | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Drum Support FA 60-1, hot-dip galvanized       | B        | 105,—  | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized       | B        | 114,—  | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized       | B        | 133,—  | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized                | B        | 133,—  | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized                | B        | 133,—  | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized                | B        | 133,—  | 118,—           | 251,—                           |
| Hazardous Materials Depot Type GD-E            | Category | Price  | Freight charges | Price including freight charges |
| <b>GD-E 2, galvanized</b>                      | C        | 1509,— | 331,—           | 1840,—                          |
| Drum Support FA 60-1, hot-dip galvanized       | B        | 105,—  | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized       | B        | 114,—  | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized       | B        | 133,—  | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized                | B        | 133,—  | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized                | B        | 133,—  | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized                | B        | 133,—  | 118,—           | 251,—                           |
| <b>GD-E 4, galvanized</b>                      | C        | 1842,— | 402,—           | 2244,—                          |
| Drum Support FA 60-1, hot-dip galvanized       | B        | 105,—  | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized       | B        | 114,—  | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized       | B        | 133,—  | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized                | B        | 133,—  | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized                | B        | 133,—  | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized                | B        | 133,—  | 118,—           | 251,—                           |
| Hazardous Materials Depot Type GD-E/IBC        | Category | Price  | Freight charges | Price including freight charges |
| <b>GD-E/IBC, galvanized</b>                    | C        | 2286,— | on request      | on request                      |
| <b>GD-E/IBC-2, galvanized</b>                  | C        | 3431,— | 426,—           | 3857,—                          |
| Hazardous Materials Depot Type GD-N            | Category | Price  | Freight charges | Price including freight charges |
| <b>GD-N 2, galvanized</b>                      | C        | 1315,— | 331,—           | 1646,—                          |
| Intermediate Storage Level, hot-dip galvanized | C        | 102,—  | 18,—            | 120,—                           |
| Drum Support FA 60-1, hot-dip galvanized       | B        | 105,—  | 15,—            | 120,—                           |
| Can Shelf Type GR-A, galvanized                | B        | 133,—  | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized                | B        | 133,—  | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized                | B        | 133,—  | 118,—           | 251,—                           |
| <b>GD-N 4, galvanized</b>                      | C        | 1639,— | 331,—           | 1970,—                          |
| Intermediate Storage Level, hot-dip galvanized | C        | 102,—  | 18,—            | 120,—                           |
| Drum Support FA 60-1, hot-dip galvanized       | B        | 105,—  | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized       | B        | 114,—  | 18,—            | 132,—                           |
| Drum Support FA 200-1, hot-dip galvanized      | B        | 114,—  | 15,—            | 129,—                           |
| Drum Support FA 200-2, hot-dip galvanized      | B        | 133,—  | 22,—            | 155,—                           |
| Can Shelf Type GR-A, galvanized                | B        | 133,—  | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized                | B        | 133,—  | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized                | B        | 133,—  | 118,—           | 251,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Environment / Storage



| Hazardous Materials DepotType GD-N/R                                  | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>GD-N/R 2, galvanized</b>                                           | C        | 1509,— | 331,—           | 1840,—                          |
| Intermediate Storage Level, hot-dip galvanized                        | C        | 102,—  | 18,—            | 120,—                           |
| Drum Support FA 60-1, hot-dip galvanized                              | B        | 105,—  | 15,—            | 120,—                           |
| Can Shelf Type GR-A, galvanized                                       | B        | 133,—  | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized                                       | B        | 133,—  | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized                                       | B        | 133,—  | 118,—           | 251,—                           |
| <b>GD-N/R 4, galvanized</b>                                           | C        | 1836,— | 331,—           | 2167,—                          |
| Intermediate Storage Level, hot-dip galvanized                        | C        | 102,—  | 18,—            | 120,—                           |
| Drum Support FA 60-1, hot-dip galvanized                              | B        | 105,—  | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized                              | B        | 114,—  | 18,—            | 132,—                           |
| Drum Support FA 200-1, hot-dip galvanized                             | B        | 114,—  | 15,—            | 129,—                           |
| Drum Support FA 200-2, hot-dip galvanized                             | B        | 133,—  | 22,—            | 155,—                           |
| Can Shelf Type GR-A, galvanized                                       | B        | 133,—  | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized                                       | B        | 133,—  | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized                                       | B        | 133,—  | 118,—           | 251,—                           |
| Gas Cylinder Containers Type GFC-B                                    | Category | Price  | Freight charges | Price including freight charges |
| <b>GFC-B M0, painted</b>                                              | B        | 3290,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 69,—   | 12,—            | 81,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| <b>GFC-B M1, painted</b>                                              | B        | 3815,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 69,—   | 12,—            | 81,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| <b>GFC-B M2, painted</b>                                              | B        | 3974,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 69,—   | 12,—            | 81,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| <b>GFC-B M3, painted</b>                                              | B        | 4600,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 69,—   | 12,—            | 81,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| <b>GFC-B M4, painted</b>                                              | B        | 5173,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 69,—   | 12,—            | 81,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| <b>GFC-B M5, painted</b>                                              | B        | 7187,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 69,—   | 12,—            | 81,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| Gas Cylinder Containers Type GFC-B/W                                  | Category | Price  | Freight charges | Price including freight charges |
| <b>GFC-B/W M1, painted</b>                                            | B        | 4073,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 69,—   | 12,—            | 81,—                            |
| <b>GFC-B/W M2, painted</b>                                            | B        | 4271,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 69,—   | 12,—            | 81,—                            |
| <b>GFC-B/W M3, painted</b>                                            | B        | 4904,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 69,—   | 12,—            | 81,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| <b>GFC-B/W M4, painted</b>                                            | B        | 5483,— | on request      | on request                      |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Environment / Storage



| Gas Cylinder Containers Type GFC-B/W                                  | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 69,—   | 12,—            | 81,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| <b>GFC-B/W M5, painted</b>                                            | B        | 7578,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 69,—   | 12,—            | 81,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |

| Gas Cylinder Containers Type GFC-E/G                                  | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>GFC-E/G M0, hot-dip galvanized</b>                                 | B        | 1487,— | 331,—           | 1818,—                          |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| Access Ramp Type AR, galvanized                                       | B        | 157,—  | 22,—            | 179,—                           |
| <b>GFC-E/G M1, hot-dip galvanized</b>                                 | B        | 2116,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| Access Ramp Type AR, galvanized                                       | B        | 157,—  | 22,—            | 179,—                           |
| Central Dividing Wall, galvanized                                     | B        | 84,—   | 22,—            | 106,—                           |
| <b>GFC-E/G M2, hot-dip galvanized</b>                                 | B        | 2319,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| Access Ramp Type AR, galvanized                                       | B        | 157,—  | 22,—            | 179,—                           |
| Central Dividing Wall, galvanized                                     | B        | 124,—  | 32,—            | 156,—                           |
| <b>GFC-E/G M3, hot-dip galvanized</b>                                 | B        | 2580,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| Access Ramp Type AR, galvanized                                       | B        | 157,—  | 22,—            | 179,—                           |
| Central Dividing Wall, galvanized                                     | B        | 124,—  | 32,—            | 156,—                           |
| <b>GFC-E/G M4, hot-dip galvanized</b>                                 | B        | 2797,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| Access Ramp Type AR, galvanized                                       | B        | 157,—  | 22,—            | 179,—                           |
| Central Dividing Wall, galvanized                                     | B        | 124,—  | 32,—            | 156,—                           |
| <b>GFC-E/G M5, hot-dip galvanized</b>                                 | B        | 3465,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| Access Ramp Type AR, galvanized                                       | B        | 157,—  | 22,—            | 179,—                           |
| Central Dividing Wall, galvanized                                     | B        | 184,—  | 40,—            | 224,—                           |

| Gas Cylinder Containers Type GFC-E/T                                  | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>GFC-E/T M0, hot-dip galvanized</b>                                 | B        | 1507,— | 331,—           | 1838,—                          |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| Access Ramp Type AR, galvanized                                       | B        | 157,—  | 22,—            | 179,—                           |
| <b>GFC-E/T M1, hot-dip galvanized</b>                                 | B        | 2153,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Environment / Storage



| Gas Cylinder Containers Type GFC-E/T                                  | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Access Ramp Type AR, galvanized                                       | B        | 157,—  | 22,—            | 179,—                           |
| Central Dividing Wall, galvanized                                     | B        | 84,—   | 22,—            | 106,—                           |
| <b>GFC-E/T M2, hot-dip galvanized</b>                                 | B        | 2365,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| Access Ramp Type AR, galvanized                                       | B        | 157,—  | 22,—            | 179,—                           |
| Central Dividing Wall, galvanized                                     | B        | 124,—  | 32,—            | 156,—                           |
| <b>GFC-E/T M3, hot-dip galvanized</b>                                 | B        | 2644,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| Access Ramp Type AR, galvanized                                       | B        | 157,—  | 22,—            | 179,—                           |
| Central Dividing Wall, galvanized                                     | B        | 124,—  | 32,—            | 156,—                           |
| <b>GFC-E/T M4, hot-dip galvanized</b>                                 | B        | 2859,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| Access Ramp Type AR, galvanized                                       | B        | 157,—  | 22,—            | 179,—                           |
| Central Dividing Wall, galvanized                                     | B        | 124,—  | 32,—            | 156,—                           |
| <b>GFC-E/T M5, hot-dip galvanized</b>                                 | B        | 3553,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| Access Ramp Type AR, galvanized                                       | B        | 157,—  | 22,—            | 179,—                           |
| Central Dividing Wall, galvanized                                     | B        | 184,—  | 40,—            | 224,—                           |

| Gas Cylinder Containers Type GFC-M/D                                  | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>GFC-M0/D, hot-dip galvanized</b>                                   | B        | 993,—  | 226,—           | 1219,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 146,—  | 72,—            | 218,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| <b>GFC-M1/D, hot-dip galvanized</b>                                   | B        | 1204,— | 331,—           | 1535,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 264,—  | 138,—           | 402,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| <b>GFC-M2/D, hot-dip galvanized</b>                                   | B        | 1282,— | 331,—           | 1613,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 362,—  | 138,—           | 500,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| <b>GFC-M3/D, hot-dip galvanized</b>                                   | B        | 1447,— | 331,—           | 1778,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 492,—  | 226,—           | 718,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| <b>GFC-M4/D, hot-dip galvanized</b>                                   | B        | 1546,— | 331,—           | 1877,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 605,—  | 226,—           | 831,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| <b>GFC-M5/D, hot-dip galvanized</b>                                   | B        | 1838,— | 402,—           | 2240,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 739,—  | 226,—           | 965,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Environment / Storage



| Gas Cylinder Containers Type GFC-M/D                                  | Category | Price | Freight charges | Price including freight charges |
|-----------------------------------------------------------------------|----------|-------|-----------------|---------------------------------|
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—  | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,— | 138,—           | 335,—                           |

| Gas Cylinder Containers Type GFC-M                                    | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>GFC-M1, hot-dip galvanized</b>                                     | B        | 1063,— | 226,—           | 1289,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 264,—  | 138,—           | 402,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| <b>GFC-M2, hot-dip galvanized</b>                                     | B        | 1129,— | 331,—           | 1460,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 362,—  | 138,—           | 500,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| <b>GFC-M3, hot-dip galvanized</b>                                     | B        | 1267,— | 331,—           | 1598,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 492,—  | 226,—           | 718,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| <b>GFC-M4, hot-dip galvanized</b>                                     | B        | 1333,— | 331,—           | 1664,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 605,—  | 226,—           | 831,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| <b>GFC-M5, hot-dip galvanized</b>                                     | B        | 1547,— | 331,—           | 1878,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 739,—  | 226,—           | 965,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |

| Gas Cylinder Containers Type GFC-M/D-DF                               | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>GFC-M1/D-DF, hot-dip galvanized</b>                                | B        | 1375,— | 331,—           | 1706,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 264,—  | 138,—           | 402,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| <b>GFC-M2/D-DF, hot-dip galvanized</b>                                | B        | 1452,— | 331,—           | 1783,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 362,—  | 138,—           | 500,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| <b>GFC-M3/D-DF, hot-dip galvanized</b>                                | B        | 1618,— | 331,—           | 1949,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 492,—  | 226,—           | 718,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| <b>GFC-M4/D-DF, hot-dip galvanized</b>                                | B        | 1748,— | 402,—           | 2150,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 605,—  | 226,—           | 831,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| <b>GFC-M5/D-DF, hot-dip galvanized</b>                                | B        | 2040,— | 402,—           | 2442,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 739,—  | 226,—           | 965,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Environment / Storage



| Gas Cylinder Containers Type GFC-M/D-DF                               | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| GFC-M6/D-DF, hot-dip galvanized                                       | B        | 2681,— | 582,—           | 3263,—                          |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| Gas Cylinder Containers Type GFC-M-DF                                 | Category | Price  | Freight charges | Price including freight charges |
| GFC-M1-DF, hot-dip galvanized                                         | B        | 1232,— | 226,—           | 1458,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 264,—  | 138,—           | 402,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| GFC-M2-DF, hot-dip galvanized                                         | B        | 1300,— | 331,—           | 1631,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 362,—  | 138,—           | 500,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| GFC-M3-DF, hot-dip galvanized                                         | B        | 1439,— | 331,—           | 1770,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 492,—  | 226,—           | 718,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| GFC-M4-DF, hot-dip galvanized                                         | B        | 1537,— | 331,—           | 1868,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 605,—  | 226,—           | 831,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| GFC-M5-DF, hot-dip galvanized                                         | B        | 1750,— | 402,—           | 2152,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 739,—  | 226,—           | 965,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 138,—           | 335,—                           |
| Gas Cylinder Depot Type GFD-G                                         | Category | Price  | Freight charges | Price including freight charges |
| GFD-G 1, galvanized                                                   | B        | 414,—  | 226,—           | 640,—                           |
| GFD-G 2, galvanized                                                   | B        | 763,—  | 226,—           | 989,—                           |
| Gas Cylinder Depot Type GFD-L                                         | Category | Price  | Freight charges | Price including freight charges |
| GFD-L 1, galvanized                                                   | B        | 446,—  | 138,—           | 584,—                           |
| GFD-L 2, galvanized                                                   | B        | 850,—  | 226,—           | 1076,—                          |
| Gas Cylinder Depot Type GFD-R                                         | Category | Price  | Freight charges | Price including freight charges |
| GFD-R 2, painted                                                      | B        | 747,—  | 138,—           | 885,—                           |
| GFD-R 2, hot-dip galvanized                                           | B        | 771,—  | 138,—           | 909,—                           |
| GFD-R 4, painted                                                      | B        | 849,—  | 138,—           | 987,—                           |
| GFD-R 4, hot-dip galvanized                                           | B        | 878,—  | 138,—           | 1016,—                          |
| Hazardous Materials Cabinet Type GS                                   | Category | Price  | Freight charges | Price including freight charges |
| GS-1, painted                                                         | B        | 762,—  | 226,—           | 988,—                           |
| Intermediate Storage Level, galvanized                                | B        | 86,—   | 14,—            | 100,—                           |
| GS-1, hot-dip galvanized                                              | B        | 820,—  | 226,—           | 1046,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Environment / Storage



| Hazardous Materials Cabinet Type GS            | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Intermediate Storage Level, galvanized         | B        | 86,—   | 14,—            | 100,—                           |
| GS-2, painted                                  | B        | 1013,— | 331,—           | 1344,—                          |
| Intermediate Storage Level, galvanized         | B        | 86,—   | 14,—            | 100,—                           |
| GS-2, hot-dip galvanized                       | B        | 1100,— | 331,—           | 1431,—                          |
| Intermediate Storage Level, galvanized         | B        | 86,—   | 14,—            | 100,—                           |
| GS-3, painted                                  | B        | 2070,— | 402,—           | 2472,—                          |
| GS-3, hot-dip galvanized                       | B        | 2217,— | 402,—           | 2619,—                          |
| GS-4, painted                                  | B        | 2081,— | on request      | on request                      |
| GS-4, hot-dip galvanized                       | B        | 2260,— | on request      | on request                      |
| Gas Cylinder Wall Bracket Type GWH             | Category | Price  | Freight charges | Price including freight charges |
| GWH 140-I, hot-dip galvanized                  | F        | 25,—   | 118,—           | 143,—                           |
| GWH 140-II, hot-dip galvanized                 | F        | 38,—   | 118,—           | 156,—                           |
| GWH 140-III, hot-dip galvanized                | F        | 57,—   | 118,—           | 175,—                           |
| GWH 230-I, hot-dip galvanized                  | F        | 27,—   | 118,—           | 145,—                           |
| GWH 230-II, hot-dip galvanized                 | F        | 41,—   | 118,—           | 159,—                           |
| GWH 230-III, hot-dip galvanized                | F        | 62,—   | 118,—           | 180,—                           |
| GWH 320-I, hot-dip galvanized                  | F        | 28,—   | 118,—           | 146,—                           |
| GWH 320-II, hot-dip galvanized                 | F        | 46,—   | 118,—           | 164,—                           |
| GWH 320-III, hot-dip galvanized                | F        | 69,—   | 118,—           | 187,—                           |
| Tilting Canister Stand Type KAH                | Category | Price  | Freight charges | Price including freight charges |
| KAH-5, galvanized                              | A        | 92,—   | 118,—           | 210,—                           |
| KAH-25, galvanized                             | A        | 105,—  | 118,—           | 223,—                           |
| KAH-60, galvanized                             | A        | 135,—  | 118,—           | 253,—                           |
| Spill Tray for Canisters/Small Cans Type KGW   | Category | Price  | Freight charges | Price including freight charges |
| KGW 1, galvanized                              | B        | 88,—   | 118,—           | 206,—                           |
| KGW 1 V4A, stainless steel 1.4571              | B        | 270,—  | 118,—           | 388,—                           |
| KGW 2, galvanized                              | B        | 92,—   | 118,—           | 210,—                           |
| KGW 2 V4A, stainless steel 1.4571              | B        | 311,—  | 118,—           | 429,—                           |
| KGW 3, galvanized                              | B        | 96,—   | 118,—           | 214,—                           |
| KGW 3 V4A, stainless steel 1.4571              | B        | 386,—  | 118,—           | 504,—                           |
| KGW 4, galvanized                              | B        | 113,—  | 138,—           | 251,—                           |
| KGW 4 V4A, stainless steel 1.4571              | B        | 456,—  | 138,—           | 594,—                           |
| KGW 5, galvanized                              | B        | 155,—  | 138,—           | 293,—                           |
| KGW 5 V4A, stainless steel 1.4571              | B        | 593,—  | 138,—           | 731,—                           |
| Spill Tray for Canisters/Small Cans Type KGW/M | Category | Price  | Freight charges | Price including freight charges |
| KGW 1/M, galvanized                            | B        | 124,—  | 118,—           | 242,—                           |
| KGW 1/M V4A, stainless steel 1.4571            | B        | 406,—  | 118,—           | 524,—                           |
| KGW 2/M, galvanized                            | B        | 132,—  | 118,—           | 250,—                           |
| KGW 2/M V4A, stainless steel 1.4571            | B        | 468,—  | 118,—           | 586,—                           |
| KGW 3/M, galvanized                            | B        | 151,—  | 118,—           | 269,—                           |
| KGW 3/M V4A, stainless steel 1.4571            | B        | 589,—  | 118,—           | 707,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Environment / Storage



| Spill Tray for Canisters/Small Cans Type KGW/M                | Category | Price  | Freight charges | Price including freight charges |
|---------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| KGW 4/M, galvanized                                           | B        | 175,—  | 138,—           | 313,—                           |
| KGW 4/M V4A, stainless steel 1.4571                           | B        | 705,—  | 138,—           | 843,—                           |
| KGW 5/M, galvanized                                           | B        | 227,—  | 138,—           | 365,—                           |
| KGW 5/M V4A, stainless steel 1.4571                           | B        | 929,—  | 138,—           | 1067,—                          |
| Spill Tray for Canisters/Small Cans on Pallets Type KGW-P     | Category | Price  | Freight charges | Price including freight charges |
| KGW-P 1, galvanized                                           | B        | 94,—   | 118,—           | 212,—                           |
| KGW-P 1 V4A, stainless steel 1.4571                           | B        | 266,—  | 118,—           | 384,—                           |
| KGW-P 2, galvanized                                           | B        | 142,—  | 118,—           | 260,—                           |
| KGW-P 2 V4A, stainless steel 1.4571                           | B        | 382,—  | 118,—           | 500,—                           |
| KGW-P 3, galvanized                                           | B        | 178,—  | 138,—           | 316,—                           |
| KGW-P 3 V4A, stainless steel 1.4571                           | B        | 586,—  | 118,—           | 704,—                           |
| KGW-P 4, galvanized                                           | B        | 169,—  | 118,—           | 287,—                           |
| KGW-P 4 V4A, stainless steel 1.4571                           | B        | 450,—  | 118,—           | 568,—                           |
| Spill Tray for Canisters/Small Cans on Pallets Type KGW-P/M   | Category | Price  | Freight charges | Price including freight charges |
| KGW-P 1/M, galvanized                                         | B        | 137,—  | 118,—           | 255,—                           |
| KGW-P 1/M V4A, stainless steel 1.4571                         | B        | 385,—  | 118,—           | 503,—                           |
| KGW-P 2/M, galvanized                                         | B        | 210,—  | 118,—           | 328,—                           |
| KGW-P 2/M V4A, stainless steel 1.4571                         | B        | 559,—  | 118,—           | 677,—                           |
| KGW-P 3/M, galvanized                                         | B        | 256,—  | 138,—           | 394,—                           |
| KGW-P 3/M V4A, stainless steel 1.4571                         | B        | 864,—  | 138,—           | 1002,—                          |
| KGW-P 4/M, galvanized                                         | B        | 241,—  | 138,—           | 379,—                           |
| KGW-P 4/M V4A, stainless steel 1.4571                         | B        | 694,—  | 118,—           | 812,—                           |
| Diesel Filling Point Type KPS                                 | Category | Price  | Freight charges | Price including freight charges |
| KPS 1, painted                                                | B        | 2865,— | on request      | on request                      |
| KPS 2, painted                                                | B        | 3723,— | on request      | on request                      |
| KPS 3, painted                                                | B        | 5248,— | on request      | on request                      |
| Polyethylene Sump Tray for Pallets Type KWP-P                 | Category | Price  | Freight charges | Price including freight charges |
| KWP-P 20, made of robust polyethylene                         | B        | 46,—   | 118,—           | 164,—                           |
| Deck with Punched Holes LR-PE 20, robust polyethylene, black  | B        | 61,—   | 14,—            | 75,—                            |
| KWP-P 30, made of robust polyethylene                         | B        | 56,—   | 118,—           | 174,—                           |
| Deck with Punched Holes LR-PE 30, robust polyethylene, black  | B        | 63,—   | 14,—            | 77,—                            |
| KWP-P 40, made of robust polyethylene                         | B        | 62,—   | 118,—           | 180,—                           |
| Deck with Punched Holes LR-PE 40, robust polyethylene, black  | B        | 67,—   | 14,—            | 81,—                            |
| KWP-P 60, made of robust polyethylene                         | B        | 99,—   | 118,—           | 217,—                           |
| Deck with punched holes LR-PE 60, robust polyethylene, black  | B        | 70,—   | 14,—            | 84,—                            |
| KWP-P 100, made of robust polyethylene                        | B        | 113,—  | 138,—           | 251,—                           |
| Deck with punched holes LR-PE 100, robust polyethylene, black | B        | 86,—   | 16,—            | 102,—                           |
| Mobile Sump Tray with Perforated Panel Type LPW               | Category | Price  | Freight charges | Price including freight charges |
| LPW 60-1, painted                                             | B        | 605,—  | 138,—           | 743,—                           |
| Tool Deposit                                                  | B        | 30,—   | 16,—            | 46,—                            |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Environment / Storage



| Mobile Sump Tray with Perforated Panel Type LPW   | Category | Price  | Freight charges | Price including freight charges |
|---------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Drip Tray                                         | B        | 48,—   | 16,—            | 64,—                            |
| LPW 60-1, hot-dip galvanized                      | B        | 623,—  | 138,—           | 761,—                           |
| Tool Deposit                                      | B        | 30,—   | 16,—            | 46,—                            |
| Drip Tray                                         | B        | 48,—   | 16,—            | 64,—                            |
| LPW 60-2, painted                                 | B        | 618,—  | 138,—           | 756,—                           |
| Tool Deposit                                      | B        | 30,—   | 16,—            | 46,—                            |
| Drip Tray                                         | B        | 48,—   | 16,—            | 64,—                            |
| LPW 60-2, hot-dip galvanized                      | B        | 638,—  | 138,—           | 776,—                           |
| Tool Deposit                                      | B        | 30,—   | 16,—            | 46,—                            |
| Drip Tray                                         | B        | 48,—   | 16,—            | 64,—                            |
| LPW 60-3, painted                                 | B        | 624,—  | 138,—           | 762,—                           |
| Tool Deposit                                      | B        | 30,—   | 16,—            | 46,—                            |
| Drip Tray                                         | B        | 48,—   | 16,—            | 64,—                            |
| LPW 60-3, hot-dip galvanized                      | B        | 644,—  | 138,—           | 782,—                           |
| Tool Deposit                                      | B        | 30,—   | 16,—            | 46,—                            |
| Drip Tray                                         | B        | 48,—   | 16,—            | 64,—                            |
| LPW 200-1, painted                                | B        | 794,—  | 226,—           | 1020,—                          |
| Tool Deposit                                      | B        | 30,—   | 16,—            | 46,—                            |
| Drip Tray                                         | B        | 48,—   | 16,—            | 64,—                            |
| LPW 200-1, hot-dip galvanized                     | B        | 827,—  | 226,—           | 1053,—                          |
| Tool Deposit                                      | B        | 30,—   | 16,—            | 46,—                            |
| Drip Tray                                         | B        | 48,—   | 16,—            | 64,—                            |
| LPW 200-2, painted                                | B        | 833,—  | 226,—           | 1059,—                          |
| Tool Deposit                                      | B        | 30,—   | 16,—            | 46,—                            |
| Drip Tray                                         | B        | 48,—   | 16,—            | 64,—                            |
| LPW 200-2, hot-dip galvanized                     | B        | 868,—  | 226,—           | 1094,—                          |
| Tool Deposit                                      | B        | 30,—   | 16,—            | 46,—                            |
| Drip Tray                                         | B        | 48,—   | 16,—            | 64,—                            |
| LPW 200-3, painted                                | B        | 848,—  | 226,—           | 1074,—                          |
| Tool Deposit                                      | B        | 30,—   | 16,—            | 46,—                            |
| Drip Tray                                         | B        | 48,—   | 16,—            | 64,—                            |
| LPW 200-3, hot-dip galvanized                     | B        | 883,—  | 226,—           | 1109,—                          |
| Tool Deposit                                      | B        | 30,—   | 16,—            | 46,—                            |
| Drip Tray                                         | B        | 48,—   | 16,—            | 64,—                            |
| LPW 200-4, painted                                | B        | 1019,— | 226,—           | 1245,—                          |
| LPW 200-4, hot-dip galvanized                     | B        | 1049,— | 226,—           | 1275,—                          |
| Modular Sump Tray Type MAW                        | Category | Price  | Freight charges | Price including freight charges |
| MAW, painted                                      | B        | 324,—  | 138,—           | 462,—                           |
| MAW, hot-dip galvanized                           | B        | 353,—  | 138,—           | 491,—                           |
| Element No. 1: grid grate incl. supportS, painted | B        | 75,—   | 18,—            | 93,—                            |
| Element No. 2: galvanized handle + castors        | B        | 133,—  | 19,—            | 152,—                           |
| Element No. 3: runners, painted                   | B        | 99,—   | 15,—            | 114,—                           |
| Element No. 3: runners, hot-dip galvanized        | B        | 63,—   | 15,—            | 78,—                            |
| Element No. 6: surround, galvanized               | B        | 580,—  | 138,—           | 718,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Environment / Storage



| Spline Sump Type PW          | Category | Price | Freight charges | Price including freight charges |
|------------------------------|----------|-------|-----------------|---------------------------------|
| PW 200-2, painted            | B        | 236,— | 138,—           | 374,—                           |
| PW 200-2, hot-dip galvanized | B        | 227,— | 138,—           | 365,—                           |
| PW 200-4, painted            | B        | 261,— | 138,—           | 399,—                           |
| PW 200-4, hot-dip galvanized | B        | 252,— | 138,—           | 390,—                           |
| PW 400-4, painted            | B        | 337,— | 138,—           | 475,—                           |
| PW 400-4, hot-dip galvanized | B        | 320,— | 138,—           | 458,—                           |

| Spline Sump Type PWE          | Category | Price | Freight charges | Price including freight charges |
|-------------------------------|----------|-------|-----------------|---------------------------------|
| PWE 200-2, painted            | B        | 209,— | 138,—           | 347,—                           |
| PWE 200-2, hot-dip galvanized | B        | 200,— | 138,—           | 338,—                           |
| PWE 200-4, painted            | B        | 228,— | 138,—           | 366,—                           |
| PWE 200-4, hot-dip galvanized | B        | 220,— | 138,—           | 358,—                           |
| PWE 400-4, painted            | B        | 278,— | 138,—           | 416,—                           |
| PWE 400-4, hot-dip galvanized | B        | 268,— | 138,—           | 406,—                           |

| Hazardous Materials Cabinet with Roller Shutter Door Type RSG | Category | Price  | Freight charges | Price including freight charges |
|---------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| RSG-1, painted                                                | B        | 1841,— | 226,—           | 2067,—                          |
| Set of 4 Feet, height adjustable                              | B        | 77,—   | 9,—             | 86,—                            |
| RSG-2, painted                                                | B        | 1855,— | 226,—           | 2081,—                          |
| Set of 4 Feet, height adjustable                              | B        | 77,—   | 9,—             | 86,—                            |
| RSG-3, painted                                                | B        | 1904,— | 226,—           | 2130,—                          |
| Set of 4 Feet, height adjustable                              | B        | 77,—   | 9,—             | 86,—                            |
| RSG-4, painted                                                | B        | 2037,— | 331,—           | 2368,—                          |
| Set of 4 Feet, height adjustable                              | B        | 77,—   | 9,—             | 86,—                            |

| Shelf Sump with Polyethylene Inlay Type RW PE | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------|----------|--------|-----------------|---------------------------------|
| RW 1800 PE, painted                           | B        | 1008,— | 226,—           | 1234,—                          |
| RW 1800 PE, hot-dip galvanized                | B        | 1062,— | 226,—           | 1288,—                          |
| RW 2200-1 PE, painted                         | B        | 1052,— | 226,—           | 1278,—                          |
| RW 2200-1 PE, hot-dip galvanized              | B        | 1108,— | 226,—           | 1334,—                          |
| RW 2200-2 PE, painted                         | B        | 1232,— | 226,—           | 1458,—                          |
| RW 2200-2 PE, hot-dip galvanized              | B        | 1295,— | 226,—           | 1521,—                          |
| RW 2700-1 PE, painted                         | B        | 1070,— | 280,—           | 1350,—                          |
| RW 2700-1 PE, hot-dip galvanized              | B        | 1151,— | 280,—           | 1431,—                          |
| RW 2700-2 PE, painted                         | B        | 1223,— | 280,—           | 1503,—                          |
| RW 2700-2 PE, hot-dip galvanized              | B        | 1318,— | 280,—           | 1598,—                          |
| RW 2700-3 PE, painted                         | B        | 1416,— | 280,—           | 1696,—                          |
| RW 2700-3 PE, hot-dip galvanized              | B        | 1538,— | 280,—           | 1818,—                          |
| RW 3300-1 PE, painted                         | B        | 1369,— | 280,—           | 1649,—                          |
| RW 3300-1 PE, hot-dip galvanized              | B        | 1458,— | 280,—           | 1738,—                          |
| RW 3300-2 PE, painted                         | B        | 1483,— | 280,—           | 1763,—                          |
| RW 3300-2 PE, hot-dip galvanized              | B        | 1581,— | 280,—           | 1861,—                          |
| RW 3300-3 PE, painted                         | B        | 1679,— | 384,—           | 2063,—                          |
| RW 3300-3 PE, hot-dip galvanized              | B        | 1787,— | 384,—           | 2171,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Environment / Storage



| Shelf Sump Type RW            | Category | Price | Freight charges | Price including freight charges |
|-------------------------------|----------|-------|-----------------|---------------------------------|
| RW 1800, painted              | B        | 489,— | 138,—           | 627,—                           |
| RW 1800, hot-dip galvanized   | B        | 542,— | 138,—           | 680,—                           |
| RW 2200-1, painted            | B        | 501,— | 138,—           | 639,—                           |
| RW 2200-1, hot-dip galvanized | B        | 557,— | 138,—           | 695,—                           |
| RW 2200-2, painted            | B        | 514,— | 226,—           | 740,—                           |
| RW 2200-2, hot-dip galvanized | B        | 576,— | 226,—           | 802,—                           |
| RW 2700-1, painted            | B        | 510,— | 280,—           | 790,—                           |
| RW 2700-1, hot-dip galvanized | B        | 590,— | 280,—           | 870,—                           |
| RW 2700-2, painted            | B        | 586,— | 280,—           | 866,—                           |
| RW 2700-2, hot-dip galvanized | B        | 682,— | 280,—           | 962,—                           |
| RW 2700-3, painted            | B        | 634,— | 280,—           | 914,—                           |
| RW 2700-3, hot-dip galvanized | B        | 754,— | 280,—           | 1034,—                          |
| RW 3300-1, painted            | B        | 657,— | 280,—           | 937,—                           |
| RW 3300-1, hot-dip galvanized | B        | 747,— | 280,—           | 1027,—                          |
| RW 3300-2, painted            | B        | 722,— | 280,—           | 1002,—                          |
| RW 3300-2, hot-dip galvanized | B        | 821,— | 280,—           | 1101,—                          |
| RW 3300-3, painted            | B        | 805,— | 280,—           | 1085,—                          |
| RW 3300-3, hot-dip galvanized | B        | 913,— | 280,—           | 1193,—                          |

| Shelf Sump with Polyethylene Inlay Type RW-GR PE | Category | Price  | Freight charges | Price including freight charges |
|--------------------------------------------------|----------|--------|-----------------|---------------------------------|
| RW-GR 1800 PE, painted                           | B        | 1138,— | 226,—           | 1364,—                          |
| RW-GR 1800 PE, hot-dip galvanized                | B        | 1189,— | 226,—           | 1415,—                          |
| RW-GR 2200-1 PE, painted                         | B        | 1212,— | 226,—           | 1438,—                          |
| RW-GR 2200-1 PE, hot-dip galvanized              | B        | 1268,— | 226,—           | 1494,—                          |
| RW-GR 2200-2 PE, painted                         | B        | 1394,— | 331,—           | 1725,—                          |
| RW-GR 2200-2 PE, hot-dip galvanized              | B        | 1454,— | 331,—           | 1785,—                          |
| RW-GR 2700-1 PE, painted                         | B        | 1268,— | 384,—           | 1652,—                          |
| RW-GR 2700-1 PE, hot-dip galvanized              | B        | 1347,— | 384,—           | 1731,—                          |
| RW-GR 2700-2 PE, painted                         | B        | 1419,— | 384,—           | 1803,—                          |
| RW-GR 2700-2 PE, hot-dip galvanized              | B        | 1516,— | 384,—           | 1900,—                          |
| RW-GR 2700-3 PE, painted                         | B        | 1614,— | 384,—           | 1998,—                          |
| RW-GR 2700-3 PE, hot-dip galvanized              | B        | 1715,— | 384,—           | 2099,—                          |
| RW-GR 3300-1 PE, painted                         | B        | 1729,— | 384,—           | 2113,—                          |
| RW-GR 3300-1 PE, hot-dip galvanized              | B        | 1818,— | 384,—           | 2202,—                          |
| RW-GR 3300-2 PE, painted                         | B        | 1841,— | 384,—           | 2225,—                          |
| RW-GR 3300-2 PE, hot-dip galvanized              | B        | 1949,— | 384,—           | 2333,—                          |
| RW-GR 3300-3 PE, painted                         | B        | 2038,— | 455,—           | 2493,—                          |
| RW-GR 3300-3 PE, hot-dip galvanized              | B        | 2146,— | 455,—           | 2601,—                          |
| RW-GR 3600-3 PE, painted                         | B        | 2345,— | 468,—           | 2813,—                          |
| RW-GR 3600-3 PE, hot-dip galvanized              | B        | 2492,— | 468,—           | 2960,—                          |

| Shelf Sump Type RW-GR          | Category | Price | Freight charges | Price including freight charges |
|--------------------------------|----------|-------|-----------------|---------------------------------|
| RW-GR 1800, painted            | B        | 619,— | 226,—           | 845,—                           |
| RW-GR 1800, hot-dip galvanized | B        | 672,— | 226,—           | 898,—                           |
| RW-GR 2200-1, painted          | B        | 662,— | 226,—           | 888,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Environment / Storage



| Shelf Sump Type RW-GR            | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------|----------|--------|-----------------|---------------------------------|
| RW-GR 2200-1, hot-dip galvanized | B        | 719,—  | 226,—           | 945,—                           |
| RW-GR 2200-2, painted            | B        | 676,—  | 331,—           | 1007,—                          |
| RW-GR 2200-2, hot-dip galvanized | B        | 735,—  | 331,—           | 1066,—                          |
| RW-GR 2700-1, painted            | B        | 707,—  | 280,—           | 987,—                           |
| RW-GR 2700-1, hot-dip galvanized | B        | 787,—  | 384,—           | 1171,—                          |
| RW-GR 2700-2, painted            | B        | 783,—  | 384,—           | 1167,—                          |
| RW-GR 2700-2, hot-dip galvanized | B        | 880,—  | 384,—           | 1264,—                          |
| RW-GR 2700-3, painted            | B        | 831,—  | 384,—           | 1215,—                          |
| RW-GR 2700-3, hot-dip galvanized | B        | 933,—  | 384,—           | 1317,—                          |
| RW-GR 3300-1, painted            | B        | 1016,— | 384,—           | 1400,—                          |
| RW-GR 3300-1, hot-dip galvanized | B        | 1107,— | 384,—           | 1491,—                          |
| RW-GR 3300-2, painted            | B        | 1081,— | 384,—           | 1465,—                          |
| RW-GR 3300-2, hot-dip galvanized | B        | 1188,— | 384,—           | 1572,—                          |
| RW-GR 3300-3, painted            | B        | 1165,— | 384,—           | 1549,—                          |
| RW-GR 3300-3, hot-dip galvanized | B        | 1272,— | 384,—           | 1656,—                          |
| RW-GR 3600-3, painted            | B        | 1285,— | 384,—           | 1669,—                          |
| RW-GR 3600-3, hot-dip galvanized | B        | 1432,— | 384,—           | 1816,—                          |

| Safety Cabinet Type SIW | Category | Price | Freight charges | Price including freight charges |
|-------------------------|----------|-------|-----------------|---------------------------------|
| SIW 1005                | B        | 575,— | 138,—           | 713,—                           |
| SIW 2005                | B        | 725,— | 226,—           | 951,—                           |

| Diesel Filling Point Type TAW | Category | Price  | Freight charges | Price including freight charges |
|-------------------------------|----------|--------|-----------------|---------------------------------|
| TAW 1, painted                | B        | 2365,— | on request      | on request                      |
| TAW 2, painted                | B        | 3086,— | on request      | on request                      |
| TAW 3, painted                | B        | 4447,— | on request      | on request                      |

| Environmental Shelf Type UR  | Category | Price  | Freight charges | Price including freight charges |
|------------------------------|----------|--------|-----------------|---------------------------------|
| UR-G 2200, painted           | B        | 1765,— | 390,—           | 2155,—                          |
| Grid Set, hot-dip galvanized | B        | 191,—  | 138,—           | 329,—                           |
| Crash Guard                  | B        | 72,—   | 9,—             | 81,—                            |
| UR-G 2700, painted           | B        | 1901,— | 390,—           | 2291,—                          |
| Grid Set, hot-dip galvanized | B        | 236,—  | 138,—           | 374,—                           |
| Crash Guard                  | B        | 72,—   | 9,—             | 81,—                            |
| UR-G 3300, painted           | B        | 2656,— | 455,—           | 3111,—                          |
| Grid Set, hot-dip galvanized | B        | 286,—  | 138,—           | 424,—                           |
| Crash Guard                  | B        | 72,—   | 9,—             | 81,—                            |
| UR-A 2200, painted           | B        | 1347,— | 390,—           | 1737,—                          |
| Grid Set, hot-dip galvanized | B        | 191,—  | 138,—           | 329,—                           |
| Crash Guard                  | B        | 72,—   | 9,—             | 81,—                            |
| UR-A 2700, painted           | B        | 1483,— | 390,—           | 1873,—                          |
| Grid Set, hot-dip galvanized | B        | 236,—  | 138,—           | 374,—                           |
| Crash Guard                  | B        | 72,—   | 9,—             | 81,—                            |
| UR-A 3300, painted           | B        | 2238,— | 455,—           | 2693,—                          |
| Grid Set, hot-dip galvanized | B        | 286,—  | 138,—           | 424,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Environment / Storage



| Environmental Shelve Type UR | Category | Price | Freight charges | Price including freight charges |
|------------------------------|----------|-------|-----------------|---------------------------------|
| Crash Guard                  | B        | 72,—  | 9,—             | 81,—                            |

| Stainless Steel Sump Tray Type VAW | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------|----------|--------|-----------------|---------------------------------|
| VAW-1, stainless steel 1.4571      | B        | 956,—  | 138,—           | 1094,—                          |
| Grid, stainless steel 1.4571       | B        | 477,—  | 14,—            | 491,—                           |
| Grid, hot-dip galvanized           | B        | 68,—   | 14,—            | 82,—                            |
| VAW-2, stainless steel 1.4571      | B        | 1042,— | 138,—           | 1180,—                          |
| Grid, stainless steel 1.4571       | B        | 706,—  | 16,—            | 722,—                           |
| Grid, hot-dip galvanized           | B        | 91,—   | 38,—            | 129,—                           |
| VAW-4/A, stainless steel 1.4571    | B        | 1194,— | 138,—           | 1332,—                          |
| Grid, stainless steel 1.4571       | B        | 1025,— | 22,—            | 1047,—                          |
| Grid, hot-dip galvanized           | B        | 119,—  | 22,—            | 141,—                           |
| VAW-4/B, stainless steel 1.4571    | B        | 1459,— | 138,—           | 1597,—                          |
| Grid, stainless steel 1.4571       | B        | 1411,— | 27,—            | 1438,—                          |
| Grid, hot-dip galvanized           | B        | 163,—  | 27,—            | 190,—                           |
| VAW 1000, stainless steel 1.4571   | B        | 2633,— | 226,—           | 2859,—                          |
| Grid, stainless steel 1.4571       | B        | 1143,— | 28,—            | 1171,—                          |
| Grid, hot-dip galvanized           | B        | 138,—  | 28,—            | 166,—                           |
| VAW 1000-2, stainless steel 1.4571 | B        | 3216,— | 280,—           | 3496,—                          |
| Grid, stainless steel 1.4571       | B        | 2070,— | 138,—           | 2208,—                          |
| Grid, hot-dip galvanized           | B        | 224,—  | 138,—           | 362,—                           |

| Heating Chamber Type WK | Category | Price   | Freight charges | Price including freight charges |
|-------------------------|----------|---------|-----------------|---------------------------------|
| WK 29-2 E65, painted    | C        | 29650,— | on request      | on request                      |
| WK 29-2 E85, painted    | C        | 29815,— | on request      | on request                      |
| WK 57-2 E65, painted    | C        | 41623,— | on request      | on request                      |
| WK 57-2 E85, painted    | C        | 44000,— | on request      | on request                      |

| Sump Tray Type WM                         | Category | Price | Freight charges | Price including freight charges |
|-------------------------------------------|----------|-------|-----------------|---------------------------------|
| WM-2/200, hot-dip galvanized              | B        | 280,— | 138,—           | 418,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,— | 21,—            | 154,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,— | 15,—            | 129,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| WM-4/200, hot-dip galvanized              | B        | 318,— | 138,—           | 456,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,— | 21,—            | 154,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,— | 15,—            | 129,—                           |
| Drum Support FA 200-2, hot-dip galvanized | B        | 133,— | 22,—            | 155,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,— | 118,—           | 251,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,— | 118,—           | 251,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Environment / Storage



| Sump Tray Type WM                               | Category | Price  | Freight charges | Price including freight charges |
|-------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Can Shelf Type GR-C, galvanized                 | B        | 133,—  | 118,—           | 251,—                           |
| WM-4/400, hot-dip galvanized                    | B        | 382,—  | 226,—           | 608,—                           |
| Sump Tray Type WO                               | Category | Price  | Freight charges | Price including freight charges |
| WO-2/200, hot-dip galvanized                    | B        | 213,—  | 138,—           | 351,—                           |
| WO-4/200, hot-dip galvanized                    | B        | 231,—  | 138,—           | 369,—                           |
| WO-4/400, hot-dip galvanized                    | B        | 298,—  | 138,—           | 436,—                           |
| Polyethylene Sump Pallet Type WP                | Category | Price  | Freight charges | Price including freight charges |
| WP 1/11, made of robust polyethylene            | B        | 1052,— | 138,—           | 1190,—                          |
| WP 2/11, made of robust polyethylene            | B        | 1330,— | 138,—           | 1468,—                          |
| Dispensing Tray VB 2, robust polyethylene, blue | B        | 152,—  | 118,—           | 270,—                           |
| Polyethylene Sump Pallet Type WPA-PE            | Category | Price  | Freight charges | Price including freight charges |
| WPA-PE 2/2, made of robust polyethylene         | B        | 313,—  | 138,—           | 451,—                           |
| WPA-PE 4/2, made of robust polyethylene         | B        | 494,—  | 138,—           | 632,—                           |
| Polyethylene Sump Pallet Type WP-PE             | Category | Price  | Freight charges | Price including freight charges |
| WP-PE 1/11, made of robust polyethylene         | B        | 1139,— | 138,—           | 1277,—                          |
| Dispensing Tray VB 1, robust polyethylene, blue | B        | 163,—  | 118,—           | 281,—                           |
| WP-PE 2/11, made of robust polyethylene         | B        | 1507,— | 280,—           | 1787,—                          |
| Dispensing Tray VB 2, robust polyethylene, blue | B        | 152,—  | 118,—           | 270,—                           |
| WP-PE 2/2, made of robust polyethylene          | B        | 290,—  | 138,—           | 428,—                           |
| WP-PE 4/2, made of robust polyethylene          | B        | 453,—  | 138,—           | 591,—                           |
| WP-PE 4/4, made of robust polyethylene          | B        | 470,—  | 138,—           | 608,—                           |
| WP-PE 8/11, made of robust polyethylene         | B        | 1507,— | 280,—           | 1787,—                          |
| Mobile Polyethylene Sump Tray Type WPT          | Category | Price  | Freight charges | Price including freight charges |
| WPT 230, made of robust polyethylene            | B        | 519,—  | 138,—           | 657,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

## Price List 0425 en-BG

### Hazardous Materials Containers

| Fluorescent Tube Box Type AL-D                                                 | Category | Price      | Freight charges | Price including freight charges |
|--------------------------------------------------------------------------------|----------|------------|-----------------|---------------------------------|
| AL-D 150, aluminium                                                            | C        | 500,—      | 138,—           | 638,—                           |
| AL-D 200, aluminium                                                            | C        | 551,—      | 138,—           | 689,—                           |
| Collecting Container Type ASB                                                  | Category | Price      | Freight charges | Price including freight charges |
| ASB 250, hot-dip galvanized                                                    | C        | 1969,—     | 331,—           | 2300,—                          |
| ASB 450-I, hot-dip galvanized                                                  | C        | 2082,—     | 331,—           | 2413,—                          |
| Special Waste Container Type ASK                                               | Category | Price      | Freight charges | Price including freight charges |
| ASK 540-4, hot-dip galvanized                                                  | C        | on request | on request      | on request                      |
| Duo-Container Type DC                                                          | Category | Price      | Freight charges | Price including freight charges |
| DC 450, hot-dip galvanized                                                     | C        | 2267,—     | on request      | on request                      |
| Stainless steel strainer                                                       | D        | 114,—      | 9,—             | 123,—                           |
| Wing nut spanner for M12, hot-dip galvanized                                   | F        | 33,—       | 15,—            | 48,—                            |
| DC 1000, hot-dip galvanized                                                    | C        | 2408,—     | on request      | on request                      |
| Stainless steel strainer                                                       | D        | 114,—      | 9,—             | 123,—                           |
| Wing nut spanner for M12, hot-dip galvanized                                   | F        | 33,—       | 15,—            | 48,—                            |
| Lithium-Ion Storage Container Type LIL                                         | Category | Price      | Freight charges | Price including freight charges |
| LIL 30, hot-dip galvanized                                                     | B        | 1871,—     | 138,—           | 2009,—                          |
| LIL 90, hot-dip galvanized                                                     | B        | 2720,—     | 226,—           | 2946,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set                      | A        | 150,—      | 15,—            | 165,—                           |
| LIL 220, hot-dip galvanized                                                    | B        | 4699,—     | 331,—           | 5030,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set                      | A        | 150,—      | 15,—            | 165,—                           |
| LIL 280, hot-dip galvanized                                                    | B        | 5685,—     | 331,—           | 6016,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set                      | A        | 150,—      | 15,—            | 165,—                           |
| LIL 340, hot-dip galvanized                                                    | B        | 6562,—     | 331,—           | 6893,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set                      | A        | 150,—      | 15,—            | 165,—                           |
| MobiCont Type M 800                                                            | Category | Price      | Freight charges | Price including freight charges |
| M 800, painted                                                                 | C        | 1342,—     | 331,—           | 1673,—                          |
| Level Indicator                                                                | C        | 212,—      | 9,—             | 221,—                           |
| Funnel for filling, PP                                                         | D        | 65,—       | 9,—             | 74,—                            |
| Filling/Extraction lid                                                         | C        | 65,—       | 9,—             | 74,—                            |
| Lid, galvanized, without a lock                                                | C        | 188,—      | 15,—            | 203,—                           |
| Lid, galvanized, with square lock                                              | C        | 233,—      | 18,—            | 251,—                           |
| Lid, galvanized, with cylinder lock                                            | C        | 233,—      | 18,—            | 251,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                      | A        | 185,—      | 15,—            | 200,—                           |
| Hand Pump K 10 C, connects to drum thread, suitable for fuels and heating fuel | C        | 91,—       | 14,—            | 105,—                           |
| Hose Kit (1.5 m) for Hand Pump Type K 10 C, suitable for diesel and fuel       | C        | 65,—       | 14,—            | 79,—                            |
| Hose Kit (3 m) for Hand Pump Type K 10 C, suitable for diesel and fuel         | C        | 92,—       | 15,—            | 107,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Hazardous Materials Containers



| <b>MobiCont Type M 800</b>                                                     | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|--------------------------------------------------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| Hose Kit (4 m) for Hand Pump Type K 10 C, suitable for diesel and fuel         | C               | 105,—        | 15,—                   | 120,—                                  |
| Electric Pump TecPump 400 DC 12V                                               | C               | 492,—        | 15,—                   | 507,—                                  |
| Electric Pump TecPump 400 DC 24V                                               | C               | 492,—        | 15,—                   | 507,—                                  |
| Electric Pump TecPump 600 AC 230V                                              | C               | 492,—        | 15,—                   | 507,—                                  |
| <b>M 800, hot-dip galvanized</b>                                               | C               | 1432,—       | 331,—                  | 1763,—                                 |
| Level Indicator                                                                | C               | 212,—        | 9,—                    | 221,—                                  |
| Funnel for filling, PP                                                         | D               | 65,—         | 9,—                    | 74,—                                   |
| Filling/Extraction lid                                                         | C               | 65,—         | 9,—                    | 74,—                                   |
| Lid, galvanized, without a lock                                                | C               | 188,—        | 15,—                   | 203,—                                  |
| Lid, galvanized, with square lock                                              | C               | 233,—        | 18,—                   | 251,—                                  |
| Lid, galvanized, with cylinder lock                                            | C               | 233,—        | 18,—                   | 251,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                      | A               | 185,—        | 15,—                   | 200,—                                  |
| Hand Pump K 10 C, connects to drum thread, suitable for fuels and heating fuel | C               | 91,—         | 14,—                   | 105,—                                  |
| Hose Kit (1.5 m) for Hand Pump Type K 10 C, suitable for diesel and fuel       | C               | 65,—         | 14,—                   | 79,—                                   |
| Hose Kit (3 m) for Hand Pump Type K 10 C, suitable for diesel and fuel         | C               | 92,—         | 15,—                   | 107,—                                  |
| Hose Kit (4 m) for Hand Pump Type K 10 C, suitable for diesel and fuel         | C               | 105,—        | 15,—                   | 120,—                                  |
| Electric Pump TecPump 400 DC 12V                                               | C               | 492,—        | 15,—                   | 507,—                                  |
| Electric Pump TecPump 400 DC 24V                                               | C               | 492,—        | 15,—                   | 507,—                                  |
| Electric Pump TecPump 600 AC 230V                                              | C               | 492,—        | 15,—                   | 507,—                                  |

| <b>MobiCont Type MD</b>                                                        | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|--------------------------------------------------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| <b>MD 800, painted</b>                                                         | C               | 1868,—       | 331,—                  | 2199,—                                 |
| Level Indicator                                                                | C               | 212,—        | 9,—                    | 221,—                                  |
| Hand Pump K 10 C, connects to drum thread, suitable for fuels and heating fuel | C               | 91,—         | 14,—                   | 105,—                                  |
| Hose Kit (1.5 m) for Hand Pump Type K 10 C, suitable for diesel and fuel       | C               | 65,—         | 14,—                   | 79,—                                   |
| Hose Kit (3 m) for Hand Pump Type K 10 C, suitable for diesel and fuel         | C               | 92,—         | 15,—                   | 107,—                                  |
| Hose Kit (4 m) for Hand Pump Type K 10 C, suitable for diesel and fuel         | C               | 105,—        | 15,—                   | 120,—                                  |
| Electric Pump TecPump 400 DC 12V                                               | C               | 492,—        | 15,—                   | 507,—                                  |
| Electric Pump TecPump 400 DC 24V                                               | C               | 492,—        | 15,—                   | 507,—                                  |
| Electric Pump TecPump 600 AC 230V                                              | C               | 492,—        | 15,—                   | 507,—                                  |
| <b>MD 800, hot-dip galvanized</b>                                              | C               | 1956,—       | 331,—                  | 2287,—                                 |
| Level Indicator                                                                | C               | 212,—        | 9,—                    | 221,—                                  |
| Hand Pump K 10 C, connects to drum thread, suitable for fuels and heating fuel | C               | 91,—         | 14,—                   | 105,—                                  |
| Hose Kit (1.5 m) for Hand Pump Type K 10 C, suitable for diesel and fuel       | C               | 65,—         | 14,—                   | 79,—                                   |
| Hose Kit (3 m) for Hand Pump Type K 10 C, suitable for diesel and fuel         | C               | 92,—         | 15,—                   | 107,—                                  |
| Hose Kit (4 m) for Hand Pump Type K 10 C, suitable for diesel and fuel         | C               | 105,—        | 15,—                   | 120,—                                  |
| Electric Pump TecPump 400 DC 12V                                               | C               | 492,—        | 15,—                   | 507,—                                  |
| Electric Pump TecPump 400 DC 24V                                               | C               | 492,—        | 15,—                   | 507,—                                  |
| Electric Pump TecPump 600 AC 230V                                              | C               | 492,—        | 15,—                   | 507,—                                  |

| <b>MobiCont Type M0</b>           | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|-----------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| <b>M0 800, painted</b>            | C               | on request   | on request             | on request                             |
| Level Indicator                   | C               | 212,—        | 9,—                    | 221,—                                  |
| <b>M0 800, hot-dip galvanized</b> | C               | on request   | on request             | on request                             |
| Level Indicator                   | C               | 212,—        | 9,—                    | 221,—                                  |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Hazardous Materials Containers



| Fuel Container Type MT                                                                        | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>MT 450, hot-dip galvanized</b>                                                             | C        | 2147,- | 331,-           | 2478,-                          |
| Level Indicator                                                                               | C        | 212,-  | 9,-             | 221,-                           |
| Hand Pump K 10 C, connects to drum thread, suitable for fuels and heating fuel                | C        | 91,-   | 14,-            | 105,-                           |
| Digital Flow Counter FMT 3 with screwed joints                                                | C        | 309,-  | 9,-             | 318,-                           |
| Electric Pump TecPump 400 DC 12V                                                              | C        | 492,-  | 12,-            | 504,-                           |
| Electric Pump TecPump 400 DC 24V                                                              | C        | 492,-  | 12,-            | 504,-                           |
| Electric Pump TecPump 600 AC 230V                                                             | C        | 492,-  | 12,-            | 504,-                           |
| Counter Z 400, Retrofit Kit for Electric Pumps TecPump 400 DC 12V, 400 DC 24V and 600 AC 230V | C        | 153,-  | 9,-             | 162,-                           |
| <b>MT 600, hot-dip galvanized</b>                                                             | C        | 2554,- | 331,-           | 2885,-                          |
| Level Indicator                                                                               | C        | 212,-  | 9,-             | 221,-                           |
| Hand Pump K 10 C, connects to drum thread, suitable for fuels and heating fuel                | C        | 91,-   | 14,-            | 105,-                           |
| Digital Flow Counter FMT 3 with screwed joints                                                | C        | 309,-  | 9,-             | 318,-                           |
| Electric Pump TecPump 400 DC 12V                                                              | C        | 492,-  | 12,-            | 504,-                           |
| Electric Pump TecPump 400 DC 24V                                                              | C        | 492,-  | 12,-            | 504,-                           |
| Electric Pump TecPump 600 AC 230V                                                             | C        | 492,-  | 12,-            | 504,-                           |
| Counter Z 400, Retrofit Kit for Electric Pumps TecPump 400 DC 12V, 400 DC 24V and 600 AC 230V | C        | 153,-  | 9,-             | 162,-                           |
| <b>MT 1000, hot-dip galvanized</b>                                                            | C        | 2761,- | 402,-           | 3163,-                          |
| Level Indicator                                                                               | C        | 212,-  | 9,-             | 221,-                           |
| Hand Pump K 10 C, connects to drum thread, suitable for fuels and heating fuel                | C        | 91,-   | 14,-            | 105,-                           |
| Digital Flow Counter FMT 3 with screwed joints                                                | C        | 309,-  | 9,-             | 318,-                           |
| Electric Pump TecPump 400 DC 12V                                                              | C        | 492,-  | 12,-            | 504,-                           |
| Electric Pump TecPump 400 DC 24V                                                              | C        | 492,-  | 12,-            | 504,-                           |
| Electric Pump TecPump 600 AC 230V                                                             | C        | 492,-  | 12,-            | 504,-                           |
| Counter Z 400, Retrofit Kit for Electric Pumps TecPump 400 DC 12V, 400 DC 24V and 600 AC 230V | C        | 153,-  | 9,-             | 162,-                           |
| MobiCont Type MW                                                                              | Category | Price  | Freight charges | Price including freight charges |
| <b>MW 800, painted</b>                                                                        | C        | 1722,- | 331,-           | 2053,-                          |
| Level Indicator                                                                               | C        | 212,-  | 9,-             | 221,-                           |
| Filling coupling                                                                              | C        | 51,-   | 8,-             | 59,-                            |
| Tank heating, 220 W                                                                           | C        | 371,-  | 12,-            | 383,-                           |
| Tank fitting                                                                                  | B        | 64,-   | 9,-             | 73,-                            |
| Anti-siphon valve                                                                             | D        | 68,-   | 8,-             | 76,-                            |
| Aeration/Vent valve                                                                           | C        | 26,-   | 8,-             | 34,-                            |
| <b>MW 800, hot-dip galvanized</b>                                                             | C        | 1813,- | 331,-           | 2144,-                          |
| Level Indicator                                                                               | C        | 212,-  | 9,-             | 221,-                           |
| Filling coupling                                                                              | C        | 51,-   | 8,-             | 59,-                            |
| Tank heating, 220 W                                                                           | C        | 371,-  | 12,-            | 383,-                           |
| Tank fitting                                                                                  | B        | 64,-   | 9,-             | 73,-                            |
| Anti-siphon valve                                                                             | D        | 68,-   | 8,-             | 76,-                            |
| Aeration/Vent valve                                                                           | C        | 26,-   | 8,-             | 34,-                            |
| Special Waste Container Type SAF                                                              | Category | Price  | Freight charges | Price including freight charges |
| <b>SAF 450, hot-dip galvanized</b>                                                            | C        | 1097,- | on request      | on request                      |
| <b>SAF 600, hot-dip galvanized</b>                                                            | C        | 1097,- | on request      | on request                      |
| <b>SAF 1000, hot-dip galvanized</b>                                                           | C        | 1097,- | on request      | on request                      |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Hazardous Materials Containers



| Large Salvage Packaging Type SAG                 | Category | Price      | Freight charges | Price including freight charges |
|--------------------------------------------------|----------|------------|-----------------|---------------------------------|
| SAG 800, hot-dip galvanized                      | C        | 1102,—     | 331,—           | 1433,—                          |
| SAG 1500, hot-dip galvanized                     | C        | 2078,—     | on request      | on request                      |
| Polyethylene sacks, 25 pieces on roll            | C        | 180,—      | 41,—            | 221,—                           |
| SAG 2100, hot-dip galvanized                     | C        | 2180,—     | on request      | on request                      |
| Polyethylene sacks, 25 pieces on roll            | C        | 180,—      | 41,—            | 221,—                           |
| SAG 2700, hot-dip galvanized                     | C        | 2252,—     | on request      | on request                      |
| Polyethylene sacks, 25 pieces on roll            | C        | 180,—      | 41,—            | 221,—                           |
| Special Waste Container Type SAP                 | Category | Price      | Freight charges | Price including freight charges |
| SAP 450, hot-dip galvanized                      | C        | 920,—      | on request      | on request                      |
| Polyethylene sacks, 50 pieces on roll - 0,085 mm | C        | 134,—      | 62,—            | 196,—                           |
| Polyethylene sacks, 50 pieces on roll - 0,16 mm  | C        | 237,—      | 138,—           | 375,—                           |
| SAP 600, hot-dip galvanized                      | C        | 920,—      | on request      | on request                      |
| Polyethylene sacks, 50 pieces on roll - 0,085 mm | C        | 134,—      | 62,—            | 196,—                           |
| Polyethylene sacks, 50 pieces on roll - 0,16 mm  | C        | 237,—      | 138,—           | 375,—                           |
| SAP 800, hot-dip galvanized                      | C        | 920,—      | on request      | on request                      |
| Polyethylene sacks, 50 pieces on roll - 0,085 mm | C        | 134,—      | 62,—            | 196,—                           |
| Polyethylene sacks, 50 pieces on roll - 0,16 mm  | C        | 237,—      | 138,—           | 375,—                           |
| Special Waste Container Type SAP-1               | Category | Price      | Freight charges | Price including freight charges |
| SAP 450-1, hot-dip galvanized                    | C        | 860,—      | on request      | on request                      |
| Polyethylene sacks, 50 pieces on roll - 0,085 mm | C        | 134,—      | 62,—            | 196,—                           |
| Polyethylene sacks, 50 pieces on roll - 0,16 mm  | C        | 237,—      | 138,—           | 375,—                           |
| SAP 600-1, hot-dip galvanized                    | C        | 860,—      | on request      | on request                      |
| Polyethylene sacks, 50 pieces on roll - 0,085 mm | C        | 134,—      | 62,—            | 196,—                           |
| Polyethylene sacks, 50 pieces on roll - 0,16 mm  | C        | 237,—      | 138,—           | 375,—                           |
| SAP 800-1, hot-dip galvanized                    | C        | 860,—      | on request      | on request                      |
| Polyethylene sacks, 50 pieces on roll - 0,085 mm | C        | 134,—      | 62,—            | 196,—                           |
| Polyethylene sacks, 50 pieces on roll - 0,16 mm  | C        | 237,—      | 138,—           | 375,—                           |
| SAP 800-3, hot-dip galvanized                    | C        | 844,—      | on request      | on request                      |
| Polyethylene sacks, 50 pieces on roll - 0,085 mm | C        | 134,—      | 62,—            | 196,—                           |
| Polyethylene sacks, 50 pieces on roll - 0,16 mm  | C        | 237,—      | 138,—           | 375,—                           |
| Used Battery Container Type SAP 600 K            | Category | Price      | Freight charges | Price including freight charges |
| SAP 600 K, hot-dip galvanized                    | C        | 1242,—     | on request      | on request                      |
| Used Battery Container Type SAP 601 K            | Category | Price      | Freight charges | Price including freight charges |
| SAP 601 K, hot-dip galvanized                    | C        | 1102,—     | on request      | on request                      |
| Special Waste Container Type SAS                 | Category | Price      | Freight charges | Price including freight charges |
| SAS 800, hot-dip galvanized                      | C        | 930,—      | on request      | on request                      |
| Hazardous Materials Container Type SF            | Category | Price      | Freight charges | Price including freight charges |
| SF 240, hot-dip galvanized                       | C        | on request | on request      | on request                      |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0425 en-BG

## Hazardous Materials Containers



| Fluorescent Tube Box Type SL            | Category | Price      | Freight charges | Price including freight charges |
|-----------------------------------------|----------|------------|-----------------|---------------------------------|
| SL 150, painted                         | C        | 664,—      | 226,—           | 890,—                           |
| SL 150, hot-dip galvanized              | C        | 794,—      | 226,—           | 1020,—                          |
| SL 200, painted                         | C        | 740,—      | 226,—           | 966,—                           |
| SL 200, hot-dip galvanized              | C        | 871,—      | 331,—           | 1202,—                          |
| Fluorescent Tube Box Type SL-D          | Category | Price      | Freight charges | Price including freight charges |
| SL-D 150, painted                       | C        | 731,—      | 226,—           | 957,—                           |
| Removable Tray, galvanized              | C        | 84,—       | 10,—            | 94,—                            |
| SL-D 150, hot-dip galvanized            | C        | 850,—      | 226,—           | 1076,—                          |
| Removable Tray, galvanized              | C        | 84,—       | 10,—            | 94,—                            |
| SL-D 200, painted                       | C        | 808,—      | 226,—           | 1034,—                          |
| Removable Tray, galvanized              | C        | 84,—       | 10,—            | 94,—                            |
| SL-D 200, hot-dip galvanized            | C        | 940,—      | 226,—           | 1166,—                          |
| Removable Tray, galvanized              | C        | 84,—       | 10,—            | 94,—                            |
| Fluorescent Tube Box Type SL-N          | Category | Price      | Freight charges | Price including freight charges |
| SL-N 220, painted                       | C        | 831,—      | 226,—           | 1057,—                          |
| SL-N 220, hot-dip galvanized            | C        | 969,—      | 226,—           | 1195,—                          |
| Special Waste Container Type SP         | Category | Price      | Freight charges | Price including freight charges |
| SP 100, hot-dip galvanized              | C        | on request | on request      | on request                      |
| SP 240, hot-dip galvanized              | C        | on request | on request      | on request                      |
| Transport Box for Aerosol Cans Type STB | Category | Price      | Freight charges | Price including freight charges |
| STB 1000, hot-dip galvanized            | C        | 1118,—     | on request      | on request                      |
| Polyethylene sacks, 50 pieces on roll   | C        | 185,—      | 62,—            | 247,—                           |
| Absorbent felt, 100 pieces              | C        | 353,—      | 118,—           | 471,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded