


...made by



## PRICE LIST 0425 EN-PT

**FORKLIFT TRUCK ATTACHMENTS**

**WORKSPACE MATERIAL HANDLING**

**ENVIRONMENT / STORAGE**

**HAZARDOUS MATERIALS CONTAINERS**

**INNOVATION – CONSTRUCTION – PRODUCTION**  
*... for more than 55 years*

## Price List 0425 en-PT Forklift Truck Attachments

| Drum Gripper Type 3P                                      | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| 3P, painted                                               | B        | 910,–  | 141,–           | 1051,–                          |
| 3P, hot-dip galvanized                                    | B        | 956,–  | 141,–           | 1097,–                          |
| Tilting Container Type 3S                                 | Category | Price  | Freight charges | Price including freight charges |
| 3S 300, painted                                           | A        | 1201,– | 225,–           | 1426,–                          |
| Lid, galvanized                                           | A        | 168,–  | 18,–            | 186,–                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,–  | 15,–            | 146,–                           |
| 3S 300, hot-dip galvanized                                | A        | 1296,– | 327,–           | 1623,–                          |
| Lid, galvanized                                           | A        | 168,–  | 18,–            | 186,–                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,–  | 15,–            | 146,–                           |
| 3S 600, painted                                           | A        | 1256,– | 327,–           | 1583,–                          |
| Lid, galvanized                                           | A        | 189,–  | 22,–            | 211,–                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,–  | 15,–            | 146,–                           |
| 3S 600, hot-dip galvanized                                | A        | 1354,– | 327,–           | 1681,–                          |
| Lid, galvanized                                           | A        | 189,–  | 22,–            | 211,–                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,–  | 15,–            | 146,–                           |
| Automatic Tilting Container Type 4A                       | Category | Price  | Freight charges | Price including freight charges |
| 4A 600, painted                                           | A        | 1065,– | 225,–           | 1290,–                          |
| Lid, galvanized                                           | A        | 189,–  | 22,–            | 211,–                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,–   | 0,–             | 75,–                            |
| 4A 600, hot-dip galvanized                                | A        | 1207,– | 225,–           | 1432,–                          |
| Lid, galvanized                                           | A        | 189,–  | 22,–            | 211,–                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,–   | 0,–             | 75,–                            |
| 4A 900, painted                                           | A        | 1197,– | 327,–           | 1524,–                          |
| Lid, galvanized                                           | A        | 215,–  | 27,–            | 242,–                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,–   | 0,–             | 75,–                            |
| 4A 900, hot-dip galvanized                                | A        | 1375,– | 327,–           | 1702,–                          |
| Lid, galvanized                                           | A        | 215,–  | 27,–            | 242,–                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,–   | 0,–             | 75,–                            |
| 4A 1200, painted                                          | A        | 1282,– | 327,–           | 1609,–                          |
| Lid, galvanized                                           | A        | 215,–  | 26,–            | 241,–                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,–  | 0,–             | 116,–                           |
| 4A 1200, hot-dip galvanized                               | A        | 1505,– | 327,–           | 1832,–                          |
| Lid, galvanized                                           | A        | 215,–  | 26,–            | 241,–                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,–  | 0,–             | 116,–                           |
| Drum Gripper Type 4P                                      | Category | Price  | Freight charges | Price including freight charges |
| 4P, painted                                               | B        | 558,–  | 60,–            | 618,–                           |
| 4P, hot-dip galvanized                                    | B        | 532,–  | 60,–            | 592,–                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Drum Gripper Type 4P-D      | Category | Price | Freight charges | Price including freight charges |
|-----------------------------|----------|-------|-----------------|---------------------------------|
| 4P-D120, painted            | B        | 558,— | 60,—            | 618,—                           |
| 4P-D120, hot-dip galvanized | B        | 532,— | 60,—            | 592,—                           |
| 4P-D220, painted            | B        | 558,— | 60,—            | 618,—                           |
| 4P-D220, hot-dip galvanized | B        | 532,— | 60,—            | 592,—                           |

| Tilting Container Type AK                                 | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>AK 50, painted</b>                                     | A        | 774,—  | 225,—           | 999,—                           |
| Lid, galvanized                                           | A        | 135,—  | 16,—            | 151,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>AK 50, hot-dip galvanized</b>                          | A        | 923,—  | 225,—           | 1148,—                          |
| Lid, galvanized                                           | A        | 135,—  | 16,—            | 151,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>AK 75, painted</b>                                     | A        | 866,—  | 225,—           | 1091,—                          |
| Lid, galvanized                                           | A        | 185,—  | 21,—            | 206,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>AK 75, hot-dip galvanized</b>                          | A        | 1012,— | 327,—           | 1339,—                          |
| Lid, galvanized                                           | A        | 185,—  | 21,—            | 206,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>AK 100, painted</b>                                    | A        | 937,—  | 327,—           | 1264,—                          |
| Lid, galvanized                                           | A        | 210,—  | 26,—            | 236,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>AK 100, hot-dip galvanized</b>                         | A        | 1094,— | 327,—           | 1421,—                          |
| Lid, galvanized                                           | A        | 210,—  | 26,—            | 236,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>AK 150, painted</b>                                    | A        | 1196,— | 327,—           | 1523,—                          |
| Lid, galvanized                                           | A        | 294,—  | 28,—            | 322,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>AK 150, hot-dip galvanized</b>                         | A        | 1399,— | 327,—           | 1726,—                          |
| Lid, galvanized                                           | A        | 294,—  | 28,—            | 322,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |

| Container for Building Materials Type BBG | Category | Price | Freight charges | Price including freight charges |
|-------------------------------------------|----------|-------|-----------------|---------------------------------|
| <b>BBG 100, painted</b>                   | A        | 391,— | 225,—           | 616,—                           |
| Lid, galvanized                           | A        | 182,— | 141,—           | 323,—                           |
| <b>BBG 100, hot-dip galvanized</b>        | A        | 479,— | 225,—           | 704,—                           |
| Lid, galvanized                           | A        | 182,— | 141,—           | 323,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Container for Building Materials Type BBK                                 | Category | Price  | Freight charges | Price including freight charges |
|---------------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| BBK 100, painted                                                          | A        | 479,—  | 225,—           | 704,—                           |
| Lid, galvanized                                                           | A        | 182,—  | 141,—           | 323,—                           |
| BBK 100, hot-dip galvanized                                               | A        | 551,—  | 225,—           | 776,—                           |
| Lid, galvanized                                                           | A        | 182,—  | 141,—           | 323,—                           |
| Material Container Type BBM                                               | Category | Price  | Freight charges | Price including freight charges |
| BBM 500, painted                                                          | A        | 314,—  | 141,—           | 455,—                           |
| BBM 500, hot-dip galvanized                                               | A        | 346,—  | 141,—           | 487,—                           |
| Container for Building Materials Type BBP                                 | Category | Price  | Freight charges | Price including freight charges |
| BBP 100, painted                                                          | A        | 418,—  | 141,—           | 559,—                           |
| Lid, galvanized                                                           | A        | 182,—  | 141,—           | 323,—                           |
| Pick-up cones (pins) and angle iron traverse lock                         | A        | 49,—   | 10,—            | 59,—                            |
| BBP 100, hot-dip galvanized                                               | A        | 493,—  | 141,—           | 634,—                           |
| Lid, galvanized                                                           | A        | 182,—  | 141,—           | 323,—                           |
| Pick-up cones (pins) and angle iron traverse lock                         | A        | 49,—   | 10,—            | 59,—                            |
| Tilting Traverse for Containers for Building Material Containers Type BBT | Category | Price  | Freight charges | Price including freight charges |
| BBT, painted                                                              | A        | 551,—  | 225,—           | 776,—                           |
| BBT, hot-dip galvanized                                                   | A        | 627,—  | 225,—           | 852,—                           |
| Building Materials Container Type BC                                      | Category | Price  | Freight charges | Price including freight charges |
| BC 500, painted                                                           | B        | 924,—  | 225,—           | 1149,—                          |
| Lid, galvanized                                                           | B        | 138,—  | 16,—            | 154,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                 | A        | 185,—  | 15,—            | 200,—                           |
| BC 500, hot-dip galvanized                                                | B        | 1139,— | 327,—           | 1466,—                          |
| Lid, galvanized                                                           | B        | 138,—  | 16,—            | 154,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                 | A        | 185,—  | 15,—            | 200,—                           |
| BC 500 (brick clamp operated), painted                                    | B        | 991,—  | 225,—           | 1216,—                          |
| Lid, galvanized                                                           | B        | 138,—  | 16,—            | 154,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                 | A        | 185,—  | 15,—            | 200,—                           |
| BC 500 (brick clamp operated), hot-dip galvanized                         | B        | 1207,— | 327,—           | 1534,—                          |
| Lid, galvanized                                                           | B        | 138,—  | 16,—            | 154,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                 | A        | 185,—  | 15,—            | 200,—                           |
| BC 1000, painted                                                          | B        | 1007,— | 327,—           | 1334,—                          |
| Lid, galvanized                                                           | B        | 138,—  | 16,—            | 154,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                 | A        | 185,—  | 15,—            | 200,—                           |
| BC 1000, hot-dip galvanized                                               | B        | 1271,— | 327,—           | 1598,—                          |
| Lid, galvanized                                                           | B        | 138,—  | 16,—            | 154,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                 | A        | 185,—  | 15,—            | 200,—                           |
| BC 1000 (brick clamp operated), painted                                   | B        | 1073,— | 327,—           | 1400,—                          |
| Lid, galvanized                                                           | B        | 138,—  | 16,—            | 154,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                 | A        | 185,—  | 15,—            | 200,—                           |
| BC 1000 (brick clamp operated), hot-dip galvanized                        | B        | 1339,— | 327,—           | 1666,—                          |
| Lid, galvanized                                                           | B        | 138,—  | 16,—            | 154,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Building Materials Container Type BC                                 | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Tilting Container Type BK                                            | Category | Price  | Freight charges | Price including freight charges |
| <b>BK 30, painted</b>                                                | A        | 676,—  | 225,—           | 901,—                           |
| Lid, galvanized                                                      | A        | 94,—   | 18,—            | 112,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 75,—   | 0,—             | 75,—                            |
| <b>BK 30, hot-dip galvanized</b>                                     | A        | 950,—  | 225,—           | 1175,—                          |
| Lid, galvanized                                                      | A        | 94,—   | 18,—            | 112,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 75,—   | 0,—             | 75,—                            |
| <b>BK 50, painted</b>                                                | A        | 950,—  | 225,—           | 1175,—                          |
| Lid, galvanized                                                      | A        | 94,—   | 20,—            | 114,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 75,—   | 0,—             | 75,—                            |
| <b>BK 50, hot-dip galvanized</b>                                     | A        | 1282,— | 327,—           | 1609,—                          |
| Lid, galvanized                                                      | A        | 94,—   | 20,—            | 114,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 75,—   | 0,—             | 75,—                            |
| <b>BK 80, painted</b>                                                | A        | 1253,— | 327,—           | 1580,—                          |
| Lid, galvanized                                                      | A        | 139,—  | 22,—            | 161,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 75,—   | 0,—             | 75,—                            |
| <b>BK 80, hot-dip galvanized</b>                                     | A        | 1752,— | 327,—           | 2079,—                          |
| Lid, galvanized                                                      | A        | 139,—  | 22,—            | 161,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 75,—   | 0,—             | 75,—                            |
| <b>BK 100, painted</b>                                               | A        | 1457,— | 327,—           | 1784,—                          |
| Lid, galvanized                                                      | A        | 167,—  | 27,—            | 194,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| <b>BK 100, hot-dip galvanized</b>                                    | A        | 2000,— | 327,—           | 2327,—                          |
| Lid, galvanized                                                      | A        | 167,—  | 27,—            | 194,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| <b>BK 120, painted</b>                                               | A        | 1584,— | 327,—           | 1911,—                          |
| Lid, galvanized                                                      | A        | 177,—  | 32,—            | 209,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Tilting Container Type BK                                            | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| <b>BK 120, hot-dip galvanized</b>                                    | A        | 2159,— | 327,—           | 2486,—                          |
| Lid, galvanized                                                      | A        | 177,—  | 32,—            | 209,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| <b>BK 150, painted</b>                                               | A        | 1740,— | 398,—           | 2138,—                          |
| Lid, galvanized                                                      | A        | 203,—  | 39,—            | 242,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| <b>BK 150, hot-dip galvanized</b>                                    | A        | 2361,— | 398,—           | 2759,—                          |
| Lid, galvanized                                                      | A        | 203,—  | 39,—            | 242,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| <b>BK 200, painted</b>                                               | A        | 2164,— | 398,—           | 2562,—                          |
| Lid, galvanized                                                      | A        | 215,—  | 141,—           | 356,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| <b>BK 200, hot-dip galvanized</b>                                    | A        | 2948,— | 567,—           | 3515,—                          |
| Lid, galvanized                                                      | A        | 215,—  | 141,—           | 356,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| Container With Drop Away Base Type BKB                               | Category | Price  | Freight charges | Price including freight charges |
| <b>BKB 500, painted</b>                                              | A        | 737,—  | 225,—           | 962,—                           |
| Lid, galvanized                                                      | A        | 189,—  | 18,—            | 207,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| <b>BKB 500, hot-dip galvanized</b>                                   | A        | 876,—  | 225,—           | 1101,—                          |
| Lid, galvanized                                                      | A        | 189,—  | 18,—            | 207,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| <b>BKB 700, painted</b>                                              | A        | 788,—  | 225,—           | 1013,—                          |
| Lid, galvanized                                                      | A        | 189,—  | 18,—            | 207,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| <b>BKB 700, hot-dip galvanized</b>                                   | A        | 927,—  | 225,—           | 1152,—                          |
| Lid, galvanized                                                      | A        | 189,—  | 18,—            | 207,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| <b>BKB 1000, painted</b>                                             | A        | 835,—  | 225,—           | 1060,—                          |
| Lid, galvanized                                                      | A        | 189,—  | 18,—            | 207,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| <b>BKB 1000, hot-dip galvanized</b>                                  | A        | 994,—  | 225,—           | 1219,—                          |
| Lid, galvanized                                                      | A        | 189,—  | 18,—            | 207,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Container With Drop Away Base Type BKB                    | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Tilting Container Type BKC                                | Category | Price  | Freight charges | Price including freight charges |
| <b>BKC 200, painted</b>                                   | A        | 2229,— | 567,—           | 2796,—                          |
| Lid, galvanized                                           | A        | 434,—  | 141,—           | 575,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKC 200, hot-dip galvanized</b>                        | A        | 2984,— | 567,—           | 3551,—                          |
| Lid, galvanized                                           | A        | 434,—  | 141,—           | 575,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKC 300, painted</b>                                   | A        | 2471,— | 567,—           | 3038,—                          |
| Lid, galvanized                                           | A        | 434,—  | 141,—           | 575,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKC 300, hot-dip galvanized</b>                        | A        | 3253,— | 567,—           | 3820,—                          |
| Lid, galvanized                                           | A        | 434,—  | 141,—           | 575,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKC 400, painted</b>                                   | A        | 3043,— | 567,—           | 3610,—                          |
| Lid, galvanized                                           | A        | 434,—  | 225,—           | 659,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKC 400, hot-dip galvanized</b>                        | A        | 3929,— | 731,—           | 4660,—                          |
| Lid, galvanized                                           | A        | 434,—  | 225,—           | 659,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKC 500, painted</b>                                   | A        | 3535,— | 731,—           | 4266,—                          |
| Lid, galvanized                                           | A        | 434,—  | 225,—           | 659,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKC 500, hot-dip galvanized</b>                        | A        | 4484,— | 731,—           | 5215,—                          |
| Lid, galvanized                                           | A        | 434,—  | 225,—           | 659,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| Tilting Container Type BKC-H                              | Category | Price  | Freight charges | Price including freight charges |
| <b>BKC-H 200, painted</b>                                 | A        | 3306,— | 567,—           | 3873,—                          |
| Lid, galvanized                                           | A        | 434,—  | 141,—           | 575,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKC-H 200, hot-dip galvanized</b>                      | A        | 4061,— | 567,—           | 4628,—                          |
| Lid, galvanized                                           | A        | 434,—  | 141,—           | 575,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKC-H 300, painted</b>                                 | A        | 3548,— | 567,—           | 4115,—                          |
| Lid, galvanized                                           | A        | 434,—  | 141,—           | 575,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKC-H 300, hot-dip galvanized</b>                      | A        | 4331,— | 567,—           | 4898,—                          |
| Lid, galvanized                                           | A        | 434,—  | 141,—           | 575,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKC-H 400, painted</b>                                 | A        | 4120,— | 567,—           | 4687,—                          |
| Lid, galvanized                                           | A        | 434,—  | 225,—           | 659,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKC-H 400, hot-dip galvanized</b>                      | A        | 5006,— | 731,—           | 5737,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Tilting Container Type BKC-H         | Category | Price  | Freight charges | Price including freight charges |
|--------------------------------------|----------|--------|-----------------|---------------------------------|
| Lid, galvanized                      | A        | 434,—  | 225,—           | 659,—                           |
| Skip Body Welded Oil and Watertight  | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKC-H 500, painted</b>            | A        | 4612,— | 731,—           | 5343,—                          |
| Lid, galvanized                      | A        | 434,—  | 225,—           | 659,—                           |
| Skip Body Welded Oil and Watertight  | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKC-H 500, hot-dip galvanized</b> | A        | 5561,— | 731,—           | 6292,—                          |
| Lid, galvanized                      | A        | 434,—  | 225,—           | 659,—                           |
| Skip Body Welded Oil and Watertight  | A        | 116,—  | 0,—             | 116,—                           |

| Tilting Container Type BKM                                           | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>BKM 30, painted</b>                                               | A        | 676,—  | 225,—           | 901,—                           |
| Lid, galvanized                                                      | A        | 100,—  | 18,—            | 118,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 75,—   | 0,—             | 75,—                            |
| <b>BKM 30, hot-dip galvanized</b>                                    | A        | 950,—  | 225,—           | 1175,—                          |
| Lid, galvanized                                                      | A        | 100,—  | 18,—            | 118,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 75,—   | 0,—             | 75,—                            |
| <b>BKM 50, painted</b>                                               | A        | 950,—  | 225,—           | 1175,—                          |
| Lid, galvanized                                                      | A        | 125,—  | 21,—            | 146,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 75,—   | 0,—             | 75,—                            |
| <b>BKM 50, hot-dip galvanized</b>                                    | A        | 1282,— | 225,—           | 1507,—                          |
| Lid, galvanized                                                      | A        | 125,—  | 21,—            | 146,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 75,—   | 0,—             | 75,—                            |
| <b>BKM 75, painted</b>                                               | A        | 1203,— | 327,—           | 1530,—                          |
| Lid, galvanized                                                      | A        | 137,—  | 22,—            | 159,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 75,—   | 0,—             | 75,—                            |
| <b>BKM 75, hot-dip galvanized</b>                                    | A        | 1615,— | 327,—           | 1942,—                          |
| Lid, galvanized                                                      | A        | 137,—  | 22,—            | 159,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 75,—   | 0,—             | 75,—                            |
| <b>BKM 100, painted</b>                                              | A        | 1457,— | 327,—           | 1784,—                          |
| Lid, galvanized                                                      | A        | 178,—  | 27,—            | 205,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKM 100, hot-dip galvanized</b>                                   | A        | 2000,— | 327,—           | 2327,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Tilting Container Type BKM                                           | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Lid, galvanized                                                      | A        | 178,—  | 27,—            | 205,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKM 150, painted</b>                                              | A        | 1740,— | 398,—           | 2138,—                          |
| Lid, galvanized                                                      | A        | 261,—  | 36,—            | 297,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKM 150, hot-dip galvanized</b>                                   | A        | 2361,— | 398,—           | 2759,—                          |
| Lid, galvanized                                                      | A        | 261,—  | 36,—            | 297,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| <b>BKM 200, painted</b>                                              | A        | 2164,— | 398,—           | 2562,—                          |
| Lid, galvanized                                                      | A        | 291,—  | 141,—           | 432,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| Lid, galvanized                                                      | A        | 291,—  | 141,—           | 432,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| Traverse For Stacking Tipplers Type BKT                              | Category | Price  | Freight charges | Price including freight charges |
| <b>BKT 30, painted</b>                                               | A        | 355,—  | 225,—           | 580,—                           |
| Traverse Stand Type TS, hot-dip galvanized                           | A        | 75,—   | 8,—             | 83,—                            |
| <b>BKT 55, painted</b>                                               | A        | 376,—  | 225,—           | 601,—                           |
| Traverse Stand Type TS, hot-dip galvanized                           | A        | 75,—   | 9,—             | 84,—                            |
| <b>BKT 70, painted</b>                                               | A        | 376,—  | 225,—           | 601,—                           |
| Traverse Stand Type TS, hot-dip galvanized                           | A        | 75,—   | 9,—             | 84,—                            |
| <b>BKT 90, painted</b>                                               | A        | 378,—  | 225,—           | 603,—                           |
| Traverse Stand Type TS, hot-dip galvanized                           | A        | 75,—   | 9,—             | 84,—                            |
| <b>BKT 150, painted</b>                                              | A        | 609,—  | 225,—           | 834,—                           |
| Traverse Stand Type TS, hot-dip galvanized                           | A        | 75,—   | 9,—             | 84,—                            |
| <b>BKT 200, painted</b>                                              | A        | 672,—  | 225,—           | 897,—                           |
| Traverse Stand Type TS, hot-dip galvanized                           | A        | 75,—   | 9,—             | 84,—                            |
| Shovel Type BSE                                                      | Category | Price  | Freight charges | Price including freight charges |
| <b>BSE 50, painted</b>                                               | A        | 1435,— | 327,—           | 1762,—                          |
| <b>BSE 75, painted</b>                                               | A        | 1709,— | 327,—           | 2036,—                          |
| <b>BSE 100, painted</b>                                              | A        | 2143,— | 398,—           | 2541,—                          |
| <b>BSE 150, painted</b>                                              | A        | 2422,— | 398,—           | 2820,—                          |
| <b>BSE 200, painted</b>                                              | A        | 2691,— | 567,—           | 3258,—                          |
| <b>BSE 250, painted</b>                                              | A        | 3316,— | 620,—           | 3936,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Shovel Type BSI                                                                                | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| BSI 50, painted                                                                                | A        | 1214,— | 225,—           | 1439,—                          |
| BSI 75, painted                                                                                | A        | 1375,— | 327,—           | 1702,—                          |
| BSI 100, painted                                                                               | A        | 1725,— | 327,—           | 2052,—                          |
| Stacking Tipper Type BSK                                                                       | Category | Price  | Freight charges | Price including freight charges |
| <b>BSK 30, painted</b>                                                                         | A        | 256,—  | 141,—           | 397,—                           |
| Lid, galvanized                                                                                | A        | 66,—   | 12,—            | 78,—                            |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 28,—   | on request      | on request                      |
| <b>BSK 30, hot-dip galvanized</b>                                                              | A        | 309,—  | 141,—           | 450,—                           |
| Lid, galvanized                                                                                | A        | 66,—   | 12,—            | 78,—                            |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 28,—   | on request      | on request                      |
| <b>BSK 55, painted</b>                                                                         | A        | 320,—  | 141,—           | 461,—                           |
| Lid, galvanized                                                                                | A        | 94,—   | 15,—            | 109,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 28,—   | on request      | on request                      |
| <b>BSK 55, hot-dip galvanized</b>                                                              | A        | 391,—  | 141,—           | 532,—                           |
| Lid, galvanized                                                                                | A        | 94,—   | 15,—            | 109,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 28,—   | on request      | on request                      |
| <b>BSK 70, painted</b>                                                                         | A        | 340,—  | 141,—           | 481,—                           |
| Lid, galvanized                                                                                | A        | 117,—  | 15,—            | 132,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 28,—   | on request      | on request                      |
| <b>BSK 70, hot-dip galvanized</b>                                                              | A        | 441,—  | 141,—           | 582,—                           |
| Lid, galvanized                                                                                | A        | 117,—  | 15,—            | 132,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 28,—   | on request      | on request                      |
| <b>BSK 90, painted</b>                                                                         | A        | 366,—  | 141,—           | 507,—                           |
| Lid, galvanized                                                                                | A        | 160,—  | 18,—            | 178,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 28,—   | on request      | on request                      |
| <b>BSK 90, hot-dip galvanized</b>                                                              | A        | 470,—  | 225,—           | 695,—                           |
| Lid, galvanized                                                                                | A        | 160,—  | 18,—            | 178,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 28,—   | on request      | on request                      |
| <b>BSK 150, painted</b>                                                                        | A        | 841,—  | 225,—           | 1066,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Stacking Tipper Type BSK                                                                       | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Lid, galvanized                                                                                | A        | 215,—  | 21,—            | 236,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 116,—  | 0,—             | 116,—                           |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 28,—   | on request      | on request                      |
| <b>BSK 150, hot-dip galvanized</b>                                                             | A        | 984,—  | 225,—           | 1209,—                          |
| Lid, galvanized                                                                                | A        | 215,—  | 21,—            | 236,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 116,—  | 0,—             | 116,—                           |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 28,—   | on request      | on request                      |
| <b>BSK 200, painted</b>                                                                        | A        | 902,—  | 225,—           | 1127,—                          |
| Lid, galvanized                                                                                | A        | 274,—  | 26,—            | 300,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 116,—  | 0,—             | 116,—                           |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 28,—   | on request      | on request                      |
| <b>BSK 200, hot-dip galvanized</b>                                                             | A        | 1129,— | 225,—           | 1354,—                          |
| Lid, galvanized                                                                                | A        | 274,—  | 26,—            | 300,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 116,—  | 0,—             | 116,—                           |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 28,—   | on request      | on request                      |
| Lattice Tilting Container Type BSK-G                                                           | Category | Price  | Freight charges | Price including freight charges |
| <b>BSK-G 90, painted</b>                                                                       | A        | 332,—  | 141,—           | 473,—                           |
| Lid, galvanized                                                                                | A        | 160,—  | 18,—            | 178,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| <b>BSK-G 90, hot-dip galvanized</b>                                                            | A        | 404,—  | 141,—           | 545,—                           |
| Lid, galvanized                                                                                | A        | 160,—  | 18,—            | 178,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Swarf Stacking Tipper Type BSL                                                                 | Category | Price  | Freight charges | Price including freight charges |
| <b>BSL 30, painted</b>                                                                         | A        | 570,—  | 141,—           | 711,—                           |
| Lid, galvanized                                                                                | A        | 66,—   | 12,—            | 78,—                            |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| <b>BSL 30, hot-dip galvanized</b>                                                              | A        | 656,—  | 141,—           | 797,—                           |
| Lid, galvanized                                                                                | A        | 66,—   | 12,—            | 78,—                            |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| <b>BSL 55, painted</b>                                                                         | A        | 701,—  | 225,—           | 926,—                           |
| Lid, galvanized                                                                                | A        | 94,—   | 15,—            | 109,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| <b>BSL 55, hot-dip galvanized</b>                                                              | A        | 823,—  | 225,—           | 1048,—                          |
| Lid, galvanized                                                                                | A        | 94,—   | 15,—            | 109,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| <b>BSL 70, painted</b>                                                                         | A        | 737,—  | 225,—           | 962,—                           |
| Lid, galvanized                                                                                | A        | 117,—  | 15,—            | 132,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| <b>BSL 70, hot-dip galvanized</b>                                                              | A        | 881,—  | 225,—           | 1106,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| <b>Swarf Stacking Tipper Type BSL</b>                     | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|-----------------------------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| Lid, galvanized                                           | A               | 117,—        | 15,—                   | 132,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>BSL 90, painted</b>                                    | A               | 801,—        | 225,—                  | 1026,—                                 |
| Lid, galvanized                                           | A               | 160,—        | 18,—                   | 178,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>BSL 90, hot-dip galvanized</b>                         | A               | 970,—        | 225,—                  | 1195,—                                 |
| Lid, galvanized                                           | A               | 160,—        | 18,—                   | 178,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>BSL 150, painted</b>                                   | A               | 1185,—       | 225,—                  | 1410,—                                 |
| Lid, galvanized                                           | A               | 215,—        | 21,—                   | 236,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>BSL 150, hot-dip galvanized</b>                        | A               | 1439,—       | 327,—                  | 1766,—                                 |
| Lid, galvanized                                           | A               | 215,—        | 21,—                   | 236,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>BSL 200, painted</b>                                   | A               | 1282,—       | 327,—                  | 1609,—                                 |
| Lid, galvanized                                           | A               | 274,—        | 26,—                   | 300,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>BSL 200, hot-dip galvanized</b>                        | A               | 1731,—       | 327,—                  | 2058,—                                 |
| Lid, galvanized                                           | A               | 274,—        | 26,—                   | 300,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>Shovel Type BSM</b>                                    | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>BSM 50, painted</b>                                    | A               | 1435,—       | 225,—                  | 1660,—                                 |
| <b>BSM 75, painted</b>                                    | A               | 1709,—       | 327,—                  | 2036,—                                 |
| <b>BSM 100, painted</b>                                   | A               | 2143,—       | 398,—                  | 2541,—                                 |
| <b>BSM 150, painted</b>                                   | A               | 2422,—       | 398,—                  | 2820,—                                 |
| <b>BSM 200, painted</b>                                   | A               | 2691,—       | 567,—                  | 3258,—                                 |
| <b>BSM 250, painted</b>                                   | A               | 3316,—       | 620,—                  | 3936,—                                 |
| <b>Swarf Stacking Tipper Type BSS</b>                     | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>BSS 30, painted</b>                                    | A               | 407,—        | 141,—                  | 548,—                                  |
| Lid, galvanized                                           | A               | 66,—         | 12,—                   | 78,—                                   |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>BSS 30, hot-dip galvanized</b>                         | A               | 473,—        | 141,—                  | 614,—                                  |
| Lid, galvanized                                           | A               | 66,—         | 12,—                   | 78,—                                   |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>BSS 55, painted</b>                                    | A               | 505,—        | 141,—                  | 646,—                                  |
| Lid, galvanized                                           | A               | 94,—         | 15,—                   | 109,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>BSS 55, hot-dip galvanized</b>                         | A               | 626,—        | 141,—                  | 767,—                                  |
| Lid, galvanized                                           | A               | 94,—         | 15,—                   | 109,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>BSS 70, painted</b>                                    | A               | 542,—        | 141,—                  | 683,—                                  |
| Lid, galvanized                                           | A               | 117,—        | 15,—                   | 132,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| <b>Swarf Stacking Tipper Type BSS</b>                     | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|-----------------------------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| <b>BSS 70, hot-dip galvanized</b>                         | A               | 684,—        | 225,—                  | 909,—                                  |
| Lid, galvanized                                           | A               | 117,—        | 15,—                   | 132,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>BSS 90, painted</b>                                    | A               | 576,—        | 225,—                  | 801,—                                  |
| Lid, galvanized                                           | A               | 160,—        | 18,—                   | 178,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>BSS 90, hot-dip galvanized</b>                         | A               | 739,—        | 225,—                  | 964,—                                  |
| Lid, galvanized                                           | A               | 160,—        | 18,—                   | 178,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>BSS 150, painted</b>                                   | A               | 876,—        | 225,—                  | 1101,—                                 |
| Lid, galvanized                                           | A               | 215,—        | 21,—                   | 236,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>BSS 150, hot-dip galvanized</b>                        | A               | 1126,—       | 225,—                  | 1351,—                                 |
| Lid, galvanized                                           | A               | 215,—        | 21,—                   | 236,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>BSS 200, painted</b>                                   | A               | 989,—        | 225,—                  | 1214,—                                 |
| Lid, galvanized                                           | A               | 274,—        | 26,—                   | 300,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>BSS 200, hot-dip galvanized</b>                        | A               | 1324,—       | 327,—                  | 1651,—                                 |
| Lid, galvanized                                           | A               | 274,—        | 26,—                   | 300,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>Traverse For Stacking Tipplers Type BST</b>            | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>BST 30, painted</b>                                    | A               | 320,—        | 141,—                  | 461,—                                  |
| Traverse Stand Type TS, hot-dip galvanized                | A               | 75,—         | 8,—                    | 83,—                                   |
| <b>BST 55, painted</b>                                    | A               | 342,—        | 141,—                  | 483,—                                  |
| Traverse Stand Type TS, hot-dip galvanized                | A               | 75,—         | 9,—                    | 84,—                                   |
| <b>BST 70, painted</b>                                    | A               | 342,—        | 141,—                  | 483,—                                  |
| Traverse Stand Type TS, hot-dip galvanized                | A               | 75,—         | 9,—                    | 84,—                                   |
| <b>BST 90, painted</b>                                    | A               | 355,—        | 141,—                  | 496,—                                  |
| Traverse Stand Type TS, hot-dip galvanized                | A               | 75,—         | 9,—                    | 84,—                                   |
| <b>BST 150, painted</b>                                   | A               | 532,—        | 225,—                  | 757,—                                  |
| Traverse Stand Type TS, hot-dip galvanized                | A               | 75,—         | 9,—                    | 84,—                                   |
| <b>BST 200, painted</b>                                   | A               | 591,—        | 225,—                  | 816,—                                  |
| Traverse Stand Type TS, hot-dip galvanized                | A               | 75,—         | 9,—                    | 84,—                                   |
| <b>Traverse For Stacking Tipplers Type BST-H</b>          | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>BST-H 30, painted</b>                                  | A               | 2055,—       | 225,—                  | 2280,—                                 |
| Traverse Stand Type TS, hot-dip galvanized                | A               | 75,—         | 8,—                    | 83,—                                   |
| <b>BST-H 55, painted</b>                                  | A               | 2180,—       | 225,—                  | 2405,—                                 |
| Traverse Stand Type TS, hot-dip galvanized                | A               | 75,—         | 8,—                    | 83,—                                   |
| <b>BST-H 70, painted</b>                                  | A               | 2180,—       | 225,—                  | 2405,—                                 |
| Traverse Stand Type TS, hot-dip galvanized                | A               | 75,—         | 8,—                    | 83,—                                   |
| <b>BST-H 90, painted</b>                                  | A               | 2293,—       | 225,—                  | 2518,—                                 |
| Traverse Stand Type TS, hot-dip galvanized                | A               | 75,—         | 8,—                    | 83,—                                   |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Traverse For Stacking Tipplers Type BST-H  | Category | Price  | Freight charges | Price including freight charges |
|--------------------------------------------|----------|--------|-----------------|---------------------------------|
| BST-H 150, painted                         | A        | 2608,— | 327,—           | 2935,—                          |
| Traverse Stand Type TS, hot-dip galvanized | A        | 75,—   | 9,—             | 84,—                            |
| BST-H 200, painted                         | A        | 2871,— | 327,—           | 3198,—                          |
| Traverse Stand Type TS, hot-dip galvanized | A        | 75,—   | 9,—             | 84,—                            |
| Traverse For Stacking Tipplers Type BST-U  | Category | Price  | Freight charges | Price including freight charges |
| BST-U 30, painted                          | A        | 923,—  | 225,—           | 1148,—                          |
| BST-U 55, painted                          | A        | 985,—  | 225,—           | 1210,—                          |
| BST-U 70, painted                          | A        | 985,—  | 225,—           | 1210,—                          |
| BST-U 90, painted                          | A        | 1011,— | 225,—           | 1236,—                          |
| Beam Traverse Type BT                      | Category | Price  | Freight charges | Price including freight charges |
| BT 3001, painted                           | A        | 1813,— | 306,—           | 2119,—                          |
| Support frames, hot-dip galvanized         | A        | 266,—  | 141,—           | 407,—                           |
| BT 3002, painted                           | A        | 2045,— | 306,—           | 2351,—                          |
| Support frames, hot-dip galvanized         | A        | 266,—  | 141,—           | 407,—                           |
| BT 3003, painted                           | A        | 2199,— | 306,—           | 2505,—                          |
| Support frames, hot-dip galvanized         | A        | 266,—  | 141,—           | 407,—                           |
| BT 3005, painted                           | A        | 2508,— | 408,—           | 2916,—                          |
| Support frames, hot-dip galvanized         | A        | 266,—  | 141,—           | 407,—                           |
| Filling Hopper Type BTM                    | Category | Price  | Freight charges | Price including freight charges |
| BTM, painted                               | A        | 2377,— | 398,—           | 2775,—                          |
| Filling Hopper Type BTS                    | Category | Price  | Freight charges | Price including freight charges |
| BTS, painted                               | A        | 2035,— | 398,—           | 2433,—                          |
| Bin Type C                                 | Category | Price  | Freight charges | Price including freight charges |
| C 30, painted                              | A        | 407,—  | 141,—           | 548,—                           |
| C 30, hot-dip galvanized                   | A        | 447,—  | 141,—           | 588,—                           |
| C 80, painted                              | A        | 586,—  | 141,—           | 727,—                           |
| C 80, hot-dip galvanized                   | A        | 630,—  | 141,—           | 771,—                           |
| Swarf Bin Type CS                          | Category | Price  | Freight charges | Price including freight charges |
| CS 30, painted                             | A        | 469,—  | 141,—           | 610,—                           |
| CS 30, hot-dip galvanized                  | A        | 514,—  | 141,—           | 655,—                           |
| CS 80, painted                             | A        | 692,—  | 141,—           | 833,—                           |
| CS 80, hot-dip galvanized                  | A        | 740,—  | 225,—           | 965,—                           |
| Shovel Type DGS                            | Category | Price  | Freight charges | Price including freight charges |
| DGS 500, painted                           | A        | 2565,— | 327,—           | 2892,—                          |
| DGS 700, painted                           | A        | 2594,— | 327,—           | 2921,—                          |
| DGS 950, painted                           | A        | 2630,— | 398,—           | 3028,—                          |
| DGS 1200, painted                          | A        | 2825,— | 398,—           | 3223,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Tilting Container Type DUO                                                                     | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>DUO, painted</b>                                                                            | A        | 1803,— | 327,—           | 2130,—                          |
| Lid, galvanized                                                                                | A        | 228,—  | 27,—            | 255,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 28,—   | on request      | on request                      |
| Tilting Container Type EXPO®                                                                   | Category | Price  | Freight charges | Price including freight charges |
| <b>EXPO 150, painted</b>                                                                       | A        | 587,—  | 141,—           | 728,—                           |
| Lid, galvanized                                                                                | A        | 168,—  | 18,—            | 186,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set                                      | A        | 150,—  | 15,—            | 165,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| <b>EXPO 150, hot-dip galvanized</b>                                                            | A        | 692,—  | 141,—           | 833,—                           |
| Lid, galvanized                                                                                | A        | 168,—  | 18,—            | 186,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set                                      | A        | 150,—  | 15,—            | 165,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| <b>EXPO 225, painted</b>                                                                       | A        | 639,—  | 141,—           | 780,—                           |
| Lid, galvanized                                                                                | A        | 168,—  | 18,—            | 186,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set                                      | A        | 150,—  | 15,—            | 165,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| <b>EXPO 225, hot-dip galvanized</b>                                                            | A        | 758,—  | 141,—           | 899,—                           |
| Lid, galvanized                                                                                | A        | 168,—  | 18,—            | 186,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set                                      | A        | 150,—  | 15,—            | 165,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| <b>EXPO 275, painted</b>                                                                       | A        | 667,—  | 141,—           | 808,—                           |
| Lid, galvanized                                                                                | A        | 168,—  | 18,—            | 186,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set                                      | A        | 150,—  | 15,—            | 165,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| <b>EXPO 275, hot-dip galvanized</b>                                                            | A        | 798,—  | 141,—           | 939,—                           |
| Lid, galvanized                                                                                | A        | 168,—  | 18,—            | 186,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set                                      | A        | 150,—  | 15,—            | 165,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| <b>EXPO 300, painted</b>                                                                       | A        | 601,—  | 225,—           | 826,—                           |
| Lid, galvanized                                                                                | A        | 168,—  | 18,—            | 186,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| <b>EXPO 300, hot-dip galvanized</b>                                                            | A        | 771,—  | 225,—           | 996,—                           |
| Lid, galvanized                                                                                | A        | 168,—  | 18,—            | 186,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| <b>EXPO 600, painted</b>                                                                       | A        | 708,—  | 225,—           | 933,—                           |
| Lid, galvanized                                                                                | A        | 189,—  | 22,—            | 211,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| <b>EXPO 600, hot-dip galvanized</b>                                                            | A        | 849,—  | 225,—           | 1074,—                          |
| Lid, galvanized                                                                                | A        | 189,—  | 22,—            | 211,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Tilting Container Type EXPO®                              | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>EXPO 900, painted</b>                                  | A        | 790,—  | 225,—           | 1015,—                          |
| Lid, galvanized                                           | A        | 215,—  | 27,—            | 242,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>EXPO 900, hot-dip galvanized</b>                       | A        | 931,—  | 225,—           | 1156,—                          |
| Lid, galvanized                                           | A        | 215,—  | 27,—            | 242,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>EXPO 1200, painted</b>                                 | A        | 855,—  | 327,—           | 1182,—                          |
| Lid, galvanized                                           | A        | 215,—  | 26,—            | 241,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>EXPO 1200, hot-dip galvanized</b>                      | A        | 1006,— | 327,—           | 1333,—                          |
| Lid, galvanized                                           | A        | 215,—  | 26,—            | 241,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>EXPO 1700, painted</b>                                 | A        | 1161,— | 327,—           | 1488,—                          |
| Lid, galvanized                                           | A        | 266,—  | 33,—            | 299,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>EXPO 1700, hot-dip galvanized</b>                      | A        | 1386,— | 327,—           | 1713,—                          |
| Lid, galvanized                                           | A        | 266,—  | 33,—            | 299,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>EXPO 2100, painted</b>                                 | A        | 1280,— | 327,—           | 1607,—                          |
| Lid, galvanized                                           | A        | 347,—  | 36,—            | 383,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>EXPO 2100, hot-dip galvanized</b>                      | A        | 1551,— | 327,—           | 1878,—                          |
| Lid, galvanized                                           | A        | 347,—  | 36,—            | 383,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |

| Swarf Tilting Container Type EXPO®-E                      | Category | Price | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|-------|-----------------|---------------------------------|
| <b>EXPO-E 150, painted</b>                                | A        | 704,— | 141,—           | 845,—                           |
| Lid, galvanized                                           | A        | 168,— | 18,—            | 186,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,— | 15,—            | 165,—                           |
| <b>EXPO-E 150, hot-dip galvanized</b>                     | A        | 808,— | 141,—           | 949,—                           |
| Lid, galvanized                                           | A        | 168,— | 18,—            | 186,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,— | 15,—            | 165,—                           |
| <b>EXPO-E 225, painted</b>                                | A        | 755,— | 141,—           | 896,—                           |
| Lid, galvanized                                           | A        | 168,— | 18,—            | 186,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,— | 15,—            | 165,—                           |
| <b>EXPO-E 225, hot-dip galvanized</b>                     | A        | 876,— | 141,—           | 1017,—                          |
| Lid, galvanized                                           | A        | 168,— | 18,—            | 186,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,— | 15,—            | 165,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| <b>Swarf Tilting Container Type EXPO®-E</b>               | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|-----------------------------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| <b>EXPO-E 275, painted</b>                                | A               | 784,—        | 141,—                  | 925,—                                  |
| Lid, galvanized                                           | A               | 168,—        | 18,—                   | 186,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A               | 150,—        | 15,—                   | 165,—                                  |
| <b>EXPO-E 275, hot-dip galvanized</b>                     | A               | 912,—        | 141,—                  | 1053,—                                 |
| Lid, galvanized                                           | A               | 168,—        | 18,—                   | 186,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A               | 150,—        | 15,—                   | 165,—                                  |
| <b>EXPO-E 300, painted</b>                                | A               | 718,—        | 225,—                  | 943,—                                  |
| Lid, galvanized                                           | A               | 168,—        | 18,—                   | 186,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>EXPO-E 300, hot-dip galvanized</b>                     | A               | 887,—        | 225,—                  | 1112,—                                 |
| Lid, galvanized                                           | A               | 168,—        | 18,—                   | 186,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>EXPO-E 600, painted</b>                                | A               | 824,—        | 225,—                  | 1049,—                                 |
| Lid, galvanized                                           | A               | 189,—        | 22,—                   | 211,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>EXPO-E 600, hot-dip galvanized</b>                     | A               | 965,—        | 225,—                  | 1190,—                                 |
| Lid, galvanized                                           | A               | 189,—        | 22,—                   | 211,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>EXPO-E 900, painted</b>                                | A               | 906,—        | 225,—                  | 1131,—                                 |
| Lid, galvanized                                           | A               | 215,—        | 27,—                   | 242,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>EXPO-E 900, hot-dip galvanized</b>                     | A               | 1048,—       | 225,—                  | 1273,—                                 |
| Lid, galvanized                                           | A               | 215,—        | 27,—                   | 242,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>EXPO-E 1200, painted</b>                               | A               | 1012,—       | 327,—                  | 1339,—                                 |
| Lid, galvanized                                           | A               | 215,—        | 26,—                   | 241,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>EXPO-E 1200, hot-dip galvanized</b>                    | A               | 1163,—       | 327,—                  | 1490,—                                 |
| Lid, galvanized                                           | A               | 215,—        | 26,—                   | 241,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>EXPO-E 1700, painted</b>                               | A               | 1318,—       | 327,—                  | 1645,—                                 |
| Lid, galvanized                                           | A               | 266,—        | 33,—                   | 299,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>EXPO-E 1700, hot-dip galvanized</b>                    | A               | 1543,—       | 327,—                  | 1870,—                                 |
| Lid, galvanized                                           | A               | 266,—        | 33,—                   | 299,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>EXPO-E 2100, painted</b>                               | A               | 1437,—       | 327,—                  | 1764,—                                 |
| Lid, galvanized                                           | A               | 347,—        | 36,—                   | 383,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>EXPO-E 2100, hot-dip galvanized</b>                    | A               | 1708,—       | 327,—                  | 2035,—                                 |
| Lid, galvanized                                           | A               | 347,—        | 36,—                   | 383,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| <b>Container With Drop Away Base Type FB</b>              | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>FB 500, painted</b>                                    | A               | 781,—        | 225,—                  | 1006,—                                 |
| Lid, galvanized                                           | A               | 189,—        | 15,—                   | 204,—                                  |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Container With Drop Away Base Type FB                     | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Guiding Plates, galvanized                                | A        | 112,—  | 12,—            | 124,—                           |
| <b>FB 500, hot-dip galvanized</b>                         | A        | 960,—  | 225,—           | 1185,—                          |
| Lid, galvanized                                           | A        | 189,—  | 15,—            | 204,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Guiding Plates, galvanized                                | A        | 112,—  | 12,—            | 124,—                           |
| <b>FB 750, painted</b>                                    | A        | 850,—  | 225,—           | 1075,—                          |
| Lid, galvanized                                           | A        | 189,—  | 15,—            | 204,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Guiding Plates, galvanized                                | A        | 112,—  | 12,—            | 124,—                           |
| <b>FB 750, hot-dip galvanized</b>                         | A        | 1038,— | 225,—           | 1263,—                          |
| Lid, galvanized                                           | A        | 189,—  | 15,—            | 204,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Guiding Plates, galvanized                                | A        | 112,—  | 12,—            | 124,—                           |
| <b>FB 1000, painted</b>                                   | A        | 910,—  | 225,—           | 1135,—                          |
| Lid, galvanized                                           | A        | 229,—  | 18,—            | 247,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Guiding Plates, galvanized                                | A        | 112,—  | 12,—            | 124,—                           |
| <b>FB 1000, hot-dip galvanized</b>                        | A        | 1117,— | 225,—           | 1342,—                          |
| Lid, galvanized                                           | A        | 229,—  | 18,—            | 247,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Guiding Plates, galvanized                                | A        | 112,—  | 12,—            | 124,—                           |
| <b>FB 1500, painted</b>                                   | A        | 1067,— | 327,—           | 1394,—                          |
| Lid, galvanized                                           | A        | 339,—  | 21,—            | 360,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Guiding Plates, galvanized                                | A        | 112,—  | 12,—            | 124,—                           |
| <b>FB 1500, hot-dip galvanized</b>                        | A        | 1344,— | 327,—           | 1671,—                          |
| Lid, galvanized                                           | A        | 339,—  | 21,—            | 360,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Guiding Plates, galvanized                                | A        | 112,—  | 12,—            | 124,—                           |
| <b>FB 2000, painted</b>                                   | A        | 1151,— | 327,—           | 1478,—                          |
| Lid, galvanized                                           | A        | 339,—  | 21,—            | 360,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Guiding Plates, galvanized                                | A        | 112,—  | 12,—            | 124,—                           |
| <b>FB 2000, hot-dip galvanized</b>                        | A        | 1460,— | 327,—           | 1787,—                          |
| Lid, galvanized                                           | A        | 339,—  | 21,—            | 360,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Guiding Plates, galvanized                                | A        | 112,—  | 12,—            | 124,—                           |
| Drum Tipper Type FD/L-HK                                  | Category | Price  | Freight charges | Price including freight charges |
| FD/L-HK, painted                                          | B        | 2245,— | 225,—           | 2470,—                          |
| FD/L-HK, hot-dip galvanized                               | B        | 2671,— | 225,—           | 2896,—                          |
| Drum Tipper Type FD/L-K                                   | Category | Price  | Freight charges | Price including freight charges |
| FD/L-K, painted                                           | B        | 2429,— | 225,—           | 2654,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Drum Tipper Type FD/L-K          | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------|----------|--------|-----------------|---------------------------------|
| FD/L-K, hot-dip galvanized       | B        | 2864,— | 225,—           | 3089,—                          |
| Drum Tipper Type FD-H            | Category | Price  | Freight charges | Price including freight charges |
| FD-H, painted                    | B        | 2505,— | 141,—           | 2646,—                          |
| FD-H, hot-dip galvanized         | B        | 2732,— | 141,—           | 2873,—                          |
| Drum Tipper Type FD-HK           | Category | Price  | Freight charges | Price including freight charges |
| FD-HK, painted                   | B        | 1929,— | 141,—           | 2070,—                          |
| FD-HK, hot-dip galvanized        | B        | 2161,— | 141,—           | 2302,—                          |
| Drum Tipper Type FD-K            | Category | Price  | Freight charges | Price including freight charges |
| FD-K, painted                    | B        | 2114,— | 141,—           | 2255,—                          |
| FD-K, hot-dip galvanized         | B        | 2354,— | 141,—           | 2495,—                          |
| Drum Tipper Type FD-SK           | Category | Price  | Freight charges | Price including freight charges |
| FD-SK, painted                   | B        | 1929,— | 141,—           | 2070,—                          |
| FD-SK, hot-dip galvanized        | B        | 2161,— | 141,—           | 2302,—                          |
| Drum Jack Type FH                | Category | Price  | Freight charges | Price including freight charges |
| FH-I 120, painted                | B        | 1589,— | 141,—           | 1730,—                          |
| FH-I 120, hot-dip galvanized     | B        | 1761,— | 141,—           | 1902,—                          |
| FH-I 220, painted                | B        | 1589,— | 141,—           | 1730,—                          |
| FH-I 220, hot-dip galvanized     | B        | 1789,— | 141,—           | 1930,—                          |
| FH-II 120, painted               | B        | 2320,— | 141,—           | 2461,—                          |
| FH-II 120, hot-dip galvanized    | B        | 2582,— | 141,—           | 2723,—                          |
| FH-II 220, painted               | B        | 2320,— | 141,—           | 2461,—                          |
| FH-II 220, hot-dip galvanized    | B        | 2636,— | 141,—           | 2777,—                          |
| Drum Gripper Type FK             | Category | Price  | Freight charges | Price including freight charges |
| FK-I, painted                    | B        | 1208,— | 141,—           | 1349,—                          |
| FK-I, hot-dip galvanized         | B        | 1472,— | 141,—           | 1613,—                          |
| FK-II, painted                   | B        | 1437,— | 225,—           | 1662,—                          |
| FK-II, hot-dip galvanized        | B        | 1818,— | 225,—           | 2043,—                          |
| Drum Clamp Type FKL              | Category | Price  | Freight charges | Price including freight charges |
| FKL, painted                     | B        | 463,—  | 60,—            | 523,—                           |
| Drum Tipper Type FLEX-HK         | Category | Price  | Freight charges | Price including freight charges |
| FLEX-HK, painted                 | B        | 2090,— | 141,—           | 2231,—                          |
| Shelf Drum Pallet RP, galvanized | B        | 140,—  | 60,—            | 200,—                           |
| FLEX-HK, hot-dip galvanized      | B        | 2258,— | 141,—           | 2399,—                          |
| Shelf Drum Pallet RP, galvanized | B        | 140,—  | 60,—            | 200,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Drum Tipper Type FLEX-K           | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------|----------|--------|-----------------|---------------------------------|
| FLEX-K, painted                   | B        | 2283,— | 141,—           | 2424,—                          |
| Shelf Drum Pallet RP, galvanized  | B        | 140,—  | 60,—            | 200,—                           |
| FLEX-K, hot-dip galvanized        | B        | 2447,— | 141,—           | 2588,—                          |
| Shelf Drum Pallet RP, galvanized  | B        | 140,—  | 60,—            | 200,—                           |
| Drum Traverse Type FT/M           | Category | Price  | Freight charges | Price including freight charges |
| FT/M, galvanized                  | B        | 305,—  | 60,—            | 365,—                           |
| Drum Traverse Type FT/MK          | Category | Price  | Freight charges | Price including freight charges |
| FT/MK, galvanized                 | B        | 349,—  | 60,—            | 409,—                           |
| Drum Turner Type FW               | Category | Price  | Freight charges | Price including freight charges |
| FW-I, painted                     | B        | 1342,— | 225,—           | 1567,—                          |
| FW-I, hot-dip galvanized          | B        | 1742,— | 225,—           | 1967,—                          |
| FW-II, painted                    | B        | 1879,— | 225,—           | 2104,—                          |
| FW-II, hot-dip galvanized         | B        | 2447,— | 225,—           | 2672,—                          |
| Drum Turning Claw Type FWZ        | Category | Price  | Freight charges | Price including freight charges |
| FWZ-60, painted                   | B        | 1309,— | 141,—           | 1450,—                          |
| FWZ-60, hot-dip galvanized        | B        | 1289,— | 141,—           | 1430,—                          |
| FWZ-200, painted                  | B        | 1349,— | 141,—           | 1490,—                          |
| FWZ-200, hot-dip galvanized       | B        | 1329,— | 141,—           | 1470,—                          |
| Fork Extensions Type GG           | Category | Price  | Freight charges | Price including freight charges |
| GG 80/40 (1600 mm long), painted  | A        | 522,—  | 141,—           | 663,—                           |
| GG 80/40 (1800 mm long), painted  | A        | 550,—  | 141,—           | 691,—                           |
| GG 80/40 (2000 mm long), painted  | A        | 580,—  | 141,—           | 721,—                           |
| GG 100/40 (1600 mm long), painted | A        | 522,—  | 141,—           | 663,—                           |
| GG 100/40 (1800 mm long), painted | A        | 550,—  | 141,—           | 691,—                           |
| GG 100/40 (2000 mm long), painted | A        | 580,—  | 141,—           | 721,—                           |
| GG 100/45 (1600 mm long), painted | A        | 522,—  | 141,—           | 663,—                           |
| GG 100/45 (1800 mm long), painted | A        | 550,—  | 141,—           | 691,—                           |
| GG 100/45 (2000 mm long), painted | A        | 580,—  | 141,—           | 721,—                           |
| GG 100/50 (1600 mm long), painted | A        | 522,—  | 141,—           | 663,—                           |
| GG 100/50 (1800 mm long), painted | A        | 550,—  | 141,—           | 691,—                           |
| GG 100/50 (2000 mm long), painted | A        | 580,—  | 225,—           | 805,—                           |
| GG 120/40 (1600 mm long), painted | A        | 550,—  | 141,—           | 691,—                           |
| GG 120/40 (1800 mm long), painted | A        | 580,—  | 225,—           | 805,—                           |
| GG 120/40 (2000 mm long), painted | A        | 623,—  | 225,—           | 848,—                           |
| GG 120/50 (1600 mm long), painted | A        | 550,—  | 141,—           | 691,—                           |
| GG 120/50 (1800 mm long), painted | A        | 580,—  | 225,—           | 805,—                           |
| GG 120/50 (2000 mm long), painted | A        | 623,—  | 225,—           | 848,—                           |
| GG 125/45 (1600 mm long), painted | A        | 550,—  | 141,—           | 691,—                           |
| GG 125/45 (1800 mm long), painted | A        | 580,—  | 225,—           | 805,—                           |
| GG 125/45 (2000 mm long), painted | A        | 623,—  | 225,—           | 848,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Fork Extensions Type GG           | Category | Price | Freight charges | Price including freight charges |
|-----------------------------------|----------|-------|-----------------|---------------------------------|
| GG 125/50 (1600 mm long), painted | A        | 550,— | 141,—           | 691,—                           |
| GG 125/50 (1800 mm long), painted | A        | 580,— | 225,—           | 805,—                           |
| GG 125/50 (2000 mm long), painted | A        | 623,— | 225,—           | 848,—                           |
| GG 150/50 (1600 mm long), painted | A        | 612,— | 225,—           | 837,—                           |
| GG 150/50 (1800 mm long), painted | A        | 657,— | 225,—           | 882,—                           |
| GG 150/50 (2000 mm long), painted | A        | 688,— | 225,—           | 913,—                           |
| GG 150/70 (1600 mm long), painted | A        | 612,— | 225,—           | 837,—                           |
| GG 150/70 (1800 mm long), painted | A        | 657,— | 225,—           | 882,—                           |
| GG 150/70 (2000 mm long), painted | A        | 688,— | 225,—           | 913,—                           |

| Fork Extensions Type GO           | Category | Price | Freight charges | Price including freight charges |
|-----------------------------------|----------|-------|-----------------|---------------------------------|
| GO 80/40 (1600 mm long), painted  | A        | 376,— | 141,—           | 517,—                           |
| GO 80/40 (1800 mm long), painted  | A        | 382,— | 141,—           | 523,—                           |
| GO 80/40 (2000 mm long), painted  | A        | 397,— | 141,—           | 538,—                           |
| GO 100/40 (1600 mm long), painted | A        | 376,— | 141,—           | 517,—                           |
| GO 100/40 (1800 mm long), painted | A        | 382,— | 141,—           | 523,—                           |
| GO 100/40 (2000 mm long), painted | A        | 397,— | 141,—           | 538,—                           |
| GO 100/45 (1600 mm long), painted | A        | 376,— | 141,—           | 517,—                           |
| GO 100/45 (1800 mm long), painted | A        | 382,— | 141,—           | 523,—                           |
| GO 100/45 (2000 mm long), painted | A        | 397,— | 141,—           | 538,—                           |
| GO 100/50 (1600 mm long), painted | A        | 376,— | 141,—           | 517,—                           |
| GO 100/50 (1800 mm long), painted | A        | 382,— | 141,—           | 523,—                           |
| GO 100/50 (2000 mm long), painted | A        | 397,— | 141,—           | 538,—                           |
| GO 120/40 (1600 mm long), painted | A        | 382,— | 141,—           | 523,—                           |
| GO 120/40 (1800 mm long), painted | A        | 403,— | 141,—           | 544,—                           |
| GO 120/40 (2000 mm long), painted | A        | 420,— | 141,—           | 561,—                           |
| GO 120/50 (1600 mm long), painted | A        | 382,— | 141,—           | 523,—                           |
| GO 120/50 (1800 mm long), painted | A        | 403,— | 141,—           | 544,—                           |
| GO 120/50 (2000 mm long), painted | A        | 420,— | 141,—           | 561,—                           |
| GO 125/45 (1600 mm long), painted | A        | 382,— | 141,—           | 523,—                           |
| GO 125/45 (1800 mm long), painted | A        | 403,— | 141,—           | 544,—                           |
| GO 125/45 (2000 mm long), painted | A        | 420,— | 141,—           | 561,—                           |
| GO 125/50 (1600 mm long), painted | A        | 382,— | 141,—           | 523,—                           |
| GO 125/50 (1800 mm long), painted | A        | 403,— | 141,—           | 544,—                           |
| GO 125/50 (2000 mm long), painted | A        | 420,— | 141,—           | 561,—                           |
| GO 150/50 (1600 mm long), painted | A        | 458,— | 141,—           | 599,—                           |
| GO 150/50 (1800 mm long), painted | A        | 498,— | 141,—           | 639,—                           |
| GO 150/50 (2000 mm long), painted | A        | 536,— | 141,—           | 677,—                           |
| GO 150/70 (1600 mm long), painted | A        | 458,— | 141,—           | 599,—                           |
| GO 150/70 (1800 mm long), painted | A        | 498,— | 141,—           | 639,—                           |
| GO 150/70 (2000 mm long), painted | A        | 536,— | 141,—           | 677,—                           |

| Tilting Container Type GU | Category | Price | Freight charges | Price including freight charges |
|---------------------------|----------|-------|-----------------|---------------------------------|
| GU 300, painted           | A        | 632,— | 225,—           | 857,—                           |
| Lid, galvanized           | A        | 94,—  | 18,—            | 112,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Tilting Container Type GU                                 | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |
| <b>GU 300, hot-dip galvanized</b>                         | A        | 836,—  | 225,—           | 1061,—                          |
| Lid, galvanized                                           | A        | 94,—   | 18,—            | 112,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |
| <b>GU 500, painted</b>                                    | A        | 860,—  | 225,—           | 1085,—                          |
| Lid, galvanized                                           | A        | 94,—   | 18,—            | 112,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| Adjustable dumping brake                                  | A        | 448,—  | 10,—            | 458,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |
| <b>GU 500, hot-dip galvanized</b>                         | A        | 1120,— | 225,—           | 1345,—                          |
| Lid, galvanized                                           | A        | 94,—   | 18,—            | 112,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| Adjustable dumping brake                                  | A        | 448,—  | 10,—            | 458,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |
| <b>GU 750, painted</b>                                    | A        | 1016,— | 225,—           | 1241,—                          |
| Lid, galvanized                                           | A        | 134,—  | 26,—            | 160,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| Adjustable dumping brake                                  | A        | 448,—  | 10,—            | 458,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |
| <b>GU 750, hot-dip galvanized</b>                         | A        | 1324,— | 225,—           | 1549,—                          |
| Lid, galvanized                                           | A        | 134,—  | 26,—            | 160,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| Adjustable dumping brake                                  | A        | 448,—  | 10,—            | 458,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |
| <b>GU 1000, painted</b>                                   | A        | 1123,— | 225,—           | 1348,—                          |
| Lid, galvanized                                           | A        | 185,—  | 27,—            | 212,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| Adjustable dumping brake                                  | A        | 448,—  | 10,—            | 458,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |
| <b>GU 1000, hot-dip galvanized</b>                        | A        | 1591,— | 327,—           | 1918,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Tilting Container Type GU                                 | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Lid, galvanized                                           | A        | 185,—  | 27,—            | 212,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| Adjustable dumping brake                                  | A        | 448,—  | 10,—            | 458,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |
| <b>GU 1500, painted</b>                                   | A        | 1311,— | 327,—           | 1638,—                          |
| Lid, galvanized                                           | A        | 185,—  | 27,—            | 212,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| Adjustable dumping brake                                  | A        | 448,—  | 10,—            | 458,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |
| <b>GU 1500, hot-dip galvanized</b>                        | A        | 1709,— | 327,—           | 2036,—                          |
| Lid, galvanized                                           | A        | 185,—  | 27,—            | 212,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| Adjustable dumping brake                                  | A        | 448,—  | 10,—            | 458,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |
| <b>GU 2000, painted</b>                                   | A        | 1618,— | 327,—           | 1945,—                          |
| Lid, galvanized                                           | A        | 218,—  | 32,—            | 250,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| Adjustable dumping brake                                  | A        | 448,—  | 10,—            | 458,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |
| <b>GU 2000, hot-dip galvanized</b>                        | A        | 2125,— | 327,—           | 2452,—                          |
| Lid, galvanized                                           | A        | 218,—  | 32,—            | 250,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| Adjustable dumping brake                                  | A        | 448,—  | 10,—            | 458,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |

| Swarf Tilting Container Type GU-E                         | Category | Price | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|-------|-----------------|---------------------------------|
| <b>GU-E 300, painted</b>                                  | A        | 748,— | 225,—           | 973,—                           |
| Lid, galvanized                                           | A        | 94,—  | 18,—            | 112,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,— | 15,—            | 200,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,— | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—  | 8,—             | 75,—                            |
| <b>GU-E 300, hot-dip galvanized</b>                       | A        | 952,— | 225,—           | 1177,—                          |
| Lid, galvanized                                           | A        | 94,—  | 18,—            | 112,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,— | 15,—            | 200,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,— | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—  | 8,—             | 75,—                            |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| <b>Swarf Tilting Container Type GU-E</b>                  | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|-----------------------------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| <b>GU-E 500, painted</b>                                  | A               | 977,—        | 225,—                  | 1202,—                                 |
| Lid, galvanized                                           | A               | 94,—         | 18,—                   | 112,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>GU-E 500, hot-dip galvanized</b>                       | A               | 1236,—       | 225,—                  | 1461,—                                 |
| Lid, galvanized                                           | A               | 94,—         | 18,—                   | 112,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>GU-E 750, painted</b>                                  | A               | 1132,—       | 225,—                  | 1357,—                                 |
| Lid, galvanized                                           | A               | 134,—        | 26,—                   | 160,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>GU-E 750, hot-dip galvanized</b>                       | A               | 1440,—       | 225,—                  | 1665,—                                 |
| Lid, galvanized                                           | A               | 134,—        | 26,—                   | 160,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>GU-E 1000, painted</b>                                 | A               | 1280,—       | 225,—                  | 1505,—                                 |
| Lid, galvanized                                           | A               | 185,—        | 27,—                   | 212,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>GU-E 1000, hot-dip galvanized</b>                      | A               | 1748,—       | 327,—                  | 2075,—                                 |
| Lid, galvanized                                           | A               | 185,—        | 27,—                   | 212,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>GU-E 1500, painted</b>                                 | A               | 1468,—       | 327,—                  | 1795,—                                 |
| Lid, galvanized                                           | A               | 185,—        | 27,—                   | 212,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>GU-E 1500, hot-dip galvanized</b>                      | A               | 1866,—       | 327,—                  | 2193,—                                 |
| Lid, galvanized                                           | A               | 185,—        | 27,—                   | 212,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| <b>Swarf Tilting Container Type GU-E</b>                  | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|-----------------------------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>GU-E 2000, painted</b>                                 | A               | 1775,—       | 327,—                  | 2102,—                                 |
| Lid, galvanized                                           | A               | 218,—        | 32,—                   | 250,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>GU-E 2000, hot-dip galvanized</b>                      | A               | 2282,—       | 327,—                  | 2609,—                                 |
| Lid, galvanized                                           | A               | 218,—        | 32,—                   | 250,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>Tilting Container Type GU-RZ</b>                       | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>GU-RZ 30, painted</b>                                  | A               | 675,—        | 225,—                  | 900,—                                  |
| Lid, galvanized                                           | A               | 91,—         | 18,—                   | 109,—                                  |
| <b>GU-RZ 30, hot-dip galvanized</b>                       | A               | 752,—        | 225,—                  | 977,—                                  |
| Lid, galvanized                                           | A               | 91,—         | 18,—                   | 109,—                                  |
| <b>GU-RZ 55, painted</b>                                  | A               | 899,—        | 225,—                  | 1124,—                                 |
| Lid, galvanized                                           | A               | 91,—         | 18,—                   | 109,—                                  |
| <b>GU-RZ 55, hot-dip galvanized</b>                       | A               | 991,—        | 225,—                  | 1216,—                                 |
| Lid, galvanized                                           | A               | 91,—         | 18,—                   | 109,—                                  |
| <b>Fork Protection Type GZS</b>                           | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>GZS, painted</b>                                       | F               | 172,—        | 60,—                   | 232,—                                  |
| <b>Container With Drop Away Base Type HKB</b>             | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>HKB 60, painted</b>                                    | A               | 1041,—       | 225,—                  | 1266,—                                 |
| <b>HKB 60, hot-dip galvanized</b>                         | A               | 1220,—       | 225,—                  | 1445,—                                 |
| <b>HKB 70, painted</b>                                    | A               | 1101,—       | 225,—                  | 1326,—                                 |
| <b>HKB 70, hot-dip galvanized</b>                         | A               | 1295,—       | 225,—                  | 1520,—                                 |
| <b>HKB 90, painted</b>                                    | A               | 1369,—       | 225,—                  | 1594,—                                 |
| <b>HKB 90, hot-dip galvanized</b>                         | A               | 1636,—       | 327,—                  | 1963,—                                 |
| <b>Shovel Type HVR</b>                                    | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>HVR 50, painted</b>                                    | A               | 3278,—       | 327,—                  | 3605,—                                 |
| <b>HVR 75, painted</b>                                    | A               | 3841,—       | 398,—                  | 4239,—                                 |
| <b>HVR 80 L, painted</b>                                  | A               | 3956,—       | 398,—                  | 4354,—                                 |
| <b>HVR 100, painted</b>                                   | A               | 4862,—       | 567,—                  | 5429,—                                 |
| <b>HVR 150, painted</b>                                   | A               | 6214,—       | 567,—                  | 6781,—                                 |
| <b>Kippomat Type KG-A</b>                                 | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>KG-A, hot-dip galvanized</b>                           | A               | 3109,—       | 327,—                  | 3436,—                                 |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Kippomat Type KG-B                                          | Category | Price  | Freight charges | Price including freight charges |
|-------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| KG-B, hot-dip galvanized                                    | A        | 3030,— | 327,—           | 3357,—                          |
| Kippomat Type KG-C                                          | Category | Price  | Freight charges | Price including freight charges |
| KG-C, hot-dip galvanized                                    | A        | 2010,— | 225,—           | 2235,—                          |
| Tipping Skip Type KK                                        | Category | Price  | Freight charges | Price including freight charges |
| <b>KK 250, painted</b>                                      | E        | 467,—  | 141,—           | 608,—                           |
| Lid, galvanized                                             | E        | 131,—  | 15,—            | 146,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 131,—  | 15,—            | 146,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 99,—   | 15,—            | 114,—                           |
| <b>KK 250, hot-dip galvanized</b>                           | E        | 515,—  | 141,—           | 656,—                           |
| Lid, galvanized                                             | E        | 131,—  | 15,—            | 146,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 131,—  | 15,—            | 146,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 99,—   | 15,—            | 114,—                           |
| <b>KK 400, painted</b>                                      | E        | 532,—  | 141,—           | 673,—                           |
| Lid, galvanized                                             | E        | 150,—  | 16,—            | 166,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 131,—  | 15,—            | 146,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 99,—   | 15,—            | 114,—                           |
| <b>KK 400, hot-dip galvanized</b>                           | E        | 579,—  | 141,—           | 720,—                           |
| Lid, galvanized                                             | E        | 150,—  | 16,—            | 166,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 131,—  | 15,—            | 146,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 99,—   | 15,—            | 114,—                           |
| <b>KK 600, painted</b>                                      | E        | 738,—  | 225,—           | 963,—                           |
| Lid, galvanized                                             | E        | 167,—  | 20,—            | 187,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 131,—  | 15,—            | 146,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 99,—   | 15,—            | 114,—                           |
| <b>KK 600, hot-dip galvanized</b>                           | E        | 835,—  | 225,—           | 1060,—                          |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 99,—   | 15,—            | 114,—                           |
| Lid, galvanized                                             | E        | 167,—  | 20,—            | 187,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 131,—  | 15,—            | 146,—                           |
| <b>KK 800, painted</b>                                      | E        | 795,—  | 225,—           | 1020,—                          |
| Lid, galvanized                                             | E        | 174,—  | 21,—            | 195,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 131,—  | 15,—            | 146,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 99,—   | 15,—            | 114,—                           |
| <b>KK 800, hot-dip galvanized</b>                           | E        | 898,—  | 225,—           | 1123,—                          |
| Lid, galvanized                                             | E        | 174,—  | 21,—            | 195,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 131,—  | 15,—            | 146,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 99,—   | 15,—            | 114,—                           |
| <b>KK 1000, painted</b>                                     | E        | 851,—  | 225,—           | 1076,—                          |
| Lid, galvanized                                             | E        | 186,—  | 22,—            | 208,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 131,—  | 15,—            | 146,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 99,—   | 15,—            | 114,—                           |
| <b>KK 1000, hot-dip galvanized</b>                          | E        | 979,—  | 225,—           | 1204,—                          |
| Lid, galvanized                                             | E        | 186,—  | 22,—            | 208,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 131,—  | 15,—            | 146,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| <b>Tipping Skip Type KK</b>                                 | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|-------------------------------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>Kippomat Type KM</b>                                     | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| KM, hot-dip galvanized                                      | A               | 3109,—       | 225,—                  | 3334,—                                 |
| <b>Tipping Skip Type KN</b>                                 | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>KN 250, painted</b>                                      | E               | 467,—        | 141,—                  | 608,—                                  |
| Lid, galvanized                                             | E               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>KN 250, hot-dip galvanized</b>                           | E               | 515,—        | 141,—                  | 656,—                                  |
| Lid, galvanized                                             | E               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>KN 400, painted</b>                                      | E               | 532,—        | 141,—                  | 673,—                                  |
| Lid, galvanized                                             | E               | 150,—        | 16,—                   | 166,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>KN 400, hot-dip galvanized</b>                           | E               | 579,—        | 141,—                  | 720,—                                  |
| Lid, galvanized                                             | E               | 150,—        | 16,—                   | 166,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>Tipping Skip Type KS</b>                                 | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| KS 400, painted                                             | E               | 869,—        | 225,—                  | 1094,—                                 |
| KS 550, painted                                             | E               | 931,—        | 225,—                  | 1156,—                                 |
| KS 700, painted                                             | E               | 989,—        | 225,—                  | 1214,—                                 |
| <b>Extensible Crane Arm Type KT</b>                         | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| KT 2,5, painted                                             | A               | 1399,—       | 225,—                  | 1624,—                                 |
| KT 2,5, hot-dip galvanized                                  | A               | 1703,—       | 327,—                  | 2030,—                                 |
| KT 5,0, painted                                             | A               | 1737,—       | 327,—                  | 2064,—                                 |
| KT 5,0, hot-dip galvanized                                  | A               | 2166,—       | 327,—                  | 2493,—                                 |
| <b>Extensible Crane Arm Type KTH</b>                        | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| KTH 2,5, painted                                            | A               | 1688,—       | 327,—                  | 2015,—                                 |
| KTH 2,5, hot-dip galvanized                                 | A               | 1998,—       | 327,—                  | 2325,—                                 |
| KTH 5,0, painted                                            | A               | 1943,—       | 327,—                  | 2270,—                                 |
| KTH 5,0, hot-dip galvanized                                 | A               | 2292,—       | 327,—                  | 2619,—                                 |
| <b>Extensible Crane Arm Type KTH-K</b>                      | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| KTH-K 2,5, painted                                          | A               | 1551,—       | 225,—                  | 1776,—                                 |
| KTH-K 2,5, hot-dip galvanized                               | A               | 1877,—       | 225,—                  | 2102,—                                 |
| KTH-K 5,0, painted                                          | A               | 1789,—       | 225,—                  | 2014,—                                 |
| KTH-K 5,0, hot-dip galvanized                               | A               | 2156,—       | 327,—                  | 2483,—                                 |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Extensible Crane Arm Type KT-K  | Category | Price  | Freight charges | Price including freight charges |
|---------------------------------|----------|--------|-----------------|---------------------------------|
| KT-K 2,5, painted               | A        | 1247,— | 225,—           | 1472,—                          |
| KT-K 2,5, hot-dip galvanized    | A        | 1567,— | 225,—           | 1792,—                          |
| KT-K 5,0, painted               | A        | 1570,— | 225,—           | 1795,—                          |
| KT-K 5,0, hot-dip galvanized    | A        | 2021,— | 225,—           | 2246,—                          |
| Barrow Tipper Type KW-ET        | Category | Price  | Freight charges | Price including freight charges |
| KW-ET 250, painted              | E        | 568,—  | 141,—           | 709,—                           |
| Lid, galvanized                 | E        | 131,—  | 15,—            | 146,—                           |
| KW-ET 250, hot-dip galvanized   | E        | 869,—  | 141,—           | 1010,—                          |
| Lid, galvanized                 | E        | 131,—  | 15,—            | 146,—                           |
| KW-ET 400, painted              | E        | 626,—  | 141,—           | 767,—                           |
| Lid, galvanized                 | E        | 150,—  | 16,—            | 166,—                           |
| KW-ET 400, hot-dip galvanized   | E        | 964,—  | 141,—           | 1105,—                          |
| Lid, galvanized                 | E        | 150,—  | 16,—            | 166,—                           |
| KW-ET 600, painted              | E        | 780,—  | 225,—           | 1005,—                          |
| Lid, galvanized                 | E        | 167,—  | 20,—            | 187,—                           |
| KW-ET 600, hot-dip galvanized   | E        | 1126,— | 225,—           | 1351,—                          |
| Lid, galvanized                 | E        | 167,—  | 20,—            | 187,—                           |
| KW-ET 1000, painted             | E        | 963,—  | 225,—           | 1188,—                          |
| Lid, galvanized                 | E        | 186,—  | 22,—            | 208,—                           |
| KW-ET 1000, hot-dip galvanized  | E        | 1537,— | 225,—           | 1762,—                          |
| Lid, galvanized                 | E        | 186,—  | 22,—            | 208,—                           |
| Loading Arm Type LA             | Category | Price  | Freight charges | Price including freight charges |
| LA 1600-1,0, painted            | A        | 523,—  | 141,—           | 664,—                           |
| LA 1600-1,0, hot-dip galvanized | A        | 561,—  | 141,—           | 702,—                           |
| LA 1600-2,5, painted            | A        | 759,—  | 141,—           | 900,—                           |
| LA 1600-2,5, hot-dip galvanized | A        | 895,—  | 141,—           | 1036,—                          |
| LA 1600-5,0, painted            | A        | 1094,— | 225,—           | 1319,—                          |
| LA 1600-5,0, hot-dip galvanized | A        | 1280,— | 225,—           | 1505,—                          |
| LA 2400-1,0, painted            | A        | 549,—  | 141,—           | 690,—                           |
| LA 2400-1,0, hot-dip galvanized | A        | 610,—  | 141,—           | 751,—                           |
| LA 2400-2,5, painted            | A        | 847,—  | 225,—           | 1072,—                          |
| LA 2400-2,5, hot-dip galvanized | A        | 982,—  | 225,—           | 1207,—                          |
| LA 2400-5,0, painted            | A        | 1207,— | 225,—           | 1432,—                          |
| LA 2400-5,0, hot-dip galvanized | A        | 1429,— | 225,—           | 1654,—                          |
| LA 25-1,0, painted              | A        | 610,—  | 141,—           | 751,—                           |
| LA 25-1,0, hot-dip galvanized   | A        | 659,—  | 141,—           | 800,—                           |
| Loading Arm Type LAT            | Category | Price  | Freight charges | Price including freight charges |
| LAT 25-1,0, painted             | A        | 740,—  | 141,—           | 881,—                           |
| LAT 25-1,0, hot-dip galvanized  | A        | 809,—  | 141,—           | 950,—                           |
| Scissor Gripper Type LG         | Category | Price  | Freight charges | Price including freight charges |
| LG 60, painted                  | B        | 236,—  | 60,—            | 296,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Scissor Gripper Type LG                                   | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| LG 60, galvanized                                         | B        | 215,—  | 60,—            | 275,—                           |
| LG 200, painted                                           | B        | 236,—  | 60,—            | 296,—                           |
| LG 200, galvanized                                        | B        | 215,—  | 60,—            | 275,—                           |
| Container for Long Material Type LGK                      | Category | Price  | Freight charges | Price including freight charges |
| LGK, painted                                              | A        | 1329,— | 225,—           | 1554,—                          |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| LGK, hot-dip galvanized                                   | A        | 1619,— | 225,—           | 1844,—                          |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Long Material Carrier Type LGT                            | Category | Price  | Freight charges | Price including freight charges |
| LGT 1,5, painted                                          | A        | 1863,— | 327,—           | 2190,—                          |
| LGT 1,5, hot-dip galvanized                               | A        | 2186,— | 327,—           | 2513,—                          |
| LGT 2,5, painted                                          | A        | 2090,— | on request      | on request                      |
| LGT 2,5, hot-dip galvanized                               | A        | 2502,— | on request      | on request                      |
| LGT 3,5, painted                                          | A        | 2887,— | on request      | on request                      |
| LGT 3,5, hot-dip galvanized                               | A        | 3545,— | on request      | on request                      |
| LGT 4,5, painted                                          | A        | 3190,— | on request      | on request                      |
| LGT 4,5, hot-dip galvanized                               | A        | 3933,— | on request      | on request                      |
| Drum Claw Type LGZ                                        | Category | Price  | Freight charges | Price including freight charges |
| LGZ 60, painted                                           | B        | 217,—  | 60,—            | 277,—                           |
| LGZ 60, galvanized                                        | B        | 203,—  | 60,—            | 263,—                           |
| LGZ 200, painted                                          | B        | 217,—  | 60,—            | 277,—                           |
| LGZ 200, galvanized                                       | B        | 203,—  | 60,—            | 263,—                           |
| Crane Hook Type LH                                        | Category | Price  | Freight charges | Price including freight charges |
| LH-I 1,0, painted                                         | A        | 192,—  | 60,—            | 252,—                           |
| LH-I 1,0, hot-dip galvanized                              | A        | 215,—  | 60,—            | 275,—                           |
| LH-I 1,5, painted                                         | A        | 210,—  | 60,—            | 270,—                           |
| LH-I 1,5, hot-dip galvanized                              | A        | 233,—  | 60,—            | 293,—                           |
| LH-I 2,0, painted                                         | A        | 221,—  | 60,—            | 281,—                           |
| LH-I 2,0, hot-dip galvanized                              | A        | 245,—  | 60,—            | 305,—                           |
| LH-I 2,5, painted                                         | A        | 246,—  | 60,—            | 306,—                           |
| LH-I 2,5, hot-dip galvanized                              | A        | 269,—  | 60,—            | 329,—                           |
| LH-I 3,0, painted                                         | A        | 319,—  | 60,—            | 379,—                           |
| LH-I 3,0, hot-dip galvanized                              | A        | 343,—  | 60,—            | 403,—                           |
| LH-II 1,5, painted                                        | A        | 317,—  | 60,—            | 377,—                           |
| LH-II 1,5, hot-dip galvanized                             | A        | 365,—  | 60,—            | 425,—                           |
| LH-II 2,5, painted                                        | A        | 419,—  | 60,—            | 479,—                           |
| LH-II 2,5, hot-dip galvanized                             | A        | 498,—  | 60,—            | 558,—                           |
| LH-II 5,0, painted                                        | A        | 695,—  | 141,—           | 836,—                           |
| LH-II 5,0, hot-dip galvanized                             | A        | 780,—  | 141,—           | 921,—                           |
| LH-II 7,5, painted                                        | A        | 827,—  | 141,—           | 968,—                           |
| LH-II 7,5, hot-dip galvanized                             | A        | 916,—  | 141,—           | 1057,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Long Load Handler Type LSL                                | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| LSL, painted                                              | A        | 1102,— | 225,—           | 1327,—                          |
| LSL, hot-dip galvanized                                   | A        | 1265,— | 225,—           | 1490,—                          |
| Long Material Sidecar Type LSW                            | Category | Price  | Freight charges | Price including freight charges |
| LSW 1,3, painted                                          | A        | 920,—  | 141,—           | 1061,—                          |
| LSW 1,3, hot-dip galvanized                               | A        | 982,—  | 225,—           | 1207,—                          |
| LSW 2,5, painted                                          | A        | 1093,— | 141,—           | 1234,—                          |
| LSW 2,5, hot-dip galvanized                               | A        | 1156,— | 225,—           | 1381,—                          |
| Access Safety Platform Type MB-B                          | Category | Price  | Freight charges | Price including freight charges |
| MB-B, painted                                             | A        | 1048,— | 225,—           | 1273,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Access Safety Platform Type MB-B/L                        | Category | Price  | Freight charges | Price including freight charges |
| MB-B/L, painted                                           | A        | 1230,— | 225,—           | 1455,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Access Safety Platform Type MB-D                          | Category | Price  | Freight charges | Price including freight charges |
| MB-D, painted                                             | A        | 877,—  | 225,—           | 1102,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Access Safety Platform Type MB-D/L                        | Category | Price  | Freight charges | Price including freight charges |
| MB-D/L, painted                                           | A        | 1058,— | 225,—           | 1283,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Access Safety Platform Type MB-F                          | Category | Price  | Freight charges | Price including freight charges |
| MB-F, painted                                             | A        | 1037,— | 225,—           | 1262,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Access Safety Platform Type MB-II                         | Category | Price  | Freight charges | Price including freight charges |
| MB-II, painted                                            | A        | 960,—  | 225,—           | 1185,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| MB-II, hot-dip galvanized                                 | A        | 1131,— | 225,—           | 1356,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Access Safety Platform Type MB-K-IV                       | Category | Price  | Freight charges | Price including freight charges |
| MB-K-IV, painted                                          | A        | 1943,— | 278,—           | 2221,—                          |
| Access Safety Platform Type MB-ST                         | Category | Price  | Freight charges | Price including freight charges |
| MB-ST, painted                                            | A        | 2488,— | 225,—           | 2713,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Access Safety Platform Type MB-ST/L                       | Category | Price  | Freight charges | Price including freight charges |
| MB-ST/L, painted                                          | A        | 2670,— | 225,—           | 2895,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Access Safety Platform Type MB-ST/L                       | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Access Safety Platform Type MB-ST/T                       | Category | Price  | Freight charges | Price including freight charges |
| <b>MB-ST/T, painted</b>                                   | A        | 2804,— | 225,—           | 3029,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Access Safety Platform Type MB-ST/T/L                     | Category | Price  | Freight charges | Price including freight charges |
| <b>MB-ST/T/L, painted</b>                                 | A        | 2987,— | 225,—           | 3212,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 131,—  | 15,—            | 146,—                           |
| Mini Tilting Container Type MGU                           | Category | Price  | Freight charges | Price including freight charges |
| <b>MGU 230, painted</b>                                   | A        | 549,—  | 141,—           | 690,—                           |
| Lid, galvanized                                           | A        | 126,—  | 18,—            | 144,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>MGU 230, hot-dip galvanized</b>                        | A        | 632,—  | 225,—           | 857,—                           |
| Lid, galvanized                                           | A        | 126,—  | 18,—            | 144,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>MGU 270, painted</b>                                   | A        | 600,—  | 225,—           | 825,—                           |
| Lid, galvanized                                           | A        | 126,—  | 18,—            | 144,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>MGU 270, hot-dip galvanized</b>                        | A        | 704,—  | 225,—           | 929,—                           |
| Lid, galvanized                                           | A        | 126,—  | 18,—            | 144,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>MGU 460, painted</b>                                   | A        | 787,—  | 225,—           | 1012,—                          |
| Lid, galvanized                                           | A        | 163,—  | 22,—            | 185,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>MGU 460, hot-dip galvanized</b>                        | A        | 934,—  | 225,—           | 1159,—                          |
| Lid, galvanized                                           | A        | 163,—  | 22,—            | 185,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>MGU 610, painted</b>                                   | A        | 887,—  | 225,—           | 1112,—                          |
| Lid, galvanized                                           | A        | 174,—  | 26,—            | 200,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>MGU 610, hot-dip galvanized</b>                        | A        | 1052,— | 225,—           | 1277,—                          |
| Lid, galvanized                                           | A        | 174,—  | 26,—            | 200,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Wheelie Bin Jack Type MH                                  | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| MH-I, painted                                             | A        | 634,–  | 141,–           | 775,–                           |
| MH-II, painted                                            | A        | 700,–  | 141,–           | 841,–                           |
| MH-III, painted                                           | A        | 757,–  | 141,–           | 898,–                           |
| Wheelie Bin Tipper Type MK                                | Category | Price  | Freight charges | Price including freight charges |
| MK 120, painted                                           | A        | 1229,– | 141,–           | 1370,–                          |
| MK 240, painted                                           | A        | 1229,– | 141,–           | 1370,–                          |
| Wheelie Bin Tipper Type MK-H                              | Category | Price  | Freight charges | Price including freight charges |
| MK-H 120, painted                                         | A        | 1837,– | 141,–           | 1978,–                          |
| MK-H 240, painted                                         | A        | 1837,– | 225,–           | 2062,–                          |
| Mini Container With Drop Away Base Type MSB               | Category | Price  | Freight charges | Price including freight charges |
| MSB 150, painted                                          | A        | 614,–  | 141,–           | 755,–                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,–  | 15,–            | 165,–                           |
| Guiding Plates, galvanized                                | A        | 70,–   | 12,–            | 82,–                            |
| MSB 150, hot-dip galvanized                               | A        | 720,–  | 141,–           | 861,–                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,–  | 15,–            | 165,–                           |
| Guiding Plates, galvanized                                | A        | 70,–   | 12,–            | 82,–                            |
| MSB 250, painted                                          | A        | 666,–  | 141,–           | 807,–                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,–  | 15,–            | 165,–                           |
| Guiding Plates, galvanized                                | A        | 70,–   | 12,–            | 82,–                            |
| MSB 250, hot-dip galvanized                               | A        | 798,–  | 141,–           | 939,–                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,–  | 15,–            | 165,–                           |
| Guiding Plates, galvanized                                | A        | 70,–   | 12,–            | 82,–                            |
| MSB 400, painted                                          | A        | 821,–  | 141,–           | 962,–                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,–  | 15,–            | 165,–                           |
| Guiding Plates, galvanized                                | A        | 70,–   | 12,–            | 82,–                            |
| MSB 400, hot-dip galvanized                               | A        | 983,–  | 225,–           | 1208,–                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,–  | 15,–            | 165,–                           |
| Guiding Plates, galvanized                                | A        | 70,–   | 12,–            | 82,–                            |
| Tilting Container Type NK                                 | Category | Price  | Freight charges | Price including freight charges |
| NK 30, painted                                            | A        | 676,–  | 225,–           | 901,–                           |
| Lid, galvanized                                           | A        | 94,–   | 15,–            | 109,–                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,–  | 15,–            | 200,–                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,–   | 0,–             | 75,–                            |
| NK 30, hot-dip galvanized                                 | A        | 950,–  | 225,–           | 1175,–                          |
| Lid, galvanized                                           | A        | 94,–   | 15,–            | 109,–                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,–  | 15,–            | 200,–                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,–   | 0,–             | 75,–                            |
| NK 50, painted                                            | A        | 950,–  | 225,–           | 1175,–                          |
| Lid, galvanized                                           | A        | 94,–   | 18,–            | 112,–                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,–  | 15,–            | 200,–                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,–   | 0,–             | 75,–                            |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Tilting Container Type NK                                 | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>NK 50, hot-dip galvanized</b>                          | A        | 1282,— | 225,—           | 1507,—                          |
| Lid, galvanized                                           | A        | 94,—   | 18,—            | 112,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>NK 75, painted</b>                                     | A        | 1077,— | 327,—           | 1404,—                          |
| Lid, galvanized                                           | A        | 137,—  | 22,—            | 159,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>NK 75, hot-dip galvanized</b>                          | A        | 1684,— | 327,—           | 2011,—                          |
| Lid, galvanized                                           | A        | 137,—  | 22,—            | 159,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>NK 100, painted</b>                                    | A        | 1457,— | 327,—           | 1784,—                          |
| Lid, galvanized                                           | A        | 167,—  | 27,—            | 194,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>NK 100, hot-dip galvanized</b>                         | A        | 2000,— | 327,—           | 2327,—                          |
| Lid, galvanized                                           | A        | 167,—  | 27,—            | 194,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| Cylindrical Container Type RB                             | Category | Price  | Freight charges | Price including freight charges |
| <b>RB 300, painted</b>                                    | A        | 656,—  | 141,—           | 797,—                           |
| Lid, aluminium                                            | A        | 154,—  | 14,—            | 168,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| <b>RB 300, hot-dip galvanized</b>                         | A        | 763,—  | 141,—           | 904,—                           |
| Lid, aluminium                                            | A        | 154,—  | 14,—            | 168,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| <b>RB 450, painted</b>                                    | A        | 766,—  | 141,—           | 907,—                           |
| Lid, aluminium                                            | A        | 154,—  | 14,—            | 168,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| <b>RB 450, hot-dip galvanized</b>                         | A        | 895,—  | 141,—           | 1036,—                          |
| Lid, aluminium                                            | A        | 154,—  | 14,—            | 168,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| Tilting Container Type RD                                 | Category | Price  | Freight charges | Price including freight charges |
| <b>RD 750, painted</b>                                    | A        | 1161,— | 327,—           | 1488,—                          |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>RD 750, hot-dip galvanized</b>                         | A        | 1547,— | 327,—           | 1874,—                          |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>RD 1000, painted</b>                                   | A        | 1400,— | 327,—           | 1727,—                          |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Tilting Container Type RD                                 | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| RD 1000, hot-dip galvanized                               | A        | 1867,— | 327,—           | 2194,—                          |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| Platform for Off-Cuts Type RGP                            | Category | Price  | Freight charges | Price including freight charges |
| RGP-1, painted                                            | A        | 2354,— | on request      | on request                      |
| RGP-1, hot-dip galvanized                                 | A        | 3012,— | on request      | on request                      |
| RGP-2, painted                                            | A        | 2578,— | on request      | on request                      |
| RGP-2, hot-dip galvanized                                 | A        | 3437,— | on request      | on request                      |
| RGP-3, painted                                            | A        | 2808,— | on request      | on request                      |
| RGP-3, hot-dip galvanized                                 | A        | 3783,— | on request      | on request                      |
| Shunting Aid Type RH                                      | Category | Price  | Freight charges | Price including freight charges |
| RH, painted                                               | A        | 411,—  | 60,—            | 471,—                           |
| Shunting Aid Type RH-AC                                   | Category | Price  | Freight charges | Price including freight charges |
| RH-AC, painted                                            | A        | 2227,— | 327,—           | 2554,—                          |
| Shunting Aid Type RH-RA                                   | Category | Price  | Freight charges | Price including freight charges |
| RH-RA, painted                                            | A        | 1532,— | 141,—           | 1673,—                          |
| Shunting Aid Type RH-RAK                                  | Category | Price  | Freight charges | Price including freight charges |
| RH-RAK, painted                                           | A        | 1633,— | 141,—           | 1774,—                          |
| Shunting Aid Type RH-RM                                   | Category | Price  | Freight charges | Price including freight charges |
| RH-RM, painted                                            | A        | 1138,— | 141,—           | 1279,—                          |
| Shunting Aid Type RH-RMK                                  | Category | Price  | Freight charges | Price including freight charges |
| RH-RMK, painted                                           | A        | 1241,— | 141,—           | 1382,—                          |
| Drum Lifter Type RS 60                                    | Category | Price  | Freight charges | Price including freight charges |
| RS 60-I, painted                                          | B        | 978,—  | 141,—           | 1119,—                          |
| RS 60-I, hot-dip galvanized                               | B        | 1039,— | 141,—           | 1180,—                          |
| RS 60-II, painted                                         | B        | 1655,— | 141,—           | 1796,—                          |
| RS 60-II, hot-dip galvanized                              | B        | 1737,— | 141,—           | 1878,—                          |
| Drum Lifter Type RS                                       | Category | Price  | Freight charges | Price including freight charges |
| RS-I/91, painted                                          | B        | 1643,— | 225,—           | 1868,—                          |
| RS-I/91, hot-dip galvanized                               | B        | 1879,— | 225,—           | 2104,—                          |
| RS-II/91, painted                                         | B        | 2848,— | 225,—           | 3073,—                          |
| RS-II/91, hot-dip galvanized                              | B        | 3207,— | 225,—           | 3432,—                          |
| RS-I/M, painted                                           | B        | 1503,— | 141,—           | 1644,—                          |
| RS-I/M, hot-dip galvanized                                | B        | 1737,— | 225,—           | 1962,—                          |
| RS-II/M, painted                                          | B        | 2572,— | 225,—           | 2797,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Drum Lifter Type RS                                                  | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| RS-II/M, hot-dip galvanized                                          | B        | 2927,— | 225,—           | 3152,—                          |
| Drum Lifter Type RS/D 91                                             | Category | Price  | Freight charges | Price including freight charges |
| RS-I/D 91, painted                                                   | B        | 1437,— | 225,—           | 1662,—                          |
| RS-I/D 91, hot-dip galvanized                                        | B        | 1671,— | 225,—           | 1896,—                          |
| RS-II/D 91, painted                                                  | B        | 2435,— | 225,—           | 2660,—                          |
| RS-II/D 91, hot-dip galvanized                                       | B        | 2789,— | 225,—           | 3014,—                          |
| Swarf Tilting Container Type S3S                                     | Category | Price  | Freight charges | Price including freight charges |
| S3S 300, painted                                                     | A        | 1311,— | 225,—           | 1536,—                          |
| Lid, galvanized                                                      | A        | 168,—  | 18,—            | 186,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set            | A        | 131,—  | 15,—            | 146,—                           |
| S3S 300, hot-dip galvanized                                          | A        | 1404,— | 327,—           | 1731,—                          |
| Lid, galvanized                                                      | A        | 168,—  | 18,—            | 186,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set            | A        | 131,—  | 15,—            | 146,—                           |
| S3S 600, painted                                                     | A        | 1365,— | 327,—           | 1692,—                          |
| Lid, galvanized                                                      | A        | 189,—  | 22,—            | 211,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set            | A        | 131,—  | 15,—            | 146,—                           |
| S3S 600, hot-dip galvanized                                          | A        | 1462,— | 327,—           | 1789,—                          |
| Lid, galvanized                                                      | A        | 189,—  | 22,—            | 211,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set            | A        | 131,—  | 15,—            | 146,—                           |
| Swarf Tilting Container Type S4A                                     | Category | Price  | Freight charges | Price including freight charges |
| S4A 600, painted                                                     | A        | 1228,— | 225,—           | 1453,—                          |
| Lid, galvanized                                                      | A        | 189,—  | 22,—            | 211,—                           |
| S4A 600, hot-dip galvanized                                          | A        | 1370,— | 225,—           | 1595,—                          |
| Lid, galvanized                                                      | A        | 189,—  | 22,—            | 211,—                           |
| S4A 900, painted                                                     | A        | 1360,— | 327,—           | 1687,—                          |
| Lid, galvanized                                                      | A        | 215,—  | 27,—            | 242,—                           |
| S4A 900, hot-dip galvanized                                          | A        | 1541,— | 327,—           | 1868,—                          |
| Lid, galvanized                                                      | A        | 215,—  | 27,—            | 242,—                           |
| S4A 1200, painted                                                    | A        | 1446,— | 327,—           | 1773,—                          |
| Lid, galvanized                                                      | A        | 215,—  | 26,—            | 241,—                           |
| S4A 1200, hot-dip galvanized                                         | A        | 1671,— | 327,—           | 1998,—                          |
| Lid, galvanized                                                      | A        | 215,—  | 26,—            | 241,—                           |
| Container With Drop Away Base Type SB                                | Category | Price  | Freight charges | Price including freight charges |
| SB 500, painted                                                      | B        | 966,—  | 225,—           | 1191,—                          |
| Lid, galvanized                                                      | B        | 138,—  | 16,—            | 154,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| SB 500, hot-dip galvanized                                           | B        | 1258,— | 225,—           | 1483,—                          |
| Lid, galvanized                                                      | B        | 138,—  | 16,—            | 154,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Container With Drop Away Base Type SB                                | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>SB 750, painted</b>                                               | B        | 1057,— | 225,—           | 1282,—                          |
| Lid, galvanized                                                      | B        | 138,—  | 16,—            | 154,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| <b>SB 750, hot-dip galvanized</b>                                    | B        | 1468,— | 327,—           | 1795,—                          |
| Lid, galvanized                                                      | B        | 138,—  | 16,—            | 154,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| <b>SB 1000, painted</b>                                              | B        | 1251,— | 327,—           | 1578,—                          |
| Lid, galvanized                                                      | B        | 138,—  | 16,—            | 154,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| <b>SB 1000, hot-dip galvanized</b>                                   | B        | 1740,— | 327,—           | 2067,—                          |
| Lid, galvanized                                                      | B        | 138,—  | 16,—            | 154,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| <b>SB 1500, painted</b>                                              | B        | 1695,— | 327,—           | 2022,—                          |
| Lid, galvanized                                                      | B        | 245,—  | 21,—            | 266,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| <b>SB 1500, hot-dip galvanized</b>                                   | B        | 2360,— | 398,—           | 2758,—                          |
| Lid, galvanized                                                      | B        | 245,—  | 21,—            | 266,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| <b>SB 2000, painted</b>                                              | B        | 1742,— | 398,—           | 2140,—                          |
| Lid, galvanized                                                      | B        | 245,—  | 21,—            | 266,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| <b>SB 2000, hot-dip galvanized</b>                                   | B        | 2493,— | 398,—           | 2891,—                          |
| Lid, galvanized                                                      | B        | 245,—  | 21,—            | 266,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 185,—  | 15,—            | 200,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Collecting System Type SBS                                           | Category | Price  | Freight charges | Price including freight charges |
| <b>SBS 500, painted</b>                                              | C        | 385,—  | 225,—           | 610,—                           |
| Trolley TW 500, hot-dip galvanized                                   | C        | 249,—  | 141,—           | 390,—                           |
| <b>SBS 500, hot-dip galvanized</b>                                   | C        | 456,—  | 225,—           | 681,—                           |
| Trolley TW 500, hot-dip galvanized                                   | C        | 249,—  | 141,—           | 390,—                           |
| <b>SBS 1000, painted</b>                                             | C        | 491,—  | 225,—           | 716,—                           |
| Trolley TW 1000, hot-dip galvanized                                  | C        | 286,—  | 141,—           | 427,—                           |
| <b>SBS 1000, hot-dip galvanized</b>                                  | C        | 604,—  | 225,—           | 829,—                           |
| Trolley TW 1000, hot-dip galvanized                                  | C        | 286,—  | 141,—           | 427,—                           |
| <b>SBS 2000, painted</b>                                             | C        | 779,—  | 380,—           | 1159,—                          |
| Trolley TW 2000, hot-dip galvanized                                  | C        | 487,—  | 141,—           | 628,—                           |
| <b>SBS 2000, hot-dip galvanized</b>                                  | C        | 935,—  | 380,—           | 1315,—                          |
| Trolley TW 2000, hot-dip galvanized                                  | C        | 487,—  | 141,—           | 628,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Filling Hopper Type SBT        | Category | Price  | Freight charges | Price including freight charges |
|--------------------------------|----------|--------|-----------------|---------------------------------|
| SBT, painted                   | A        | 1614,— | 327,—           | 1941,—                          |
| Snowdozer Type SCH-F           | Category | Price  | Freight charges | Price including freight charges |
| SCH-F 150, painted             | A        | 2157,— | 327,—           | 2484,—                          |
| SCH-F 180, painted             | A        | 2422,— | 327,—           | 2749,—                          |
| SCH-F 210, painted             | A        | 2722,— | 327,—           | 3049,—                          |
| SCH-F 240, painted             | A        | 2990,— | 451,—           | 3441,—                          |
| Snowdozer Type SCH-G           | Category | Price  | Freight charges | Price including freight charges |
| SCH-G 150, painted             | A        | 1530,— | 225,—           | 1755,—                          |
| SCH-G 180, painted             | A        | 1671,— | 225,—           | 1896,—                          |
| SCH-G 210, painted             | A        | 1930,— | 327,—           | 2257,—                          |
| SCH-G 240, painted             | A        | 2086,— | 380,—           | 2466,—                          |
| Snowdozer Type SCH-L           | Category | Price  | Freight charges | Price including freight charges |
| SCH-L 1500, painted            | A        | 1142,— | 225,—           | 1367,—                          |
| SCH-L 1500, hot-dip galvanized | A        | 1265,— | 225,—           | 1490,—                          |
| SCH-L 1800, painted            | A        | 1333,— | 225,—           | 1558,—                          |
| SCH-L 1800, hot-dip galvanized | A        | 1480,— | 225,—           | 1705,—                          |
| Snow Plough Type SCH-P-G       | Category | Price  | Freight charges | Price including freight charges |
| SCH-P-G 150, painted           | A        | 2408,— | 327,—           | 2735,—                          |
| SCH-P-G 180, painted           | A        | 2586,— | 327,—           | 2913,—                          |
| SCH-P-G 210, painted           | A        | 2772,— | 327,—           | 3099,—                          |
| SCH-P-G 240, painted           | A        | 3292,— | 380,—           | 3672,—                          |
| Snow Plough Type SCH-P-S       | Category | Price  | Freight charges | Price including freight charges |
| SCH-P-S 150, painted           | A        | 2239,— | 327,—           | 2566,—                          |
| SCH-P-S 180, painted           | A        | 2392,— | 327,—           | 2719,—                          |
| SCH-P-S 210, painted           | A        | 2540,— | 327,—           | 2867,—                          |
| SCH-P-S 240, painted           | A        | 3022,— | 380,—           | 3402,—                          |
| Snow Plough Type SCH-P-V       | Category | Price  | Freight charges | Price including freight charges |
| SCH-P-V 150, painted           | A        | 2590,— | 327,—           | 2917,—                          |
| SCH-P-V 180, painted           | A        | 2849,— | 327,—           | 3176,—                          |
| SCH-P-V 210, painted           | A        | 3091,— | 327,—           | 3418,—                          |
| SCH-P-V 240, painted           | A        | 3614,— | 380,—           | 3994,—                          |
| Snowdozer Type SCH-S           | Category | Price  | Freight charges | Price including freight charges |
| SCH-S 150, painted             | A        | 1359,— | 225,—           | 1584,—                          |
| SCH-S 180, painted             | A        | 1476,— | 225,—           | 1701,—                          |
| SCH-S 210, painted             | A        | 1700,— | 327,—           | 2027,—                          |
| SCH-S 240, painted             | A        | 1816,— | 380,—           | 2196,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Snow Plough Type SCH-U-G     | Category | Price  | Freight charges | Price including freight charges |
|------------------------------|----------|--------|-----------------|---------------------------------|
| SCH-U-G 150, painted         | A        | 2408,— | 327,—           | 2735,—                          |
| SCH-U-G 180, painted         | A        | 2586,— | 327,—           | 2913,—                          |
| SCH-U-G 210, painted         | A        | 2772,— | 327,—           | 3099,—                          |
| SCH-U-G 240, painted         | A        | 3292,— | 380,—           | 3672,—                          |
| Snow Plough Type SCH-U-S     | Category | Price  | Freight charges | Price including freight charges |
| SCH-U-S 150, painted         | A        | 2239,— | 327,—           | 2566,—                          |
| SCH-U-S 180, painted         | A        | 2392,— | 327,—           | 2719,—                          |
| SCH-U-S 210, painted         | A        | 2540,— | 327,—           | 2867,—                          |
| SCH-U-S 240, painted         | A        | 3022,— | 380,—           | 3402,—                          |
| Snow Plough Type SCH-U-V     | Category | Price  | Freight charges | Price including freight charges |
| SCH-U-V 150, painted         | A        | 2590,— | 327,—           | 2917,—                          |
| SCH-U-V 180, painted         | A        | 2849,— | 327,—           | 3176,—                          |
| SCH-U-V 210, painted         | A        | 3091,— | 327,—           | 3418,—                          |
| SCH-U-V 240, painted         | A        | 3614,— | 380,—           | 3994,—                          |
| Snowdozer Type SCH-V         | Category | Price  | Freight charges | Price including freight charges |
| SCH-V 150, painted           | A        | 1709,— | 225,—           | 1934,—                          |
| SCH-V 180, painted           | A        | 1923,— | 225,—           | 2148,—                          |
| SCH-V 210, painted           | A        | 2252,— | 327,—           | 2579,—                          |
| SCH-V 240, painted           | A        | 2407,— | 380,—           | 2787,—                          |
| Silo Container Type SG       | Category | Price  | Freight charges | Price including freight charges |
| SG 375, painted              | E        | 979,—  | 225,—           | 1204,—                          |
| Lid, galvanized              | E        | 126,—  | 28,—            | 154,—                           |
| SG 375, hot-dip galvanized   | E        | 1700,— | 225,—           | 1925,—                          |
| Lid, galvanized              | E        | 126,—  | 28,—            | 154,—                           |
| SG 600, painted              | E        | 1168,— | 225,—           | 1393,—                          |
| Lid, galvanized              | E        | 126,—  | 28,—            | 154,—                           |
| SG 600, hot-dip galvanized   | E        | 1885,— | 225,—           | 2110,—                          |
| Lid, galvanized              | E        | 126,—  | 28,—            | 154,—                           |
| Silo Container Type SG-D     | Category | Price  | Freight charges | Price including freight charges |
| SG-D 375, painted            | E        | 979,—  | 141,—           | 1120,—                          |
| Lid, galvanized              | E        | 126,—  | 28,—            | 154,—                           |
| SG-D 375, hot-dip galvanized | E        | 1700,— | 225,—           | 1925,—                          |
| Lid, galvanized              | E        | 126,—  | 28,—            | 154,—                           |
| SG-D 600, painted            | E        | 1168,— | 225,—           | 1393,—                          |
| Lid, galvanized              | E        | 126,—  | 28,—            | 154,—                           |
| SG-D 600, hot-dip galvanized | E        | 1885,— | 225,—           | 2110,—                          |
| Lid, galvanized              | E        | 126,—  | 28,—            | 154,—                           |
| Silo Container Type SGK      | Category | Price  | Freight charges | Price including freight charges |
| SGK 50, painted              | A        | 1077,— | 225,—           | 1302,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Silo Container Type SGK                                   | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| SGK 50, hot-dip galvanized                                | A        | 1103,— | 225,—           | 1328,—                          |
| SGK 75, painted                                           | A        | 1172,— | 225,—           | 1397,—                          |
| SGK 75, hot-dip galvanized                                | A        | 1208,— | 225,—           | 1433,—                          |
| SGK 100, painted                                          | A        | 1282,— | 225,—           | 1507,—                          |
| SGK 100, hot-dip galvanized                               | A        | 1320,— | 225,—           | 1545,—                          |
| Silo Container Type SGS                                   | Category | Price  | Freight charges | Price including freight charges |
| SGS 50, painted                                           | A        | 855,—  | 141,—           | 996,—                           |
| SGS 50, hot-dip galvanized                                | A        | 871,—  | 225,—           | 1096,—                          |
| SGS 75, painted                                           | A        | 948,—  | 225,—           | 1173,—                          |
| SGS 75, hot-dip galvanized                                | A        | 980,—  | 225,—           | 1205,—                          |
| SGS 100, painted                                          | A        | 1041,— | 225,—           | 1266,—                          |
| SGS 100, hot-dip galvanized                               | A        | 1072,— | 225,—           | 1297,—                          |
| Swarf Tilting Container Type SGU                          | Category | Price  | Freight charges | Price including freight charges |
| SGU 30, painted                                           | A        | 908,—  | 225,—           | 1133,—                          |
| Lid, galvanized                                           | A        | 94,—   | 18,—            | 112,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |
| SGU 30, hot-dip galvanized                                | A        | 1079,— | 225,—           | 1304,—                          |
| Lid, galvanized                                           | A        | 94,—   | 18,—            | 112,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |
| SGU 50, painted                                           | A        | 1123,— | 225,—           | 1348,—                          |
| Lid, galvanized                                           | A        | 94,—   | 18,—            | 112,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Adjustable dumping brake                                  | A        | 448,—  | 10,—            | 458,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |
| SGU 50, hot-dip galvanized                                | A        | 1359,— | 225,—           | 1584,—                          |
| Lid, galvanized                                           | A        | 94,—   | 18,—            | 112,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Adjustable dumping brake                                  | A        | 448,—  | 10,—            | 458,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |
| SGU 75, painted                                           | A        | 1267,— | 225,—           | 1492,—                          |
| Lid, galvanized                                           | A        | 134,—  | 26,—            | 160,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Adjustable dumping brake                                  | A        | 448,—  | 10,—            | 458,—                           |
| Crane lifting eyes for use with a crane                   | A        | 102,—  | 8,—             | 110,—                           |
| Support legs, 100 mm ground leeway                        | A        | 67,—   | 8,—             | 75,—                            |
| SGU 75, hot-dip galvanized                                | A        | 1568,— | 225,—           | 1793,—                          |
| Lid, galvanized                                           | A        | 134,—  | 26,—            | 160,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| <b>Swarf Tilting Container Type SGU</b>                   | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|-----------------------------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>SGU 100, painted</b>                                   | A               | 1517,—       | 327,—                  | 1844,—                                 |
| Lid, galvanized                                           | A               | 185,—        | 27,—                   | 212,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>SGU 100, hot-dip galvanized</b>                        | A               | 2048,—       | 327,—                  | 2375,—                                 |
| Lid, galvanized                                           | A               | 185,—        | 27,—                   | 212,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>SGU 150, painted</b>                                   | A               | 1704,—       | 327,—                  | 2031,—                                 |
| Lid, galvanized                                           | A               | 185,—        | 27,—                   | 212,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>SGU 150, hot-dip galvanized</b>                        | A               | 2166,—       | 327,—                  | 2493,—                                 |
| Lid, galvanized                                           | A               | 185,—        | 27,—                   | 212,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>SGU 200, painted</b>                                   | A               | 2140,—       | 398,—                  | 2538,—                                 |
| Lid, galvanized                                           | A               | 218,—        | 32,—                   | 250,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>SGU 200, hot-dip galvanized</b>                        | A               | 2685,—       | 398,—                  | 3083,—                                 |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 185,—        | 15,—                   | 200,—                                  |
| Lid, galvanized                                           | A               | 218,—        | 32,—                   | 250,—                                  |
| Adjustable dumping brake                                  | A               | 448,—        | 10,—                   | 458,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 102,—        | 8,—                    | 110,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 67,—         | 8,—                    | 75,—                                   |
| <b>Swarf Tilting Container Type SGU-RZ</b>                | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>SGU-RZ 30, painted</b>                                 | A               | 939,—        | 225,—                  | 1164,—                                 |
| Lid, galvanized                                           | A               | 91,—         | 18,—                   | 109,—                                  |
| <b>SGU-RZ 30, hot-dip galvanized</b>                      | A               | 1059,—       | 225,—                  | 1284,—                                 |
| Lid, galvanized                                           | A               | 91,—         | 18,—                   | 109,—                                  |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| <b>Swarf Tilting Container Type SGU-RZ</b>                           | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|----------------------------------------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| <b>SGU-RZ 55, painted</b>                                            | A               | 1161,—       | 225,—                  | 1386,—                                 |
| Lid, galvanized                                                      | A               | 91,—         | 18,—                   | 109,—                                  |
| <b>SGU-RZ 55, hot-dip galvanized</b>                                 | A               | 1269,—       | 225,—                  | 1494,—                                 |
| Lid, galvanized                                                      | A               | 91,—         | 18,—                   | 109,—                                  |
| <b>Gritter Type SH</b>                                               | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>SH, painted</b>                                                   | A               | 3448,—       | 225,—                  | 3673,—                                 |
| Tarpaulin                                                            | A               | 117,—        | 10,—                   | 127,—                                  |
| <b>Forklift Safety Cage Type SIKO</b>                                | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>SIKO, painted</b>                                                 | A               | 701,—        | 225,—                  | 926,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set            | A               | 131,—        | 15,—                   | 146,—                                  |
| <b>Forklift Safety Cage Type SIKO/L</b>                              | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>SIKO/L, painted</b>                                               | A               | 848,—        | 225,—                  | 1073,—                                 |
| Castor Set, polyamide, Load capacity 1050 kg / castor set            | A               | 131,—        | 15,—                   | 146,—                                  |
| <b>Forklift Safety Cage Type SIKO-G</b>                              | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>SIKO-G, painted</b>                                               | A               | 634,—        | 141,—                  | 775,—                                  |
| <b>Forklift Safety Cage Type SIKO-M</b>                              | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>SIKO-M, painted</b>                                               | A               | 511,—        | 141,—                  | 652,—                                  |
| <b>Heavy Duty Tilting Container Type SK</b>                          | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>SK 300, painted</b>                                               | A               | 1237,—       | 327,—                  | 1564,—                                 |
| Lid, galvanized                                                      | A               | 168,—        | 18,—                   | 186,—                                  |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A               | 366,—        | 15,—                   | 381,—                                  |
| Skip Body Welded Oil and Watertight                                  | A               | 75,—         | 0,—                    | 75,—                                   |
| <b>SK 300, hot-dip galvanized</b>                                    | A               | 1502,—       | 327,—                  | 1829,—                                 |
| Lid, galvanized                                                      | A               | 168,—        | 18,—                   | 186,—                                  |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A               | 366,—        | 15,—                   | 381,—                                  |
| Skip Body Welded Oil and Watertight                                  | A               | 75,—         | 0,—                    | 75,—                                   |
| <b>SK 600, painted</b>                                               | A               | 1339,—       | 327,—                  | 1666,—                                 |
| Lid, galvanized                                                      | A               | 189,—        | 22,—                   | 211,—                                  |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A               | 366,—        | 15,—                   | 381,—                                  |
| Skip Body Welded Oil and Watertight                                  | A               | 75,—         | 0,—                    | 75,—                                   |
| <b>SK 600, hot-dip galvanized</b>                                    | A               | 1665,—       | 398,—                  | 2063,—                                 |
| Lid, galvanized                                                      | A               | 189,—        | 22,—                   | 211,—                                  |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A               | 366,—        | 15,—                   | 381,—                                  |
| Skip Body Welded Oil and Watertight                                  | A               | 75,—         | 0,—                    | 75,—                                   |
| <b>SK 900, painted</b>                                               | A               | 1458,—       | 398,—                  | 1856,—                                 |
| Lid, galvanized                                                      | A               | 215,—        | 27,—                   | 242,—                                  |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A               | 366,—        | 15,—                   | 381,—                                  |
| Skip Body Welded Oil and Watertight                                  | A               | 75,—         | 0,—                    | 75,—                                   |
| <b>SK 900, hot-dip galvanized</b>                                    | A               | 1875,—       | 398,—                  | 2273,—                                 |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Heavy Duty Tilting Container Type SK                                 | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Lid, galvanized                                                      | A        | 215,—  | 27,—            | 242,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 75,—   | 0,—             | 75,—                            |
| <b>SK 1200, painted</b>                                              | A        | 1710,— | 398,—           | 2108,—                          |
| Lid, galvanized                                                      | A        | 215,—  | 26,—            | 241,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| <b>SK 1200, hot-dip galvanized</b>                                   | A        | 2200,— | 567,—           | 2767,—                          |
| Lid, galvanized                                                      | A        | 215,—  | 26,—            | 241,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| <b>SK 1700, painted</b>                                              | A        | 1799,— | 567,—           | 2366,—                          |
| Lid, galvanized                                                      | A        | 266,—  | 33,—            | 299,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| <b>SK 1700, hot-dip galvanized</b>                                   | A        | 2407,— | 567,—           | 2974,—                          |
| Lid, galvanized                                                      | A        | 266,—  | 33,—            | 299,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| <b>SK 2100, painted</b>                                              | A        | 1963,— | 567,—           | 2530,—                          |
| Lid, galvanized                                                      | A        | 347,—  | 36,—            | 383,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| <b>SK 2100, hot-dip galvanized</b>                                   | A        | 2646,— | 567,—           | 3213,—                          |
| Lid, galvanized                                                      | A        | 347,—  | 36,—            | 383,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 366,—  | 15,—            | 381,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 116,—  | 0,—             | 116,—                           |
| Broom Type SKB                                                       | Category | Price  | Freight charges | Price including freight charges |
| <b>SKB 100, painted</b>                                              | A        | 925,—  | 141,—           | 1066,—                          |
| <b>SKB 150, painted</b>                                              | A        | 1156,— | 141,—           | 1297,—                          |
| <b>SKB 200, painted</b>                                              | A        | 1425,— | 141,—           | 1566,—                          |
| Broom Type SKB-0                                                     | Category | Price  | Freight charges | Price including freight charges |
| <b>SKB-0 100, painted</b>                                            | A        | 635,—  | 141,—           | 776,—                           |
| <b>SKB-0 150, painted</b>                                            | A        | 867,—  | 141,—           | 1008,—                          |
| <b>SKB-0 200, painted</b>                                            | A        | 1136,— | 141,—           | 1277,—                          |
| Swarf Tipping Skip Type SKK                                          | Category | Price  | Freight charges | Price including freight charges |
| <b>SKK 250, painted</b>                                              | E        | 515,—  | 141,—           | 656,—                           |
| Lid, galvanized                                                      | E        | 131,—  | 15,—            | 146,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set            | A        | 131,—  | 15,—            | 146,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set          | E        | 99,—   | 15,—            | 114,—                           |
| <b>SKK 250, hot-dip galvanized</b>                                   | E        | 563,—  | 141,—           | 704,—                           |
| Lid, galvanized                                                      | E        | 131,—  | 15,—            | 146,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| <b>Swarf Tipping Skip Type SKK</b>                          | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|-------------------------------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>SKK 400, painted</b>                                     | E               | 579,—        | 141,—                  | 720,—                                  |
| Lid, galvanized                                             | E               | 150,—        | 16,—                   | 166,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>SKK 400, hot-dip galvanized</b>                          | E               | 627,—        | 141,—                  | 768,—                                  |
| Lid, galvanized                                             | E               | 150,—        | 16,—                   | 166,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>SKK 600, painted</b>                                     | E               | 787,—        | 225,—                  | 1012,—                                 |
| Lid, galvanized                                             | E               | 167,—        | 20,—                   | 187,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>SKK 600, hot-dip galvanized</b>                          | E               | 883,—        | 225,—                  | 1108,—                                 |
| Lid, galvanized                                             | E               | 167,—        | 20,—                   | 187,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>SKK 800, painted</b>                                     | E               | 842,—        | 225,—                  | 1067,—                                 |
| Lid, galvanized                                             | E               | 174,—        | 21,—                   | 195,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>SKK 800, hot-dip galvanized</b>                          | E               | 946,—        | 225,—                  | 1171,—                                 |
| Lid, galvanized                                             | E               | 174,—        | 21,—                   | 195,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>SKK 1000, painted</b>                                    | E               | 898,—        | 225,—                  | 1123,—                                 |
| Lid, galvanized                                             | E               | 186,—        | 22,—                   | 208,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>SKK 1000, hot-dip galvanized</b>                         | E               | 1027,—       | 225,—                  | 1252,—                                 |
| Lid, galvanized                                             | E               | 186,—        | 22,—                   | 208,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |

| <b>Swarf Tilting Container Type SKM</b> | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|-----------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| <b>SKM 30, painted</b>                  | A               | 917,—        | 225,—                  | 1142,—                                 |
| Lid, galvanized                         | A               | 100,—        | 18,—                   | 118,—                                  |
| <b>SKM 30, hot-dip galvanized</b>       | A               | 1109,—       | 225,—                  | 1334,—                                 |
| Lid, galvanized                         | A               | 100,—        | 18,—                   | 118,—                                  |
| <b>SKM 50, painted</b>                  | A               | 1178,—       | 225,—                  | 1403,—                                 |
| Lid, galvanized                         | A               | 152,—        | 28,—                   | 180,—                                  |
| <b>SKM 50, hot-dip galvanized</b>       | A               | 1428,—       | 225,—                  | 1653,—                                 |
| Lid, galvanized                         | A               | 152,—        | 28,—                   | 180,—                                  |
| <b>SKM 75, painted</b>                  | A               | 1419,—       | 225,—                  | 1644,—                                 |
| Lid, galvanized                         | A               | 169,—        | 33,—                   | 202,—                                  |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| <b>Swarf Tilting Container Type SKM</b>                     | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|-------------------------------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| <b>SKM 75, hot-dip galvanized</b>                           | A               | 1729,—       | 327,—                  | 2056,—                                 |
| Lid, galvanized                                             | A               | 169,—        | 33,—                   | 202,—                                  |
| <b>Swarf Tipping Skip Type SKN</b>                          | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>SKN 250, painted</b>                                     | E               | 515,—        | 141,—                  | 656,—                                  |
| Lid, galvanized                                             | E               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>SKN 250, hot-dip galvanized</b>                          | E               | 563,—        | 141,—                  | 704,—                                  |
| Lid, galvanized                                             | E               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>SKN 400, painted</b>                                     | E               | 579,—        | 141,—                  | 720,—                                  |
| Lid, galvanized                                             | E               | 150,—        | 16,—                   | 166,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>SKN 400, hot-dip galvanized</b>                          | E               | 627,—        | 141,—                  | 768,—                                  |
| Lid, galvanized                                             | E               | 150,—        | 16,—                   | 166,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 131,—        | 15,—                   | 146,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 99,—         | 15,—                   | 114,—                                  |
| <b>Swarf Tipping Skip Type SKS</b>                          | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>SKS 400, painted</b>                                     | E               | 914,—        | 225,—                  | 1139,—                                 |
| <b>SKS 550, painted</b>                                     | E               | 978,—        | 225,—                  | 1203,—                                 |
| <b>SKS 700, painted</b>                                     | E               | 1035,—       | 225,—                  | 1260,—                                 |
| <b>Swarf Barrow Tipper Type SKW-ET</b>                      | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>SKW-ET 250, painted</b>                                  | E               | 616,—        | 141,—                  | 757,—                                  |
| Lid, galvanized                                             | E               | 131,—        | 15,—                   | 146,—                                  |
| <b>SKW-ET 250, hot-dip galvanized</b>                       | E               | 942,—        | 141,—                  | 1083,—                                 |
| Lid, galvanized                                             | E               | 131,—        | 15,—                   | 146,—                                  |
| <b>SKW-ET 400, painted</b>                                  | E               | 673,—        | 141,—                  | 814,—                                  |
| Lid, galvanized                                             | E               | 150,—        | 16,—                   | 166,—                                  |
| <b>SKW-ET 400, hot-dip galvanized</b>                       | E               | 1034,—       | 141,—                  | 1175,—                                 |
| Lid, galvanized                                             | E               | 150,—        | 16,—                   | 166,—                                  |
| <b>SKW-ET 600, painted</b>                                  | E               | 822,—        | 225,—                  | 1047,—                                 |
| Lid, galvanized                                             | E               | 167,—        | 20,—                   | 187,—                                  |
| <b>SKW-ET 600, hot-dip galvanized</b>                       | E               | 1191,—       | 225,—                  | 1416,—                                 |
| Lid, galvanized                                             | E               | 167,—        | 20,—                   | 187,—                                  |
| <b>SKW-ET 1000, painted</b>                                 | E               | 997,—        | 225,—                  | 1222,—                                 |
| Lid, galvanized                                             | E               | 186,—        | 22,—                   | 208,—                                  |
| <b>SKW-ET 1000, hot-dip galvanized</b>                      | E               | 1587,—       | 225,—                  | 1812,—                                 |
| Lid, galvanized                                             | E               | 186,—        | 22,—                   | 208,—                                  |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Mini Swarf Tilting Container Type SMGU                    | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>SMGU 230, painted</b>                                  | A        | 665,—  | 141,—           | 806,—                           |
| Lid, galvanized                                           | A        | 126,—  | 18,—            | 144,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| <b>SMGU 230, hot-dip galvanized</b>                       | A        | 748,—  | 225,—           | 973,—                           |
| Lid, galvanized                                           | A        | 126,—  | 18,—            | 144,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| <b>SMGU 270, painted</b>                                  | A        | 718,—  | 225,—           | 943,—                           |
| Lid, galvanized                                           | A        | 126,—  | 18,—            | 144,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| <b>SMGU 270, hot-dip galvanized</b>                       | A        | 821,—  | 225,—           | 1046,—                          |
| Lid, galvanized                                           | A        | 126,—  | 18,—            | 144,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| <b>SMGU 460, painted</b>                                  | A        | 903,—  | 225,—           | 1128,—                          |
| Lid, galvanized                                           | A        | 163,—  | 22,—            | 185,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| <b>SMGU 460, hot-dip galvanized</b>                       | A        | 1051,— | 225,—           | 1276,—                          |
| Lid, galvanized                                           | A        | 163,—  | 22,—            | 185,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| <b>SMGU 610, painted</b>                                  | A        | 1005,— | 225,—           | 1230,—                          |
| Lid, galvanized                                           | A        | 174,—  | 26,—            | 200,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| <b>SMGU 610, hot-dip galvanized</b>                       | A        | 1168,— | 225,—           | 1393,—                          |
| Lid, galvanized                                           | A        | 174,—  | 26,—            | 200,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 150,—  | 15,—            | 165,—                           |
| Silo Container Type SR                                    | Category | Price  | Freight charges | Price including freight charges |
| <b>SR 375, painted</b>                                    | E        | 815,—  | 141,—           | 956,—                           |
| Lid, galvanized                                           | E        | 126,—  | 33,—            | 159,—                           |
| <b>SR 375, hot-dip galvanized</b>                         | E        | 1530,— | 141,—           | 1671,—                          |
| Lid, galvanized                                           | E        | 126,—  | 33,—            | 159,—                           |
| <b>SR 600, painted</b>                                    | E        | 1012,— | 225,—           | 1237,—                          |
| Lid, galvanized                                           | E        | 126,—  | 33,—            | 159,—                           |
| <b>SR 600, hot-dip galvanized</b>                         | E        | 1740,— | 225,—           | 1965,—                          |
| Lid, galvanized                                           | E        | 126,—  | 33,—            | 159,—                           |
| Silo Container Type SR-D                                  | Category | Price  | Freight charges | Price including freight charges |
| <b>SR-D 375, painted</b>                                  | E        | 815,—  | 141,—           | 956,—                           |
| Lid, galvanized                                           | E        | 126,—  | 33,—            | 159,—                           |
| <b>SR-D 375, hot-dip galvanized</b>                       | E        | 1530,— | 141,—           | 1671,—                          |
| Lid, galvanized                                           | E        | 126,—  | 33,—            | 159,—                           |
| <b>SR-D 600, painted</b>                                  | E        | 1012,— | 225,—           | 1237,—                          |
| Lid, galvanized                                           | E        | 126,—  | 33,—            | 159,—                           |
| <b>SR-D 600, hot-dip galvanized</b>                       | E        | 1740,— | 225,—           | 1965,—                          |
| Lid, galvanized                                           | E        | 126,—  | 33,—            | 159,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Silo Container Type SRE          | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------|----------|--------|-----------------|---------------------------------|
| SRE 375, painted                 | E        | 929,—  | 225,—           | 1154,—                          |
| Lid, galvanized                  | E        | 126,—  | 33,—            | 159,—                           |
| SRE 375, hot-dip galvanized      | E        | 1664,— | 225,—           | 1889,—                          |
| Lid, galvanized                  | E        | 126,—  | 33,—            | 159,—                           |
| SRE 600, painted                 | E        | 1131,— | 225,—           | 1356,—                          |
| Lid, galvanized                  | E        | 126,—  | 33,—            | 159,—                           |
| SRE 600, hot-dip galvanized      | E        | 1794,— | 225,—           | 2019,—                          |
| Lid, galvanized                  | E        | 126,—  | 33,—            | 159,—                           |
| Silo Container Type SRE-D        | Category | Price  | Freight charges | Price including freight charges |
| SRE-D 375, painted               | E        | 929,—  | 141,—           | 1070,—                          |
| Lid, galvanized                  | E        | 126,—  | 33,—            | 159,—                           |
| SRE-D 375, hot-dip galvanized    | E        | 1664,— | 225,—           | 1889,—                          |
| Lid, galvanized                  | E        | 126,—  | 33,—            | 159,—                           |
| SRE-D 600, painted               | E        | 1131,— | 225,—           | 1356,—                          |
| Lid, galvanized                  | E        | 126,—  | 33,—            | 159,—                           |
| SRE-D 600, hot-dip galvanized    | E        | 1794,— | 225,—           | 2019,—                          |
| Lid, galvanized                  | E        | 126,—  | 33,—            | 159,—                           |
| Forklift Tender System Type STS  | Category | Price  | Freight charges | Price including freight charges |
| STS 2,5, painted                 | C        | 3726,— | on request      | on request                      |
| STS 5,0, painted                 | C        | 4392,— | on request      | on request                      |
| Spreader Type STW                | Category | Price  | Freight charges | Price including freight charges |
| STW 100, painted                 | A        | 1174,— | 141,—           | 1315,—                          |
| Tarpaulin                        | A        | 112,—  | 10,—            | 122,—                           |
| STW 260, painted                 | A        | 2074,— | 141,—           | 2215,—                          |
| Tarpaulin                        | A        | 117,—  | 10,—            | 127,—                           |
| Traverse for Big Bags Type TBB   | Category | Price  | Freight charges | Price including freight charges |
| TBB, painted                     | A        | 870,—  | 141,—           | 1011,—                          |
| Traverse For Big Bags Type TBB-E | Category | Price  | Freight charges | Price including freight charges |
| TBB-E, painted                   | A        | 823,—  | 141,—           | 964,—                           |
| Traverse For Big Bags Type TBB-W | Category | Price  | Freight charges | Price including freight charges |
| TBB-W, painted                   | A        | 1056,— | 141,—           | 1197,—                          |
| Mini Lifting Beam Type TM        | Category | Price  | Freight charges | Price including freight charges |
| TM 200-500, hot-dip galvanized   | F        | 385,—  | 60,—            | 445,—                           |
| TM 400-800, hot-dip galvanized   | F        | 414,—  | 60,—            | 474,—                           |
| TM 800-1200, hot-dip galvanized  | F        | 546,—  | 60,—            | 606,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Tilting Container Type TRI0                                                                    | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>TRI0, painted</b>                                                                           | A        | 2254,— | 398,—           | 2652,—                          |
| Lid, galvanized                                                                                | A        | 207,—  | 26,—            | 233,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 28,—   | on request      | on request                      |
| Universal Container Type UC                                                                    | Category | Price  | Freight charges | Price including freight charges |
| <b>UC 500, painted</b>                                                                         | A        | 652,—  | 141,—           | 793,—                           |
| Lid, galvanized                                                                                | A        | 162,—  | 16,—            | 178,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Pick-up Profile on Type UC for Traverse Type UCT                                               | A        | 102,—  | 0,—             | 102,—                           |
| <b>UC 500, hot-dip galvanized</b>                                                              | A        | 744,—  | 225,—           | 969,—                           |
| Lid, galvanized                                                                                | A        | 162,—  | 16,—            | 178,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Pick-up Profile on Type UC for Traverse Type UCT                                               | A        | 102,—  | 0,—             | 102,—                           |
| <b>UC 750, painted</b>                                                                         | A        | 709,—  | 225,—           | 934,—                           |
| Lid, galvanized                                                                                | A        | 162,—  | 16,—            | 178,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Pick-up Profile on Type UC for Traverse Type UCT                                               | A        | 102,—  | 0,—             | 102,—                           |
| <b>UC 750, hot-dip galvanized</b>                                                              | A        | 824,—  | 225,—           | 1049,—                          |
| Lid, galvanized                                                                                | A        | 162,—  | 16,—            | 178,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Pick-up Profile on Type UC for Traverse Type UCT                                               | A        | 102,—  | 0,—             | 102,—                           |
| <b>UC 1000, painted</b>                                                                        | A        | 744,—  | 225,—           | 969,—                           |
| Lid, galvanized                                                                                | A        | 162,—  | 16,—            | 178,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Pick-up Profile on Type UC for Traverse Type UCT                                               | A        | 102,—  | 0,—             | 102,—                           |
| <b>UC 1000, hot-dip galvanized</b>                                                             | A        | 863,—  | 225,—           | 1088,—                          |
| Lid, galvanized                                                                                | A        | 162,—  | 16,—            | 178,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Pick-up Profile on Type UC for Traverse Type UCT                                               | A        | 102,—  | 0,—             | 102,—                           |
| Hydraulic Traverse Type UCT                                                                    | Category | Price  | Freight charges | Price including freight charges |
| <b>UCT, painted</b>                                                                            | A        | 2644,— | 327,—           | 2971,—                          |
| Tilting Container Type VD                                                                      | Category | Price  | Freight charges | Price including freight charges |
| <b>VD 500, painted</b>                                                                         | A        | 767,—  | 225,—           | 992,—                           |
| Lid, galvanized                                                                                | A        | 139,—  | 18,—            | 157,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| <b>VD 500, hot-dip galvanized</b>                                                              | A        | 998,—  | 225,—           | 1223,—                          |
| Lid, galvanized                                                                                | A        | 139,—  | 18,—            | 157,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 75,—   | 0,—             | 75,—                            |
| <b>VD 650, painted</b>                                                                         | A        | 838,—  | 225,—           | 1063,—                          |
| Lid, galvanized                                                                                | A        | 139,—  | 18,—            | 157,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Tilting Container Type VD                                 | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>VD 650, hot-dip galvanized</b>                         | A        | 1091,— | 225,—           | 1316,—                          |
| Lid, galvanized                                           | A        | 139,—  | 18,—            | 157,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>VD 800, painted</b>                                    | A        | 957,—  | 225,—           | 1182,—                          |
| Lid, galvanized                                           | A        | 168,—  | 22,—            | 190,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>VD 800, hot-dip galvanized</b>                         | A        | 1300,— | 225,—           | 1525,—                          |
| Lid, galvanized                                           | A        | 168,—  | 22,—            | 190,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>VD 1000, painted</b>                                   | A        | 1005,— | 225,—           | 1230,—                          |
| Lid, galvanized                                           | A        | 168,—  | 22,—            | 190,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>VD 1000, hot-dip galvanized</b>                        | A        | 1419,— | 225,—           | 1644,—                          |
| Lid, galvanized                                           | A        | 168,—  | 22,—            | 190,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| Tilting Container Type VG                                 | Category | Price  | Freight charges | Price including freight charges |
| <b>VG 550, painted</b>                                    | A        | 784,—  | 225,—           | 1009,—                          |
| Lid, galvanized                                           | A        | 139,—  | 18,—            | 157,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>VG 550, hot-dip galvanized</b>                         | A        | 1022,— | 225,—           | 1247,—                          |
| Lid, galvanized                                           | A        | 139,—  | 18,—            | 157,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>VG 700, painted</b>                                    | A        | 929,—  | 225,—           | 1154,—                          |
| Lid, galvanized                                           | A        | 139,—  | 18,—            | 157,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>VG 700, hot-dip galvanized</b>                         | A        | 1209,— | 225,—           | 1434,—                          |
| Lid, galvanized                                           | A        | 139,—  | 18,—            | 157,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>VG 900, painted</b>                                    | A        | 1024,— | 225,—           | 1249,—                          |
| Lid, galvanized                                           | A        | 168,—  | 22,—            | 190,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>VG 900, hot-dip galvanized</b>                         | A        | 1451,— | 225,—           | 1676,—                          |
| Lid, galvanized                                           | A        | 168,—  | 22,—            | 190,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Forklift Truck Attachments



| Tilting Container Type VG                                 | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 75,—   | 0,—             | 75,—                            |
| <b>VG 1100, painted</b>                                   | A        | 1111,— | 225,—           | 1336,—                          |
| Lid, galvanized                                           | A        | 168,—  | 22,—            | 190,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |
| <b>VG 1100, hot-dip galvanized</b>                        | A        | 1508,— | 225,—           | 1733,—                          |
| Lid, galvanized                                           | A        | 168,—  | 22,—            | 190,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 185,—  | 15,—            | 200,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 116,—  | 0,—             | 116,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

## Price List 0425 en-PT

### Workspace Material Handling

| Battery Charging Station Type BL   | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------|----------|--------|-----------------|---------------------------------|
| BL 1, painted                      | A        | 1373,— | 141,—           | 1514,—                          |
| Fire Extinguisher                  | A        | 197,—  | 14,—            | 211,—                           |
| Storage tray for water receptacle  | A        | 61,—   | 13,—            | 74,—                            |
| BL 2, painted                      | A        | 1737,— | 141,—           | 1878,—                          |
| Fire Extinguisher                  | A        | 197,—  | 14,—            | 211,—                           |
| Storage tray for water receptacle  | A        | 61,—   | 13,—            | 74,—                            |
| BL 3, painted                      | A        | 1737,— | 141,—           | 1878,—                          |
| Fire Extinguisher                  | A        | 197,—  | 14,—            | 211,—                           |
| Storage tray for water receptacle  | A        | 61,—   | 13,—            | 74,—                            |
| Drum Jack Roller Type FHR          | Category | Price  | Freight charges | Price including freight charges |
| FHR 600 F, painted                 | B        | 3174,— | 327,—           | 3501,—                          |
| FHR 600 F, hot-dip galvanized      | B        | 3517,— | 327,—           | 3844,—                          |
| FHR 600 G, painted                 | B        | 2528,— | 225,—           | 2753,—                          |
| FHR 600 G, hot-dip galvanized      | B        | 2790,— | 225,—           | 3015,—                          |
| FHR 600 K, painted                 | B        | 2528,— | 225,—           | 2753,—                          |
| FHR 600 K, hot-dip galvanized      | B        | 2790,— | 225,—           | 3015,—                          |
| Drum Trolley Type FP-L             | Category | Price  | Freight charges | Price including freight charges |
| FP-L, galvanized                   | C        | 602,—  | 141,—           | 743,—                           |
| Drum Trolley Type FP-V             | Category | Price  | Freight charges | Price including freight charges |
| FP-V, galvanized                   | C        | 584,—  | 141,—           | 725,—                           |
| Drum Dolly Type FRW                | Category | Price  | Freight charges | Price including freight charges |
| FRW-I, hot-dip galvanized          | A        | 112,—  | 60,—            | 172,—                           |
| FRW-II, hot-dip galvanized         | A        | 148,—  | 60,—            | 208,—                           |
| FRW-III, hot-dip galvanized        | A        | 200,—  | 141,—           | 341,—                           |
| Dolly Type GRW                     | Category | Price  | Freight charges | Price including freight charges |
| GRW-I, hot-dip galvanized          | F        | 121,—  | 60,—            | 181,—                           |
| Handle, galvanized                 | F        | 53,—   | 10,—            | 63,—                            |
| GRW-II, hot-dip galvanized         | F        | 138,—  | 60,—            | 198,—                           |
| Handle, galvanized                 | F        | 53,—   | 10,—            | 63,—                            |
| GRW-III, hot-dip galvanized        | F        | 172,—  | 141,—           | 313,—                           |
| Handle, galvanized                 | F        | 53,—   | 10,—            | 63,—                            |
| Gas Cylinder Wall Bracket Type GWH | Category | Price  | Freight charges | Price including freight charges |
| GWH 140-I, hot-dip galvanized      | F        | 25,—   | 60,—            | 85,—                            |
| GWH 140-II, hot-dip galvanized     | F        | 38,—   | 60,—            | 98,—                            |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Workspace Material Handling



| Gas Cylinder Wall Bracket Type GWH            | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------|----------|--------|-----------------|---------------------------------|
| GWH 140-III, hot-dip galvanized               | F        | 57,—   | 60,—            | 117,—                           |
| GWH 230-I, hot-dip galvanized                 | F        | 27,—   | 60,—            | 87,—                            |
| GWH 230-II, hot-dip galvanized                | F        | 41,—   | 60,—            | 101,—                           |
| GWH 230-III, hot-dip galvanized               | F        | 62,—   | 60,—            | 122,—                           |
| GWH 320-I, hot-dip galvanized                 | F        | 28,—   | 60,—            | 88,—                            |
| GWH 320-II, hot-dip galvanized                | F        | 46,—   | 60,—            | 106,—                           |
| GWH 320-III, hot-dip galvanized               | F        | 69,—   | 60,—            | 129,—                           |
| Fork Lifter Type GZH-A                        | Category | Price  | Freight charges | Price including freight charges |
| GZH-A, painted                                | F        | 110,—  | 60,—            | 170,—                           |
| Fork Lifter Type GZH-B                        | Category | Price  | Freight charges | Price including freight charges |
| GZH-B, painted                                | F        | 110,—  | 60,—            | 170,—                           |
| Fork Pallet Type GZP                          | Category | Price  | Freight charges | Price including freight charges |
| GZP 4, hot-dip galvanized                     | A        | 155,—  | 141,—           | 296,—                           |
| GZP 8, hot-dip galvanized                     | A        | 194,—  | 141,—           | 335,—                           |
| IBC Residue Drainer Type IR                   | Category | Price  | Freight charges | Price including freight charges |
| IR-1, hot-dip galvanized                      | A        | 575,—  | 141,—           | 716,—                           |
| IR-2, hot-dip galvanized                      | A        | 686,—  | 141,—           | 827,—                           |
| IR-3, hot-dip galvanized                      | A        | 575,—  | 141,—           | 716,—                           |
| Tilting Canister Stand Type KAH               | Category | Price  | Freight charges | Price including freight charges |
| KAH-5, galvanized                             | A        | 92,—   | 60,—            | 152,—                           |
| KAH-25, galvanized                            | A        | 105,—  | 60,—            | 165,—                           |
| KAH-60, galvanized                            | A        | 135,—  | 60,—            | 195,—                           |
| Sheet Metal Storage Units With Trays Type KBR | Category | Price  | Freight charges | Price including freight charges |
| KBR 1, painted                                | A        | 5782,— | 905,—           | 6687,—                          |
| KBR 2, painted                                | A        | 5997,— | on request      | on request                      |
| KBR 3, painted                                | A        | 6441,— | on request      | on request                      |
| Liftomat Type L/E                             | Category | Price  | Freight charges | Price including freight charges |
| L/E 1300, painted                             | B        | 4742,— | 327,—           | 5069,—                          |
| L/E 1300, hot-dip galvanized                  | B        | 5389,— | 327,—           | 5716,—                          |
| Liftomat Type L/M                             | Category | Price  | Freight charges | Price including freight charges |
| L/M 600, painted                              | B        | 3432,— | 225,—           | 3657,—                          |
| L/M 600, hot-dip galvanized                   | B        | 3888,— | 225,—           | 4113,—                          |
| L/M 1300, painted                             | B        | 3851,— | 327,—           | 4178,—                          |
| L/M 1300, hot-dip galvanized                  | B        | 4414,— | 327,—           | 4741,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Workspace Material Handling



| Security Cage for Storage Type LBM                        | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| LBM 1500, hot-dip galvanized                              | A        | 1934,— | 327,—           | 2261,—                          |
| LBM 3000, hot-dip galvanized                              | A        | 2654,— | 567,—           | 3221,—                          |
| LBM 4500, hot-dip galvanized                              | A        | 3373,— | 567,—           | 3940,—                          |
| LBM 6000, hot-dip galvanized                              | A        | 4088,— | 731,—           | 4819,—                          |
| Wheelie Bin Tipping Station Type MKS                      | Category | Price  | Freight charges | Price including freight charges |
| MKS-12V, painted                                          | A        | 3618,— | 225,—           | 3843,—                          |
| External Charger for 12 V electro-hydraulic constructions | A        | 194,—  | 15,—            | 209,—                           |
| MKS-230V, painted                                         | A        | 3618,— | 225,—           | 3843,—                          |
| Wheelie Bin Tipping Station Type MKS-F                    | Category | Price  | Freight charges | Price including freight charges |
| MKS-F, painted                                            | A        | 2375,— | 225,—           | 2600,—                          |
| Wheelie Bin Tipping Station Type MKS-H                    | Category | Price  | Freight charges | Price including freight charges |
| MKS-H, painted                                            | A        | 2375,— | 225,—           | 2600,—                          |
| Stillage Transport Cage Type MTP                          | Category | Price  | Freight charges | Price including freight charges |
| MTP 2000, hot-dip galvanized                              | A        | 2121,— | 327,—           | 2448,—                          |
| Tension belt                                              | A        | 46,—   | 8,—             | 54,—                            |
| MTP 3000, hot-dip galvanized                              | A        | 2680,— | 398,—           | 3078,—                          |
| Tension belt                                              | A        | 46,—   | 8,—             | 54,—                            |
| Two-Wheeled Pallet Picker Type PZ                         | Category | Price  | Freight charges | Price including freight charges |
| PZ, hot-dip galvanized                                    | F        | 440,—  | 60,—            | 500,—                           |
| Tyre Fitting Equipment Type RM                            | Category | Price  | Freight charges | Price including freight charges |
| RM, painted                                               | F        | 442,—  | 60,—            | 502,—                           |
| Surround for Waste Bins Type SECOMAT                      | Category | Price  | Freight charges | Price including freight charges |
| S 120-D, powder coated                                    | B        | 658,—  | 141,—           | 799,—                           |
| S 120-K, powder coated                                    | B        | 738,—  | 141,—           | 879,—                           |
| S 240-D, powder coated                                    | B        | 755,—  | 141,—           | 896,—                           |
| S 240-K, powder coated                                    | B        | 827,—  | 141,—           | 968,—                           |
| S1100, powder-coated                                      | B        | 764,—  | 141,—           | 905,—                           |
| S1100-W, powder-coated                                    | B        | 1004,— | 225,—           | 1229,—                          |
| S1100-WT, powder-coated                                   | B        | 1260,— | 225,—           | 1485,—                          |
| S1100-WTB, powder-coated                                  | B        | 1360,— | 225,—           | 1585,—                          |
| S4USE, powder coated                                      | C        | 2566,— | 327,—           | 2893,—                          |
| Gas Cylinder Pallet Type SFP                              | Category | Price  | Freight charges | Price including freight charges |
| SFP 4, hot-dip galvanized                                 | C        | 334,—  | 141,—           | 475,—                           |
| SFP 8, hot-dip galvanized                                 | C        | 444,—  | 225,—           | 669,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Workspace Material Handling



| Loading Support Type VS | Category | Price | Freight charges | Price including freight charges |
|-------------------------|----------|-------|-----------------|---------------------------------|
| VS, painted             | C        | 739,— | 225,—           | 964,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

## Price List 0425 en-PT Environment / Storage

| Sump Trays Type SERIES 2000               | Category | Price | Freight charges | Price including freight charges |
|-------------------------------------------|----------|-------|-----------------|---------------------------------|
| 2000, painted                             | B        | 241,– | 141,–           | 382,–                           |
| 2000, hot-dip galvanized                  | B        | 278,– | 141,–           | 419,–                           |
| 2002, painted                             | B        | 275,– | 141,–           | 416,–                           |
| 2002, hot-dip galvanized                  | B        | 311,– | 141,–           | 452,–                           |
| 2008, painted                             | B        | 241,– | 141,–           | 382,–                           |
| 2008, hot-dip galvanized                  | B        | 289,– | 141,–           | 430,–                           |
| 2010, painted                             | B        | 290,– | 141,–           | 431,–                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,– | 15,–            | 120,–                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,– | 18,–            | 132,–                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,– | 21,–            | 154,–                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,– | 15,–            | 129,–                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,– | 60,–            | 193,–                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,– | 60,–            | 193,–                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,– | 60,–            | 193,–                           |
| 2010, hot-dip galvanized                  | B        | 339,– | 141,–           | 480,–                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,– | 15,–            | 120,–                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,– | 18,–            | 132,–                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,– | 21,–            | 154,–                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,– | 15,–            | 129,–                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,– | 60,–            | 193,–                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,– | 60,–            | 193,–                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,– | 60,–            | 193,–                           |
| 2016, painted                             | B        | 253,– | 141,–           | 394,–                           |
| 2016, hot-dip galvanized                  | B        | 303,– | 141,–           | 444,–                           |
| 2018, painted                             | B        | 304,– | 141,–           | 445,–                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,– | 15,–            | 120,–                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,– | 18,–            | 132,–                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,– | 21,–            | 154,–                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,– | 15,–            | 129,–                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,– | 60,–            | 193,–                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,– | 60,–            | 193,–                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,– | 60,–            | 193,–                           |
| 2018, hot-dip galvanized                  | B        | 352,– | 141,–           | 493,–                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,– | 15,–            | 120,–                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,– | 18,–            | 132,–                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,– | 21,–            | 154,–                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,– | 15,–            | 129,–                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,– | 60,–            | 193,–                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,– | 60,–            | 193,–                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,– | 60,–            | 193,–                           |
| 2026, painted                             | B        | 253,– | 141,–           | 394,–                           |
| 2026, hot-dip galvanized                  | B        | 299,– | 141,–           | 440,–                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Environment / Storage



| Sump Trays Type SERIES 2000               | Category | Price | Freight charges | Price including freight charges |
|-------------------------------------------|----------|-------|-----------------|---------------------------------|
| <b>2028, painted</b>                      | B        | 353,— | 141,—           | 494,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,— | 21,—            | 154,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,— | 15,—            | 129,—                           |
| Drum Support FA 200-2, hot-dip galvanized | B        | 133,— | 22,—            | 155,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| <b>2028, hot-dip galvanized</b>           | B        | 398,— | 141,—           | 539,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,— | 21,—            | 154,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,— | 15,—            | 129,—                           |
| Drum Support FA 200-2, hot-dip galvanized | B        | 133,— | 22,—            | 155,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| <b>2030, painted</b>                      | B        | 265,— | 141,—           | 406,—                           |
| <b>2030, hot-dip galvanized</b>           | B        | 310,— | 141,—           | 451,—                           |
| <b>2032, painted</b>                      | B        | 365,— | 141,—           | 506,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,— | 21,—            | 154,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,— | 15,—            | 129,—                           |
| Drum Support FA 200-2, hot-dip galvanized | B        | 133,— | 22,—            | 155,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| <b>2032, hot-dip galvanized</b>           | B        | 411,— | 141,—           | 552,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,— | 21,—            | 154,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,— | 15,—            | 129,—                           |
| Drum Support FA 200-2, hot-dip galvanized | B        | 133,— | 22,—            | 155,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| <b>2040, painted</b>                      | B        | 339,— | 141,—           | 480,—                           |
| <b>2040, hot-dip galvanized</b>           | B        | 411,— | 141,—           | 552,—                           |
| <b>2042, painted</b>                      | B        | 439,— | 225,—           | 664,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,— | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,— | 60,—            | 193,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Environment / Storage



| Sump Trays Type SERIES 2000               | Category | Price | Freight charges | Price including freight charges |
|-------------------------------------------|----------|-------|-----------------|---------------------------------|
| Can Shelf Type GR-C, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| <b>2042, hot-dip galvanized</b>           | B        | 511,— | 225,—           | 736,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,— | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| <b>2048, painted</b>                      | B        | 261,— | 141,—           | 402,—                           |
| <b>2048, hot-dip galvanized</b>           | B        | 305,— | 141,—           | 446,—                           |
| <b>2050, painted</b>                      | B        | 356,— | 141,—           | 497,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,— | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| <b>2050, hot-dip galvanized</b>           | B        | 400,— | 141,—           | 541,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,— | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Sump Trays Type SERIES 2000/SW            | Category | Price | Freight charges | Price including freight charges |
| <b>2002/SW, painted</b>                   | B        | 412,— | 141,—           | 553,—                           |
| <b>2002/SW, hot-dip galvanized</b>        | B        | 448,— | 141,—           | 589,—                           |
| <b>2018/SW, painted</b>                   | B        | 452,— | 225,—           | 677,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,— | 21,—            | 154,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,— | 15,—            | 129,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| <b>2018/SW, hot-dip galvanized</b>        | B        | 499,— | 225,—           | 724,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,— | 21,—            | 154,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,— | 15,—            | 129,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| <b>2032/SW, painted</b>                   | B        | 533,— | 225,—           | 758,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,— | 15,—            | 120,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Environment / Storage



| Sump Trays Type SERIES 2000/SW                   | Category | Price | Freight charges | Price including freight charges |
|--------------------------------------------------|----------|-------|-----------------|---------------------------------|
| Drum Support FA 60-2, hot-dip galvanized         | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized         | B        | 133,— | 21,—            | 154,—                           |
| Drum Support FA 200-1, hot-dip galvanized        | B        | 114,— | 15,—            | 129,—                           |
| Drum Support FA 200-2, hot-dip galvanized        | B        | 133,— | 22,—            | 155,—                           |
| Can Shelf Type GR-A, galvanized                  | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized                  | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized                  | B        | 133,— | 60,—            | 193,—                           |
| <b>2032/SW, hot-dip galvanized</b>               | B        | 579,— | 225,—           | 804,—                           |
| Drum Support FA 60-1, hot-dip galvanized         | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized         | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized         | B        | 133,— | 21,—            | 154,—                           |
| Drum Support FA 200-1, hot-dip galvanized        | B        | 114,— | 15,—            | 129,—                           |
| Drum Support FA 200-2, hot-dip galvanized        | B        | 133,— | 22,—            | 155,—                           |
| Can Shelf Type GR-A, galvanized                  | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized                  | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized                  | B        | 133,— | 60,—            | 193,—                           |
| <b>2042/SW, painted</b>                          | B        | 661,— | 278,—           | 939,—                           |
| Drum Support FA 60-1, hot-dip galvanized         | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized         | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized         | B        | 133,— | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized                  | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized                  | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized                  | B        | 133,— | 60,—            | 193,—                           |
| <b>2042/SW, hot-dip galvanized</b>               | B        | 734,— | 278,—           | 1012,—                          |
| Drum Support FA 60-1, hot-dip galvanized         | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized         | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized         | B        | 133,— | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized                  | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized                  | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized                  | B        | 133,— | 60,—            | 193,—                           |
| Mobile Sump Trays Type SERIES 2000               | Category | Price | Freight charges | Price including freight charges |
| <b>2004, painted</b>                             | B        | 570,— | 141,—           | 711,—                           |
| Fixture and Tension Belt for 1 x 200 Litre Drum  | B        | 46,—  | 9,—             | 55,—                            |
| <b>2004, hot-dip galvanized</b>                  | B        | 634,— | 141,—           | 775,—                           |
| Fixture and Tension Belt for 1 x 200 Litre Drum  | B        | 46,—  | 9,—             | 55,—                            |
| <b>2020, painted</b>                             | B        | 633,— | 141,—           | 774,—                           |
| Fixture and Tension Belt for 2 x 200 Litre Drums | B        | 46,—  | 9,—             | 55,—                            |
| <b>2020, hot-dip galvanized</b>                  | B        | 692,— | 141,—           | 833,—                           |
| Fixture and Tension Belt for 2 x 200 Litre Drums | B        | 46,—  | 9,—             | 55,—                            |
| <b>2050 SR, painted</b>                          | B        | 685,— | 141,—           | 826,—                           |
| Fixture and Tension Belt for 3 x 200 Litre Drums | B        | 46,—  | 9,—             | 55,—                            |
| <b>2050 SR, hot-dip galvanized</b>               | B        | 740,— | 225,—           | 965,—                           |
| Fixture and Tension Belt for 3 x 200 Litre Drums | B        | 46,—  | 9,—             | 55,—                            |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Environment / Storage



| Drum Shelves with Sump Trays Type SERIES 3000 | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>3000, hot-dip galvanized</b>               | B        | 1054,— | 225,—           | 1279,—                          |
| Retainer Bar                                  | B        | 46,—   | 12,—            | 58,—                            |
| Rotating Support RA 200, hot-dip galvanized   | B        | 93,—   | 10,—            | 103,—                           |
| Can Stand Type GS, hot-dip galvanized         | B        | 62,—   | 18,—            | 80,—                            |
| Crash Guard                                   | B        | 72,—   | 9,—             | 81,—                            |
| <b>3001, hot-dip galvanized</b>               | B        | 887,—  | 225,—           | 1112,—                          |
| Retainer Bar                                  | B        | 46,—   | 12,—            | 58,—                            |
| Rotating Support RA 200, hot-dip galvanized   | B        | 93,—   | 10,—            | 103,—                           |
| Can Stand Type GS, hot-dip galvanized         | B        | 62,—   | 18,—            | 80,—                            |
| Crash Guard                                   | B        | 72,—   | 9,—             | 81,—                            |
| <b>3002, hot-dip galvanized</b>               | B        | 1255,— | 278,—           | 1533,—                          |
| Retainer Bar                                  | B        | 46,—   | 12,—            | 58,—                            |
| Rotating Support RA 200, hot-dip galvanized   | B        | 93,—   | 10,—            | 103,—                           |
| Can Stand Type GS, hot-dip galvanized         | B        | 62,—   | 18,—            | 80,—                            |
| Crash Guard                                   | B        | 72,—   | 9,—             | 81,—                            |
| <b>3003, hot-dip galvanized</b>               | B        | 1063,— | 278,—           | 1341,—                          |
| Retainer Bar                                  | B        | 46,—   | 12,—            | 58,—                            |
| Rotating Support RA 200, hot-dip galvanized   | B        | 93,—   | 10,—            | 103,—                           |
| Can Stand Type GS, hot-dip galvanized         | B        | 62,—   | 18,—            | 80,—                            |
| Crash Guard                                   | B        | 72,—   | 9,—             | 81,—                            |
| <b>3004, hot-dip galvanized</b>               | B        | 1298,— | 225,—           | 1523,—                          |
| Retainer Bar                                  | B        | 46,—   | 12,—            | 58,—                            |
| Rotating Support RA 60, hot-dip galvanized    | B        | 93,—   | 9,—             | 102,—                           |
| Can Stand Type GS, hot-dip galvanized         | B        | 62,—   | 18,—            | 80,—                            |
| Crash Guard                                   | B        | 72,—   | 9,—             | 81,—                            |
| <b>3005, hot-dip galvanized</b>               | B        | 1174,— | 225,—           | 1399,—                          |
| Retainer Bar                                  | B        | 46,—   | 12,—            | 58,—                            |
| Rotating Support RA 60, hot-dip galvanized    | B        | 93,—   | 9,—             | 102,—                           |
| Can Stand Type GS, hot-dip galvanized         | B        | 62,—   | 18,—            | 80,—                            |
| Crash Guard                                   | B        | 72,—   | 9,—             | 81,—                            |
| <b>3006, hot-dip galvanized</b>               | B        | 1639,— | 380,—           | 2019,—                          |
| Retainer Bar                                  | B        | 46,—   | 12,—            | 58,—                            |
| Rotating Support RA 60, hot-dip galvanized    | B        | 93,—   | 9,—             | 102,—                           |
| Can Stand Type GS, hot-dip galvanized         | B        | 62,—   | 18,—            | 80,—                            |
| Crash Guard                                   | B        | 72,—   | 9,—             | 81,—                            |
| <b>3007, hot-dip galvanized</b>               | B        | 1400,— | 278,—           | 1678,—                          |
| Retainer Bar                                  | B        | 46,—   | 12,—            | 58,—                            |
| Rotating Support RA 60, hot-dip galvanized    | B        | 93,—   | 9,—             | 102,—                           |
| Can Stand Type GS, hot-dip galvanized         | B        | 62,—   | 18,—            | 80,—                            |
| Crash Guard                                   | B        | 72,—   | 9,—             | 81,—                            |
| <b>3010, hot-dip galvanized</b>               | B        | 1244,— | 278,—           | 1522,—                          |
| Retainer Bar                                  | B        | 46,—   | 12,—            | 58,—                            |
| Rotating Support RA 200, hot-dip galvanized   | B        | 93,—   | 10,—            | 103,—                           |
| Can Stand Type GS, hot-dip galvanized         | B        | 62,—   | 18,—            | 80,—                            |
| Crash Guard                                   | B        | 72,—   | 9,—             | 81,—                            |
| <b>3011, hot-dip galvanized</b>               | B        | 1034,— | 278,—           | 1312,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Environment / Storage



| Drum Shelves with Sump Trays Type SERIES 3000 | Category | Price | Freight charges | Price including freight charges |
|-----------------------------------------------|----------|-------|-----------------|---------------------------------|
| Retainer Bar                                  | B        | 46,–  | 12,–            | 58,–                            |
| Rotating Support RA 200, hot-dip galvanized   | B        | 93,–  | 10,–            | 103,–                           |
| Can Stand Type GS, hot-dip galvanized         | B        | 62,–  | 18,–            | 80,–                            |
| Crash Guard                                   | B        | 72,–  | 9,–             | 81,–                            |

| Small Can Shelves with Sumps Type SERIES 3000 | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------|----------|--------|-----------------|---------------------------------|
| 3017-4E, galvanized                           | B        | 461,–  | 141,–           | 602,–                           |
| 3018-4E, galvanized                           | B        | 383,–  | 141,–           | 524,–                           |
| 3019-4E, galvanized                           | B        | 556,–  | 225,–           | 781,–                           |
| 3020-4E, galvanized                           | B        | 476,–  | 225,–           | 701,–                           |
| 3021-4E, galvanized                           | B        | 694,–  | 225,–           | 919,–                           |
| 3022-4E, galvanized                           | B        | 604,–  | 141,–           | 745,–                           |
| 3023-4E, galvanized                           | B        | 1122,– | 278,–           | 1400,–                          |
| 3024-4E, galvanized                           | B        | 935,–  | 278,–           | 1213,–                          |

| Shelves Type AG             | Category | Price | Freight charges | Price including freight charges |
|-----------------------------|----------|-------|-----------------|---------------------------------|
| AG 60-1, hot-dip galvanized | B        | 108,– | 12,–            | 120,–                           |
| AG 60-2, hot-dip galvanized | B        | 113,– | 14,–            | 127,–                           |
| AG 60-3, hot-dip galvanized | B        | 121,– | 15,–            | 136,–                           |

| Sump Tray Type AM                         | Category | Price | Freight charges | Price including freight charges |
|-------------------------------------------|----------|-------|-----------------|---------------------------------|
| AM-1, painted                             | B        | 323,– | 141,–           | 464,–                           |
| AM-1, hot-dip galvanized                  | B        | 366,– | 141,–           | 507,–                           |
| AM-2, painted                             | B        | 357,– | 141,–           | 498,–                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,– | 15,–            | 120,–                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,– | 18,–            | 132,–                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,– | 21,–            | 154,–                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,– | 15,–            | 129,–                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,– | 60,–            | 193,–                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,– | 60,–            | 193,–                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,– | 60,–            | 193,–                           |
| AM-2, hot-dip galvanized                  | B        | 412,– | 141,–           | 553,–                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,– | 15,–            | 120,–                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,– | 18,–            | 132,–                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,– | 21,–            | 154,–                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,– | 15,–            | 129,–                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,– | 60,–            | 193,–                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,– | 60,–            | 193,–                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,– | 60,–            | 193,–                           |
| AM-4/A, painted                           | B        | 428,– | 141,–           | 569,–                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,– | 15,–            | 120,–                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,– | 18,–            | 132,–                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,– | 21,–            | 154,–                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,– | 15,–            | 129,–                           |
| Drum Support FA 200-2, hot-dip galvanized | B        | 133,– | 22,–            | 155,–                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Environment / Storage



| Sump Tray Type AM                         | Category | Price | Freight charges | Price including freight charges |
|-------------------------------------------|----------|-------|-----------------|---------------------------------|
| Can Shelf Type GR-A, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| <b>AM-4/A, hot-dip galvanized</b>         | B        | 482,— | 225,—           | 707,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,— | 21,—            | 154,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,— | 15,—            | 129,—                           |
| Drum Support FA 200-2, hot-dip galvanized | B        | 133,— | 22,—            | 155,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| <b>AM-4/B, painted</b>                    | B        | 514,— | 225,—           | 739,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,— | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| <b>AM-4/B, hot-dip galvanized</b>         | B        | 602,— | 225,—           | 827,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,— | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Sump Tray Type AO                         | Category | Price | Freight charges | Price including freight charges |
| <b>AO-1, painted</b>                      | B        | 282,— | 141,—           | 423,—                           |
| <b>AO-1, hot-dip galvanized</b>           | B        | 325,— | 141,—           | 466,—                           |
| <b>AO-2, painted</b>                      | B        | 299,— | 141,—           | 440,—                           |
| <b>AO-2, hot-dip galvanized</b>           | B        | 354,— | 141,—           | 495,—                           |
| <b>AO-4/A, painted</b>                    | B        | 311,— | 141,—           | 452,—                           |
| <b>AO-4/A, hot-dip galvanized</b>         | B        | 365,— | 141,—           | 506,—                           |
| <b>AO-4/B, painted</b>                    | B        | 398,— | 141,—           | 539,—                           |
| <b>AO-4/B, hot-dip galvanized</b>         | B        | 483,— | 141,—           | 624,—                           |
| Sump Tray Type AW                         | Category | Price | Freight charges | Price including freight charges |
| <b>AW 450, painted</b>                    | B        | 619,— | 225,—           | 844,—                           |
| <b>AW 450, hot-dip galvanized</b>         | B        | 768,— | 225,—           | 993,—                           |
| <b>AW 800, painted</b>                    | B        | 644,— | 225,—           | 869,—                           |
| <b>AW 800, hot-dip galvanized</b>         | B        | 802,— | 225,—           | 1027,—                          |
| <b>AW 1000, painted</b>                   | B        | 649,— | 225,—           | 874,—                           |
| <b>AW 1000, hot-dip galvanized</b>        | B        | 809,— | 225,—           | 1034,—                          |
| <b>AW 1000-2, painted</b>                 | B        | 831,— | 380,—           | 1211,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Environment / Storage



| Sump Tray Type AW                                        | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| AW 1000-2, hot-dip galvanized                            | B        | 933,—  | 380,—           | 1313,—                          |
| AW 1000-3, hot-dip galvanized                            | B        | 1585,— | 451,—           | 2036,—                          |
| AW 1000-3, painted                                       | B        | 1472,— | 380,—           | 1852,—                          |
| AW 1000-10F, painted                                     | B        | 997,—  | 380,—           | 1377,—                          |
| AW 1000-10F, hot-dip galvanized                          | B        | 1154,— | 380,—           | 1534,—                          |
| Sump Tray Type AW/SW                                     | Category | Price  | Freight charges | Price including freight charges |
| AW 450/SW, painted                                       | B        | 815,—  | 225,—           | 1040,—                          |
| AW 450/SW, hot-dip galvanized                            | B        | 964,—  | 327,—           | 1291,—                          |
| AW 800/SW, painted                                       | B        | 839,—  | 327,—           | 1166,—                          |
| AW 800/SW, hot-dip galvanized                            | B        | 997,—  | 327,—           | 1324,—                          |
| AW 1000/SW, painted                                      | B        | 844,—  | 327,—           | 1171,—                          |
| AW 1000/SW, hot-dip galvanized                           | B        | 1006,— | 327,—           | 1333,—                          |
| AW 1000-2/SW, painted                                    | B        | 1054,— | 380,—           | 1434,—                          |
| AW 1000-2/SW, hot-dip galvanized                         | B        | 1155,— | 451,—           | 1606,—                          |
| AW 1000-3/SW, painted                                    | B        | 1726,— | on request      | on request                      |
| AW 1000-3/SW, hot-dip galvanized                         | B        | 2049,— | on request      | on request                      |
| AW 1000-10F/SW, painted                                  | B        | 1340,— | 451,—           | 1791,—                          |
| AW 1000-10F/SW, hot-dip galvanized                       | B        | 1495,— | 451,—           | 1946,—                          |
| Mobile Sump Tray AW 60-1 SR                              | Category | Price  | Freight charges | Price including freight charges |
| AW 60-1 SR, painted                                      | B        | 314,—  | 141,—           | 455,—                           |
| Fixture and Tension belt for 2 x 60 Litre Drums          | B        | 43,—   | 8,—             | 51,—                            |
| AW 60-1 SR, hot-dip galvanized                           | B        | 333,—  | 141,—           | 474,—                           |
| Fixture and Tension belt for 2 x 60 Litre Drums          | B        | 43,—   | 8,—             | 51,—                            |
| Mobile Sump Tray AW 60-1 SRF                             | Category | Price  | Freight charges | Price including freight charges |
| AW 60-1 SRF, painted                                     | B        | 414,—  | 141,—           | 555,—                           |
| AW 60-1 SRF, hot-dip galvanized                          | B        | 435,—  | 141,—           | 576,—                           |
| Sump Tray Type AW 60                                     | Category | Price  | Freight charges | Price including freight charges |
| AW 60-1, painted                                         | B        | 170,—  | 60,—            | 230,—                           |
| Grid GR 60-1, hot-dip galvanized                         | B        | 22,—   | 8,—             | 30,—                            |
| Drum Support FA 60-A for Drum Shelf AG 60, galvanized    | B        | 24,—   | 8,—             | 32,—                            |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 93,—   | 9,—             | 102,—                           |
| AG 60-1, hot-dip galvanized                              | B        | 108,—  | 12,—            | 120,—                           |
| Canister Stand AB, galvanized                            | B        | 18,—   | 8,—             | 26,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 83,—   | 15,—            | 98,—                            |
| AW 60-1, hot-dip galvanized                              | B        | 182,—  | 60,—            | 242,—                           |
| Grid GR 60-1, hot-dip galvanized                         | B        | 22,—   | 8,—             | 30,—                            |
| Drum Support FA 60-A for Drum Shelf AG 60, galvanized    | B        | 24,—   | 8,—             | 32,—                            |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 93,—   | 9,—             | 102,—                           |
| AG 60-1, hot-dip galvanized                              | B        | 108,—  | 12,—            | 120,—                           |
| Canister Stand AB, galvanized                            | B        | 18,—   | 8,—             | 26,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 83,—   | 15,—            | 98,—                            |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Environment / Storage



| Sump Tray Type AW 60                                     | Category | Price | Freight charges | Price including freight charges |
|----------------------------------------------------------|----------|-------|-----------------|---------------------------------|
| <b>AW 60-2, painted</b>                                  | B        | 171,— | 141,—           | 312,—                           |
| Grid GR 60-2, hot-dip galvanized                         | B        | 26,—  | 12,—            | 38,—                            |
| Drum Support FA 60-A for Drum Shelf AG 60, galvanized    | B        | 24,—  | 8,—             | 32,—                            |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 93,—  | 9,—             | 102,—                           |
| <b>AG 60-2, hot-dip galvanized</b>                       | B        | 113,— | 14,—            | 127,—                           |
| Canister Stand AB, galvanized                            | B        | 18,—  | 8,—             | 26,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 83,—  | 15,—            | 98,—                            |
| <b>AW 60-2, hot-dip galvanized</b>                       | B        | 188,— | 141,—           | 329,—                           |
| Grid GR 60-2, hot-dip galvanized                         | B        | 26,—  | 12,—            | 38,—                            |
| Drum Support FA 60-A for Drum Shelf AG 60, galvanized    | B        | 24,—  | 8,—             | 32,—                            |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 93,—  | 9,—             | 102,—                           |
| <b>AG 60-2, hot-dip galvanized</b>                       | B        | 113,— | 14,—            | 127,—                           |
| Canister Stand AB, galvanized                            | B        | 18,—  | 8,—             | 26,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 83,—  | 15,—            | 98,—                            |
| <b>AW 60-3, painted</b>                                  | B        | 186,— | 141,—           | 327,—                           |
| Grid GR 60-3, hot-dip galvanized                         | B        | 38,—  | 14,—            | 52,—                            |
| Drum Support FA 60-A for Drum Shelf AG 60, galvanized    | B        | 24,—  | 8,—             | 32,—                            |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 93,—  | 9,—             | 102,—                           |
| <b>AG 60-3, hot-dip galvanized</b>                       | B        | 121,— | 15,—            | 136,—                           |
| Canister Stand AB, galvanized                            | B        | 18,—  | 8,—             | 26,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 83,—  | 15,—            | 98,—                            |
| <b>AW 60-3, hot-dip galvanized</b>                       | B        | 209,— | 141,—           | 350,—                           |
| Grid GR 60-3, hot-dip galvanized                         | B        | 38,—  | 14,—            | 52,—                            |
| Drum Support FA 60-A for Drum Shelf AG 60, galvanized    | B        | 24,—  | 8,—             | 32,—                            |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 93,—  | 9,—             | 102,—                           |
| <b>AG 60-3, hot-dip galvanized</b>                       | B        | 121,— | 15,—            | 136,—                           |
| Canister Stand AB, galvanized                            | B        | 18,—  | 8,—             | 26,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 83,—  | 15,—            | 98,—                            |
| Sump Tray Type AW 60/M                                   | Category | Price | Freight charges | Price including freight charges |
| <b>AW 60-1/M, painted</b>                                | B        | 189,— | 141,—           | 330,—                           |
| Drum Support FA 60-A for Drum Shelf AG 60, galvanized    | B        | 24,—  | 8,—             | 32,—                            |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 93,—  | 9,—             | 102,—                           |
| <b>AG 60-1, hot-dip galvanized</b>                       | B        | 108,— | 12,—            | 120,—                           |
| Canister Stand AB, galvanized                            | B        | 18,—  | 8,—             | 26,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 83,—  | 15,—            | 98,—                            |
| <b>AW 60-1/M, hot-dip galvanized</b>                     | B        | 203,— | 141,—           | 344,—                           |
| Drum Support FA 60-A for Drum Shelf AG 60, galvanized    | B        | 24,—  | 8,—             | 32,—                            |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 93,—  | 9,—             | 102,—                           |
| <b>AG 60-1, hot-dip galvanized</b>                       | B        | 108,— | 12,—            | 120,—                           |
| Canister Stand AB, galvanized                            | B        | 18,—  | 8,—             | 26,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 83,—  | 15,—            | 98,—                            |
| <b>AW 60-2/M, painted</b>                                | B        | 196,— | 141,—           | 337,—                           |
| Drum Support FA 60-A for Drum Shelf AG 60, galvanized    | B        | 24,—  | 8,—             | 32,—                            |
| Drum Support FA 60-2, hot-dip galvanized                 | B        | 114,— | 18,—            | 132,—                           |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 93,—  | 9,—             | 102,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Environment / Storage



| Sump Tray Type AW 60/M                                   | Category | Price | Freight charges | Price including freight charges |
|----------------------------------------------------------|----------|-------|-----------------|---------------------------------|
| <b>AG 60-2, hot-dip galvanized</b>                       | B        | 113,— | 14,—            | 127,—                           |
| Canister Stand AB, galvanized                            | B        | 18,—  | 8,—             | 26,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 83,—  | 15,—            | 98,—                            |
| <b>AW 60-2/M, hot-dip galvanized</b>                     | B        | 213,— | 141,—           | 354,—                           |
| Drum Support FA 60-A for Drum Shelf AG 60, galvanized    | B        | 24,—  | 8,—             | 32,—                            |
| Drum Support FA 60-2, hot-dip galvanized                 | B        | 114,— | 18,—            | 132,—                           |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 93,—  | 9,—             | 102,—                           |
| <b>AG 60-2, hot-dip galvanized</b>                       | B        | 113,— | 14,—            | 127,—                           |
| Canister Stand AB, galvanized                            | B        | 18,—  | 8,—             | 26,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 83,—  | 15,—            | 98,—                            |
| <b>AW 60-3/M, painted</b>                                | B        | 224,— | 141,—           | 365,—                           |
| Drum Support FA 60-A for Drum Shelf AG 60, galvanized    | B        | 24,—  | 8,—             | 32,—                            |
| Drum Support FA 60-2, hot-dip galvanized                 | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized                 | B        | 133,— | 21,—            | 154,—                           |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 93,—  | 9,—             | 102,—                           |
| <b>AG 60-3, hot-dip galvanized</b>                       | B        | 121,— | 15,—            | 136,—                           |
| Canister Stand AB, galvanized                            | B        | 18,—  | 8,—             | 26,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 83,—  | 15,—            | 98,—                            |
| <b>AW 60-3/M, hot-dip galvanized</b>                     | B        | 245,— | 141,—           | 386,—                           |
| Drum Support FA 60-A for Drum Shelf AG 60, galvanized    | B        | 24,—  | 8,—             | 32,—                            |
| Drum Support FA 60-2, hot-dip galvanized                 | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized                 | B        | 133,— | 21,—            | 154,—                           |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 93,—  | 9,—             | 102,—                           |
| <b>AG 60-3, hot-dip galvanized</b>                       | B        | 121,— | 15,—            | 136,—                           |
| Canister Stand AB, galvanized                            | B        | 18,—  | 8,—             | 26,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 83,—  | 15,—            | 98,—                            |

| Sump Tray Type AW/PE                      | Category | Price | Freight charges | Price including freight charges |
|-------------------------------------------|----------|-------|-----------------|---------------------------------|
| <b>AW-1/PE, painted</b>                   | B        | 635,— | 141,—           | 776,—                           |
| <b>AW-1/PE, hot-dip galvanized</b>        | B        | 664,— | 141,—           | 805,—                           |
| <b>AW-2/PE, painted</b>                   | B        | 696,— | 141,—           | 837,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,— | 21,—            | 154,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,— | 15,—            | 129,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| <b>AW-2/PE, hot-dip galvanized</b>        | B        | 731,— | 141,—           | 872,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,— | 21,—            | 154,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,— | 15,—            | 129,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,— | 60,—            | 193,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Environment / Storage



| Sump Tray Type AW/PE                      | Category | Price  | Freight charges | Price including freight charges |
|-------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>AW-4/A/PE, painted</b>                 | B        | 790,—  | 225,—           | 1015,—                          |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,—  | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,—  | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,—  | 21,—            | 154,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,—  | 15,—            | 129,—                           |
| Drum Support FA 200-2, hot-dip galvanized | B        | 133,—  | 22,—            | 155,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,—  | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,—  | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,—  | 60,—            | 193,—                           |
| <b>AW-4/A/PE, hot-dip galvanized</b>      | B        | 829,—  | 225,—           | 1054,—                          |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,—  | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,—  | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,—  | 21,—            | 154,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,—  | 15,—            | 129,—                           |
| Drum Support FA 200-2, hot-dip galvanized | B        | 133,—  | 22,—            | 155,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,—  | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,—  | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,—  | 60,—            | 193,—                           |
| <b>AW-4/B/PE, painted</b>                 | B        | 986,—  | 278,—           | 1264,—                          |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,—  | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,—  | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,—  | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,—  | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,—  | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,—  | 60,—            | 193,—                           |
| <b>AW-4/B/PE, hot-dip galvanized</b>      | B        | 1058,— | 278,—           | 1336,—                          |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,—  | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,—  | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,—  | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,—  | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,—  | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,—  | 60,—            | 193,—                           |
| <b>AW 1000/PE, painted</b>                | B        | 1339,— | 327,—           | 1666,—                          |
| <b>AW 1000/PE, hot-dip galvanized</b>     | B        | 1521,— | 327,—           | 1848,—                          |
| <b>AW 1000-2/PE, painted</b>              | B        | 1642,— | 380,—           | 2022,—                          |
| <b>AW 1000-2/PE, hot-dip galvanized</b>   | B        | 1756,— | 380,—           | 2136,—                          |

| Sump Trays AW 8-12               | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------|----------|--------|-----------------|---------------------------------|
| <b>AW-8, painted</b>             | B        | 707,—  | 278,—           | 985,—                           |
| <b>AW-8, hot-dip galvanized</b>  | B        | 787,—  | 380,—           | 1167,—                          |
| <b>AW-10, painted</b>            | B        | 873,—  | 380,—           | 1253,—                          |
| <b>AW-10, hot-dip galvanized</b> | B        | 1197,— | 380,—           | 1577,—                          |
| <b>AW-12, painted</b>            | B        | 1000,— | 380,—           | 1380,—                          |
| <b>AW-12, hot-dip galvanized</b> | B        | 1382,— | 380,—           | 1762,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Environment / Storage



| Sump Tray Type AWA             | Category | Price  | Freight charges | Price including freight charges |
|--------------------------------|----------|--------|-----------------|---------------------------------|
| AWA 1000, painted              | B        | 834,—  | 225,—           | 1059,—                          |
| AWA 1000, hot-dip galvanized   | B        | 1009,— | 327,—           | 1336,—                          |
| AWA 1000-2, painted            | B        | 1197,— | 380,—           | 1577,—                          |
| AWA 1000-2, hot-dip galvanized | B        | 1327,— | 380,—           | 1707,—                          |
| AWA 1000-3, painted            | B        | 2177,— | 451,—           | 2628,—                          |
| AWA 1000-3, hot-dip galvanized | B        | 2304,— | 620,—           | 2924,—                          |
| AWA 21, painted                | B        | 1012,— | 380,—           | 1392,—                          |
| AWA 21, hot-dip galvanized     | B        | 1142,— | 380,—           | 1522,—                          |
| AWA 31, painted                | B        | 1889,— | 451,—           | 2340,—                          |
| AWA 31, hot-dip galvanized     | B        | 2006,— | 451,—           | 2457,—                          |
| AWA 32, painted                | B        | 2055,— | 451,—           | 2506,—                          |
| AWA 32, hot-dip galvanized     | B        | 2173,— | 451,—           | 2624,—                          |

| Sump Tray Type AWA/SW             | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------|----------|--------|-----------------|---------------------------------|
| AWA 1000/SW, painted              | B        | 1028,— | 327,—           | 1355,—                          |
| AWA 1000/SW, hot-dip galvanized   | B        | 1203,— | 327,—           | 1530,—                          |
| AWA 1000-2/SW, painted            | B        | 1422,— | 451,—           | 1873,—                          |
| AWA 1000-2/SW, hot-dip galvanized | B        | 1550,— | 451,—           | 2001,—                          |
| AWA 1000-3/SW, painted            | B        | 2432,— | on request      | on request                      |
| AWA 1000-3/SW, hot-dip galvanized | B        | 2558,— | on request      | on request                      |
| AWA 21/SW, painted                | B        | 1234,— | 451,—           | 1685,—                          |
| AWA 21/SW, hot-dip galvanized     | B        | 1365,— | 451,—           | 1816,—                          |
| AWA 31/SW, painted                | B        | 2142,— | on request      | on request                      |
| AWA 31/SW, hot-dip galvanized     | B        | 2259,— | on request      | on request                      |
| AWA 32/SW, painted                | B        | 2307,— | on request      | on request                      |
| AWA 32/SW, hot-dip galvanized     | B        | 2427,— | on request      | on request                      |

| Sump Tray Type AW-F                              | Category | Price | Freight charges | Price including freight charges |
|--------------------------------------------------|----------|-------|-----------------|---------------------------------|
| AW-F 1, painted                                  | B        | 634,— | 141,—           | 775,—                           |
| Fixture and Tension Belt for 1 x 200 Litre Drum  | B        | 46,—  | 9,—             | 55,—                            |
| AW-F 1, hot-dip galvanized                       | B        | 753,— | 141,—           | 894,—                           |
| Fixture and Tension Belt for 1 x 200 Litre Drum  | B        | 46,—  | 9,—             | 55,—                            |
| AW-F 2, painted                                  | B        | 664,— | 141,—           | 805,—                           |
| Fixture and Tension Belt for 2 x 200 Litre Drums | B        | 46,—  | 9,—             | 55,—                            |
| AW-F 2, hot-dip galvanized                       | B        | 813,— | 141,—           | 954,—                           |
| Fixture and Tension Belt for 2 x 200 Litre Drums | B        | 46,—  | 9,—             | 55,—                            |

| Ground Protection Spill Tray Type BSW    | Category | Price | Freight charges | Price including freight charges |
|------------------------------------------|----------|-------|-----------------|---------------------------------|
| BSW 21, galvanized                       | B        | 433,— | 225,—           | 658,—                           |
| Access Ramp AR 21, galvanized            | B        | 160,— | 22,—            | 182,—                           |
| Access Corner Piece AE 24, galvanized    | B        | 125,— | 10,—            | 135,—                           |
| Cross-Shaped Connector KV 24, galvanized | B        | 19,—  | 8,—             | 27,—                            |
| Tray Connecting Strip WV 21, galvanized  | B        | 21,—  | 8,—             | 29,—                            |
| BSW 22, galvanized                       | B        | 570,— | 225,—           | 795,—                           |
| Access Ramp AR 21, galvanized            | B        | 160,— | 22,—            | 182,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and overseas territories excluded

# Price List 0425 en-PT

## Environment / Storage



| Ground Protection Spill Tray Type BSW    | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------------|----------|--------|-----------------|---------------------------------|
| Access Ramp AR 22, galvanized            | B        | 203,—  | 32,—            | 235,—                           |
| Access Corner Piece AE 24, galvanized    | B        | 125,—  | 10,—            | 135,—                           |
| Cross-Shaped Connector KV 24, galvanized | B        | 19,—   | 8,—             | 27,—                            |
| Tray Connecting Strip WV 21, galvanized  | B        | 21,—   | 8,—             | 29,—                            |
| Tray Connecting Strip WV 22, galvanized  | B        | 23,—   | 8,—             | 31,—                            |
| <b>BSW 23, galvanized</b>                | B        | 738,—  | 346,—           | 1084,—                          |
| Access Ramp AR 23, galvanized            | B        | 289,—  | 194,—           | 483,—                           |
| Access Ramp AR 21, galvanized            | B        | 160,—  | 22,—            | 182,—                           |
| Access Corner Piece AE 24, galvanized    | B        | 125,—  | 10,—            | 135,—                           |
| Cross-Shaped Connector KV 24, galvanized | B        | 19,—   | 8,—             | 27,—                            |
| Tray Connecting Strip WV 21, galvanized  | B        | 21,—   | 8,—             | 29,—                            |
| Tray Connecting Strip WV 23, galvanized  | B        | 35,—   | 9,—             | 44,—                            |
| <b>BSW 24, galvanized</b>                | B        | 1295,— | 437,—           | 1732,—                          |
| Access Ramp AR 23, galvanized            | B        | 289,—  | 194,—           | 483,—                           |
| Access Ramp AR 22, galvanized            | B        | 203,—  | 32,—            | 235,—                           |
| Access Corner Piece AE 24, galvanized    | B        | 125,—  | 10,—            | 135,—                           |
| Cross-Shaped Connector KV 24, galvanized | B        | 19,—   | 8,—             | 27,—                            |
| Tray Connecting Strip WV 22, galvanized  | B        | 23,—   | 8,—             | 31,—                            |
| Tray Connecting Strip WV 23, galvanized  | B        | 35,—   | 9,—             | 44,—                            |
| <b>BSW 121, galvanized</b>               | B        | 192,—  | 60,—            | 252,—                           |
| Access Ramp AR 121, galvanized           | B        | 157,—  | 22,—            | 179,—                           |
| Cross-Shaped Connector KV 24, galvanized | B        | 19,—   | 8,—             | 27,—                            |
| Tray Connecting Strip WV 121, galvanized | B        | 20,—   | 9,—             | 29,—                            |
| <b>BSW 122, galvanized</b>               | B        | 234,—  | 141,—           | 375,—                           |
| Access Ramp AR 121, galvanized           | B        | 157,—  | 22,—            | 179,—                           |
| Access Ramp AR 122, galvanized           | B        | 265,—  | 36,—            | 301,—                           |
| Access Corner Piece AE 124, galvanized   | B        | 252,—  | 21,—            | 273,—                           |
| Cross-Shaped Connector KV 24, galvanized | B        | 19,—   | 8,—             | 27,—                            |
| Tray Connecting Strip WV 121, galvanized | B        | 20,—   | 9,—             | 29,—                            |
| Tray Connecting Strip WV 122, galvanized | B        | 25,—   | 9,—             | 34,—                            |
| <b>BSW 123, galvanized</b>               | B        | 327,—  | 141,—           | 468,—                           |
| Access Ramp AR 122, galvanized           | B        | 265,—  | 36,—            | 301,—                           |
| Access Corner Piece AE 124, galvanized   | B        | 252,—  | 21,—            | 273,—                           |
| Cross-Shaped Connector KV 24, galvanized | B        | 19,—   | 8,—             | 27,—                            |
| Tray Connecting Strip WV 122, galvanized | B        | 25,—   | 9,—             | 34,—                            |
| <b>BSW 124, galvanized</b>               | B        | 534,—  | 225,—           | 759,—                           |
| Access Ramp AR 122, galvanized           | B        | 265,—  | 36,—            | 301,—                           |
| Access Ramp AR 123, galvanized           | B        | 326,—  | 225,—           | 551,—                           |
| Access Corner Piece AE 124, galvanized   | B        | 252,—  | 21,—            | 273,—                           |
| Cross-Shaped Connector KV 24, galvanized | B        | 19,—   | 8,—             | 27,—                            |
| Tray Connecting Strip WV 122, galvanized | B        | 25,—   | 9,—             | 34,—                            |
| Tray Connecting Strip WV 123, galvanized | B        | 34,—   | 9,—             | 43,—                            |
| <b>BSW 125, galvanized</b>               | B        | 411,—  | 278,—           | 689,—                           |
| Access Ramp AR 121, galvanized           | B        | 157,—  | 22,—            | 179,—                           |
| Access Ramp AR 124, galvanized           | B        | 378,—  | 278,—           | 656,—                           |
| Access Corner Piece AE 124, galvanized   | B        | 252,—  | 21,—            | 273,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Environment / Storage



| Ground Protection Spill Tray Type BSW           | Category | Price   | Freight charges | Price including freight charges |
|-------------------------------------------------|----------|---------|-----------------|---------------------------------|
| Cross-Shaped Connector KV 24, galvanized        | B        | 19,—    | 8,—             | 27,—                            |
| Tray Connecting Strip WV 121, galvanized        | B        | 20,—    | 9,—             | 29,—                            |
| Tray Connecting Strip WV 124, galvanized        | B        | 47,—    | 9,—             | 56,—                            |
| <b>BSW 126, galvanized</b>                      | B        | 645,—   | 380,—           | 1025,—                          |
| Access Ramp AR 122, galvanized                  | B        | 265,—   | 36,—            | 301,—                           |
| Access Ramp AR 124, galvanized                  | B        | 378,—   | 278,—           | 656,—                           |
| Access Corner Piece AE 124, galvanized          | B        | 252,—   | 21,—            | 273,—                           |
| Cross-Shaped Connector KV 24, galvanized        | B        | 19,—    | 8,—             | 27,—                            |
| Tray Connecting Strip WV 122, galvanized        | B        | 25,—    | 9,—             | 34,—                            |
| Tray Connecting Strip WV 124, galvanized        | B        | 47,—    | 9,—             | 56,—                            |
| Polyethylene Bunded Spill Flooring Type BWP-PE  | Category | Price   | Freight charges | Price including freight charges |
| <b>BWP-PE 150, made of robust polyethylene</b>  | B        | 305,—   | 141,—           | 446,—                           |
| Ramp Type BWR, robust polyethylene, black       | B        | 214,—   | 12,—            | 226,—                           |
| Joining Element BWV 2, stainless steel 1.4301   | B        | 28,—    | 9,—             | 37,—                            |
| <b>BWP-PE 300, made of robust polyethylene</b>  | B        | 619,—   | 141,—           | 760,—                           |
| Ramp Type BWR, robust polyethylene, black       | B        | 214,—   | 12,—            | 226,—                           |
| Joining Element BWV 4, stainless steel 1.4301   | B        | 36,—    | 10,—            | 46,—                            |
| Polyethylene Bunded Spill Flooring Type BWPS-PE | Category | Price   | Freight charges | Price including freight charges |
| <b>BWPS-PE 300, made of robust polyethylene</b> | B        | 759,—   | 194,—           | 953,—                           |
| Ramp Type BWR, robust polyethylene, black       | B        | 214,—   | 12,—            | 226,—                           |
| Joining Element BWV 2, stainless steel 1.4301   | B        | 28,—    | 9,—             | 37,—                            |
| Shelf Container Type CEH                        | Category | Price   | Freight charges | Price including freight charges |
| <b>CEH 29-2, painted</b>                        | C        | 8832,—  | on request      | on request                      |
| <b>CEH 29-2 IBC, painted</b>                    | C        | 9735,—  | on request      | on request                      |
| <b>CEH 36-2 IBC, painted</b>                    | C        | 11330,— | on request      | on request                      |
| <b>CEH 38-2, painted</b>                        | C        | 11322,— | on request      | on request                      |
| <b>CEH 59-2, painted</b>                        | C        | 16765,— | on request      | on request                      |
| <b>CEH 59-2 IBC, painted</b>                    | C        | 17999,— | on request      | on request                      |
| <b>CEH 75-2 IBC, painted</b>                    | C        | 21334,— | on request      | on request                      |
| <b>CEH 81-2, painted</b>                        | C        | 21762,— | on request      | on request                      |
| Shelf Container Type CEN                        | Category | Price   | Freight charges | Price including freight charges |
| <b>CEN 29-2, painted</b>                        | C        | 7453,—  | on request      | on request                      |
| Potential equalisation                          | C        | 177,—   | 0,—             | 177,—                           |
| <b>CEN 29-2 IBC, painted</b>                    | C        | 8136,—  | on request      | on request                      |
| Potential equalisation                          | C        | 177,—   | 0,—             | 177,—                           |
| <b>CEN 29-2b, painted</b>                       | C        | 12990,— | on request      | on request                      |
| Potential equalisation                          | C        | 353,—   | 0,—             | 353,—                           |
| <b>CEN 29-2b IBC, painted</b>                   | C        | 13892,— | on request      | on request                      |
| Potential equalisation                          | C        | 353,—   | 0,—             | 353,—                           |
| <b>CEN 29-3, painted</b>                        | C        | 11729,— | on request      | on request                      |
| Potential equalisation                          | C        | 264,—   | 0,—             | 264,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Environment / Storage



| Shelf Container Type CEN      | Category | Price   | Freight charges | Price including freight charges |
|-------------------------------|----------|---------|-----------------|---------------------------------|
| <b>CEN 29-3 IBC, painted</b>  | C        | 12480,— | on request      | on request                      |
| Potential equalisation        | C        | 264,—   | 0,—             | 264,—                           |
| <b>CEN 29-3b, painted</b>     | C        | 19088,— | on request      | on request                      |
| Potential equalisation        | C        | 527,—   | 0,—             | 527,—                           |
| <b>CEN 29-3b IBC, painted</b> | C        | 20156,— | on request      | on request                      |
| Potential equalisation        | C        | 527,—   | 0,—             | 527,—                           |
| <b>CEN 33-2 IBC, painted</b>  | C        | 9075,—  | on request      | on request                      |
| Potential equalisation        | C        | 177,—   | 0,—             | 177,—                           |
| <b>CEN 33-2b IBC, painted</b> | C        | 15207,— | on request      | on request                      |
| Potential equalisation        | C        | 353,—   | 0,—             | 353,—                           |
| <b>CEN 33-3 IBC, painted</b>  | C        | 13380,— | on request      | on request                      |
| Potential equalisation        | C        | 264,—   | 0,—             | 264,—                           |
| <b>CEN 33-3b IBC, painted</b> | C        | 21273,— | on request      | on request                      |
| Potential equalisation        | C        | 527,—   | 0,—             | 527,—                           |
| <b>CEN 36-2, painted</b>      | C        | 9149,—  | on request      | on request                      |
| Potential equalisation        | C        | 177,—   | 0,—             | 177,—                           |
| <b>CEN 36-2b, painted</b>     | C        | 15565,— | on request      | on request                      |
| Potential equalisation        | C        | 353,—   | 0,—             | 353,—                           |
| <b>CEN 36-3, painted</b>      | C        | 13571,— | on request      | on request                      |
| Potential equalisation        | C        | 264,—   | 0,—             | 264,—                           |
| <b>CEN 36-3b, painted</b>     | C        | 21925,— | on request      | on request                      |
| Potential equalisation        | C        | 527,—   | 0,—             | 527,—                           |
| <b>CEN 59-2, painted</b>      | C        | 12340,— | on request      | on request                      |
| Potential equalisation        | C        | 352,—   | 0,—             | 352,—                           |
| <b>CEN 59-2 IBC, painted</b>  | C        | 13446,— | on request      | on request                      |
| Potential equalisation        | C        | 352,—   | 0,—             | 352,—                           |
| <b>CEN 59-2b, painted</b>     | C        | 21238,— | on request      | on request                      |
| Potential equalisation        | C        | 704,—   | 0,—             | 704,—                           |
| <b>CEN 59-2b IBC, painted</b> | C        | 21984,— | on request      | on request                      |
| Potential equalisation        | C        | 704,—   | 0,—             | 704,—                           |
| <b>CEN 59-3, painted</b>      | C        | 18998,— | on request      | on request                      |
| Potential equalisation        | C        | 526,—   | 0,—             | 526,—                           |
| <b>CEN 59-3 IBC, painted</b>  | C        | 20108,— | on request      | on request                      |
| Potential equalisation        | C        | 526,—   | 0,—             | 526,—                           |
| <b>CEN 59-3b, painted</b>     | C        | 30667,— | on request      | on request                      |
| Potential equalisation        | C        | 1052,—  | 0,—             | 1052,—                          |
| <b>CEN 59-3b IBC, painted</b> | C        | 32274,— | on request      | on request                      |
| Potential equalisation        | C        | 1052,—  | 0,—             | 1052,—                          |
| <b>CEN 65-2 IBC, painted</b>  | C        | 14494,— | on request      | on request                      |
| Potential equalisation        | C        | 352,—   | 0,—             | 352,—                           |
| <b>CEN 65-2b IBC, painted</b> | C        | 24443,— | on request      | on request                      |
| Potential equalisation        | C        | 704,—   | 0,—             | 704,—                           |
| <b>CEN 65-3 IBC, painted</b>  | C        | 21255,— | on request      | on request                      |
| Potential equalisation        | C        | 526,—   | 0,—             | 526,—                           |
| <b>CEN 65-3b IBC, painted</b> | C        | 34704,— | on request      | on request                      |
| Potential equalisation        | C        | 1052,—  | 0,—             | 1052,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Environment / Storage



| Shelf Container Type CEN         | Category | Price   | Freight charges | Price including freight charges |
|----------------------------------|----------|---------|-----------------|---------------------------------|
| CEN 75-2, painted                | C        | 15462,— | on request      | on request                      |
| Potential equalisation           | C        | 352,—   | 0,—             | 352,—                           |
| CEN 75-2b, painted               | C        | 25589,— | on request      | on request                      |
| Potential equalisation           | C        | 704,—   | 0,—             | 704,—                           |
| CEN 75-3, painted                | C        | 22305,— | on request      | on request                      |
| Potential equalisation           | C        | 526,—   | 0,—             | 526,—                           |
| CEN 75-3b, painted               | C        | 36212,— | on request      | on request                      |
| Potential equalisation           | C        | 1052,—  | 0,—             | 1052,—                          |
| CEN 81-2, painted                | C        | 16220,— | on request      | on request                      |
| Potential equalisation           | C        | 352,—   | 0,—             | 352,—                           |
| CEN 81-2b, painted               | C        | 26755,— | on request      | on request                      |
| Potential equalisation           | C        | 704,—   | 0,—             | 704,—                           |
| CEN 81-3, painted                | C        | 23356,— | on request      | on request                      |
| Potential equalisation           | C        | 526,—   | 0,—             | 526,—                           |
| CEN 81-3b, painted               | C        | 37796,— | on request      | on request                      |
| Potential equalisation           | C        | 1052,—  | 0,—             | 1052,—                          |
| Sump Tray for Skips Type CW      | Category | Price   | Freight charges | Price including freight charges |
| CW 1, painted                    | B        | 2852,—  | on request      | on request                      |
| CW 2, painted                    | B        | 3116,—  | on request      | on request                      |
| CW 3, painted                    | B        | 3596,—  | on request      | on request                      |
| Sump Tray Type ECO               | Category | Price   | Freight charges | Price including freight charges |
| ECO 1/200, painted               | B        | 237,—   | 141,—           | 378,—                           |
| ECO 1/200, hot-dip galvanized    | B        | 247,—   | 141,—           | 388,—                           |
| ECO 2/200, painted               | B        | 252,—   | 141,—           | 393,—                           |
| ECO 2/200, hot-dip galvanized    | B        | 260,—   | 141,—           | 401,—                           |
| ECO 4/200, painted               | B        | 275,—   | 141,—           | 416,—                           |
| ECO 4/200, hot-dip galvanized    | B        | 286,—   | 141,—           | 427,—                           |
| ECO 4/400, painted               | B        | 342,—   | 141,—           | 483,—                           |
| ECO 4/400, hot-dip galvanized    | B        | 357,—   | 141,—           | 498,—                           |
| ECO 1/1000, painted              | B        | 610,—   | 225,—           | 835,—                           |
| ECO 1/1000, hot-dip galvanized   | B        | 733,—   | 225,—           | 958,—                           |
| ECO 2/1000, painted              | B        | 798,—   | 278,—           | 1076,—                          |
| ECO 2/1000, hot-dip galvanized   | B        | 884,—   | 278,—           | 1162,—                          |
| Sump Tray Type ECO-A             | Category | Price   | Freight charges | Price including freight charges |
| ECO-A 1/1000, painted            | B        | 802,—   | 225,—           | 1027,—                          |
| ECO-A 1/1000, hot-dip galvanized | B        | 938,—   | 225,—           | 1163,—                          |
| ECO-A 2/1000, painted            | B        | 1179,—  | 380,—           | 1559,—                          |
| ECO-A 2/1000, hot-dip galvanized | B        | 1295,—  | 380,—           | 1675,—                          |
| Sump Tray Type ECO-S             | Category | Price   | Freight charges | Price including freight charges |
| ECO-S 2/200, hot-dip galvanized  | B        | 3330,—  | 570,—           | 3900,—                          |
| ECO-S 4/200, hot-dip galvanized  | B        | 3915,—  | 885,—           | 4800,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Environment / Storage



| Sump Tray Type ECO-S                               | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------------------------|----------|--------|-----------------|---------------------------------|
| ECO-S 4/400, hot-dip galvanized                    | B        | 4830,— | 885,—           | 5715,—                          |
| Suspended Sump with Polyethylene Inlay Type EHW PE | Category | Price  | Freight charges | Price including freight charges |
| EHW 1800 PE, painted                               | B        | 878,—  | 225,—           | 1103,—                          |
| EHW 1800 PE, hot-dip galvanized                    | B        | 890,—  | 225,—           | 1115,—                          |
| EHW 2200 PE, painted                               | B        | 953,—  | 225,—           | 1178,—                          |
| EHW 2200 PE, hot-dip galvanized                    | B        | 993,—  | 225,—           | 1218,—                          |
| EHW 2700 PE, painted                               | B        | 1105,— | 380,—           | 1485,—                          |
| EHW 2700 PE, hot-dip galvanized                    | B        | 1170,— | 380,—           | 1550,—                          |
| EHW 3300 PE, painted                               | B        | 1597,— | 380,—           | 1977,—                          |
| EHW 3300 PE, hot-dip galvanized                    | B        | 1668,— | 380,—           | 2048,—                          |
| Suspended Sump Type EHW                            | Category | Price  | Freight charges | Price including freight charges |
| EHW 1800, painted                                  | B        | 491,—  | 225,—           | 716,—                           |
| EHW 1800, hot-dip galvanized                       | B        | 503,—  | 225,—           | 728,—                           |
| EHW 2200, painted                                  | B        | 544,—  | 225,—           | 769,—                           |
| EHW 2200, hot-dip galvanized                       | B        | 584,—  | 225,—           | 809,—                           |
| EHW 2700, painted                                  | B        | 626,—  | 278,—           | 904,—                           |
| EHW 2700, hot-dip galvanized                       | B        | 692,—  | 278,—           | 970,—                           |
| EHW 3300, painted                                  | B        | 968,—  | 380,—           | 1348,—                          |
| EHW 3300, hot-dip galvanized                       | B        | 1039,— | 380,—           | 1419,—                          |
| EHW 3600, painted                                  | B        | 1014,— | 380,—           | 1394,—                          |
| EHW 3600, hot-dip galvanized                       | B        | 1092,— | 380,—           | 1472,—                          |
| Drum Pallet Type FP                                | Category | Price  | Freight charges | Price including freight charges |
| FP 2, hot-dip galvanized                           | B        | 88,—   | 141,—           | 229,—                           |
| Drum Shelf Type FR                                 | Category | Price  | Freight charges | Price including freight charges |
| FR-1, hot-dip galvanized                           | B        | 283,—  | 141,—           | 424,—                           |
| Can Stand Type GS, hot-dip galvanized              | B        | 62,—   | 18,—            | 80,—                            |
| Clip-on Rotating Support, galvanized               | B        | 82,—   | 10,—            | 92,—                            |
| FR-2, hot-dip galvanized                           | B        | 362,—  | 141,—           | 503,—                           |
| Can Stand Type GS, hot-dip galvanized              | B        | 62,—   | 18,—            | 80,—                            |
| Clip-on Rotating Support, galvanized               | B        | 82,—   | 10,—            | 92,—                            |
| FR-3, hot-dip galvanized                           | B        | 404,—  | 141,—           | 545,—                           |
| Can Stand Type GS, hot-dip galvanized              | B        | 62,—   | 18,—            | 80,—                            |
| Rotating Support RA 60, hot-dip galvanized         | B        | 93,—   | 9,—             | 102,—                           |
| Sump Tray Type FRA                                 | Category | Price  | Freight charges | Price including freight charges |
| FRA-1, painted                                     | B        | 299,—  | 141,—           | 440,—                           |
| Grid, hot-dip galvanized                           | B        | 64,—   | 16,—            | 80,—                            |
| FRA-1, hot-dip galvanized                          | B        | 354,—  | 141,—           | 495,—                           |
| Grid, hot-dip galvanized                           | B        | 64,—   | 16,—            | 80,—                            |
| FRA-2, painted                                     | B        | 311,—  | 141,—           | 452,—                           |
| Grid, hot-dip galvanized                           | B        | 127,—  | 24,—            | 151,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Environment / Storage



| Sump Tray Type FRA                         | Category | Price  | Freight charges | Price including freight charges |
|--------------------------------------------|----------|--------|-----------------|---------------------------------|
| FRA-2, hot-dip galvanized                  | B        | 365,—  | 141,—           | 506,—                           |
| Grid, hot-dip galvanized                   | B        | 127,—  | 24,—            | 151,—                           |
| FRA-3, painted                             | B        | 311,—  | 141,—           | 452,—                           |
| Grid, hot-dip galvanized                   | B        | 127,—  | 24,—            | 151,—                           |
| FRA-3, hot-dip galvanized                  | B        | 365,—  | 141,—           | 506,—                           |
| Grid, hot-dip galvanized                   | B        | 127,—  | 24,—            | 151,—                           |
| Drum Shelf Type FRE/M                      | Category | Price  | Freight charges | Price including freight charges |
| FRE-1/M, hot-dip galvanized                | B        | 217,—  | 21,—            | 238,—                           |
| Clip-on Rotating Support, galvanized       | B        | 82,—   | 10,—            | 92,—                            |
| Can Stand Type GS, hot-dip galvanized      | B        | 62,—   | 18,—            | 80,—                            |
| FRE-2/M, hot-dip galvanized                | B        | 252,—  | 22,—            | 274,—                           |
| Clip-on Rotating Support, galvanized       | B        | 82,—   | 10,—            | 92,—                            |
| Can Stand Type GS, hot-dip galvanized      | B        | 62,—   | 18,—            | 80,—                            |
| FRE-3/M, hot-dip galvanized                | B        | 269,—  | 27,—            | 296,—                           |
| Rotating Support RA 60, hot-dip galvanized | B        | 93,—   | 9,—             | 102,—                           |
| Can Stand Type GS, hot-dip galvanized      | B        | 62,—   | 18,—            | 80,—                            |
| Can Shelf Type FRE-G/M                     | Category | Price  | Freight charges | Price including freight charges |
| FRE-G1/M, hot-dip galvanized               | B        | 228,—  | 27,—            | 255,—                           |
| FRE-G2/M, hot-dip galvanized               | B        | 264,—  | 32,—            | 296,—                           |
| Can Shelf for Small Cans Type FRG          | Category | Price  | Freight charges | Price including freight charges |
| FRG, hot-dip galvanized                    | B        | 368,—  | 141,—           | 509,—                           |
| Drum Stacking Pallet Type FSP-D            | Category | Price  | Freight charges | Price including freight charges |
| FSP-1 D, lackiert                          | B        | 816,—  | 225,—           | 1041,—                          |
| FSP-1 D, hot-dip galvanized                | B        | 1068,— | 225,—           | 1293,—                          |
| FSP-2 D, lackiert                          | B        | 870,—  | 225,—           | 1095,—                          |
| FSP-2 D, hot-dip galvanized                | B        | 1180,— | 225,—           | 1405,—                          |
| FSP-4 D, lackiert                          | B        | 1130,— | 225,—           | 1355,—                          |
| FSP-4 D, hot-dip galvanized                | B        | 1560,— | 225,—           | 1785,—                          |
| Drum Stacking Pallet Type FSP-G            | Category | Price  | Freight charges | Price including freight charges |
| FSP-1 G, lackiert                          | B        | 793,—  | 225,—           | 1018,—                          |
| FSP-1 G, hot-dip galvanized                | B        | 1052,— | 225,—           | 1277,—                          |
| FSP-2 G, painted                           | B        | 849,—  | 225,—           | 1074,—                          |
| FSP-2 G, hot-dip galvanized                | B        | 1156,— | 225,—           | 1381,—                          |
| FSP-4 G, painted                           | B        | 1109,— | 327,—           | 1436,—                          |
| FSP-4 G, hot-dip galvanized                | B        | 1533,— | 327,—           | 1860,—                          |
| Drum Stacking Pallet Type FSP              | Category | Price  | Freight charges | Price including freight charges |
| FSP-1, painted                             | B        | 467,—  | 141,—           | 608,—                           |
| FSP-1, hot-dip galvanized                  | B        | 702,—  | 225,—           | 927,—                           |
| FSP-2, painted                             | B        | 632,—  | 225,—           | 857,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Environment / Storage



| Drum Stacking Pallet Type FSP | Category | Price  | Freight charges | Price including freight charges |
|-------------------------------|----------|--------|-----------------|---------------------------------|
| FSP-2, hot-dip galvanized     | B        | 882,—  | 225,—           | 1107,—                          |
| FSP-4, painted                | B        | 720,—  | 225,—           | 945,—                           |
| FSP-4, hot-dip galvanized     | B        | 1112,— | 225,—           | 1337,—                          |

| Hazardous Materials Depot Type GD-A      | Category | Price | Freight charges | Price including freight charges |
|------------------------------------------|----------|-------|-----------------|---------------------------------|
| GD-A, painted                            | C        | 736,— | 225,—           | 961,—                           |
| Drum Support FA 60-1, hot-dip galvanized | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized | B        | 133,— | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized          | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized          | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized          | B        | 133,— | 60,—            | 193,—                           |
| GD-A, hot-dip galvanized                 | C        | 927,— | 225,—           | 1152,—                          |
| Drum Support FA 60-1, hot-dip galvanized | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized | B        | 133,— | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized          | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized          | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized          | B        | 133,— | 60,—            | 193,—                           |

| Hazardous Materials Depot Type GD-B      | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------------|----------|--------|-----------------|---------------------------------|
| GD-B, painted                            | C        | 1316,— | 225,—           | 1541,—                          |
| Drum Support FA 60-1, hot-dip galvanized | B        | 105,—  | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized | B        | 114,—  | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized | B        | 133,—  | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized          | B        | 133,—  | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized          | B        | 133,—  | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized          | B        | 133,—  | 60,—            | 193,—                           |
| GD-B, hot-dip galvanized                 | C        | 1570,— | 225,—           | 1795,—                          |
| Drum Support FA 60-1, hot-dip galvanized | B        | 105,—  | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized | B        | 114,—  | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized | B        | 133,—  | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized          | B        | 133,—  | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized          | B        | 133,—  | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized          | B        | 133,—  | 60,—            | 193,—                           |

| Hazardous Materials Depot Type GD-C      | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------------|----------|--------|-----------------|---------------------------------|
| GD-C, painted                            | C        | 1123,— | 225,—           | 1348,—                          |
| Drum Support FA 60-1, hot-dip galvanized | B        | 105,—  | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized | B        | 114,—  | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized | B        | 133,—  | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized          | B        | 133,—  | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized          | B        | 133,—  | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized          | B        | 133,—  | 60,—            | 193,—                           |
| GD-C, hot-dip galvanized                 | C        | 1269,— | 225,—           | 1494,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Environment / Storage



| Hazardous Materials Depot Type GD-C            | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Drum Support FA 60-1, hot-dip galvanized       | B        | 105,—  | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized       | B        | 114,—  | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized       | B        | 133,—  | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized                | B        | 133,—  | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized                | B        | 133,—  | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized                | B        | 133,—  | 60,—            | 193,—                           |
| Hazardous Materials Depot Type GD-E            | Category | Price  | Freight charges | Price including freight charges |
| <b>GD-E 2, galvanized</b>                      | C        | 1509,— | 327,—           | 1836,—                          |
| Drum Support FA 60-1, hot-dip galvanized       | B        | 105,—  | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized       | B        | 114,—  | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized       | B        | 133,—  | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized                | B        | 133,—  | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized                | B        | 133,—  | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized                | B        | 133,—  | 60,—            | 193,—                           |
| <b>GD-E 4, galvanized</b>                      | C        | 1842,— | 398,—           | 2240,—                          |
| Drum Support FA 60-1, hot-dip galvanized       | B        | 105,—  | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized       | B        | 114,—  | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized       | B        | 133,—  | 21,—            | 154,—                           |
| Can Shelf Type GR-A, galvanized                | B        | 133,—  | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized                | B        | 133,—  | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized                | B        | 133,—  | 60,—            | 193,—                           |
| Hazardous Materials Depot Type GD-E/IBC        | Category | Price  | Freight charges | Price including freight charges |
| <b>GD-E/IBC, galvanized</b>                    | C        | 2286,— | 1120,—          | 3406,—                          |
| <b>GD-E/IBC-2, galvanized</b>                  | C        | 3431,— | 426,—           | 3857,—                          |
| Hazardous Materials Depot Type GD-N            | Category | Price  | Freight charges | Price including freight charges |
| <b>GD-N 2, galvanized</b>                      | C        | 1315,— | 327,—           | 1642,—                          |
| Intermediate Storage Level, hot-dip galvanized | C        | 102,—  | 18,—            | 120,—                           |
| Drum Support FA 60-1, hot-dip galvanized       | B        | 105,—  | 15,—            | 120,—                           |
| Can Shelf Type GR-A, galvanized                | B        | 133,—  | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized                | B        | 133,—  | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized                | B        | 133,—  | 60,—            | 193,—                           |
| <b>GD-N 4, galvanized</b>                      | C        | 1639,— | 327,—           | 1966,—                          |
| Intermediate Storage Level, hot-dip galvanized | C        | 102,—  | 18,—            | 120,—                           |
| Drum Support FA 60-1, hot-dip galvanized       | B        | 105,—  | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized       | B        | 114,—  | 18,—            | 132,—                           |
| Drum Support FA 200-1, hot-dip galvanized      | B        | 114,—  | 15,—            | 129,—                           |
| Drum Support FA 200-2, hot-dip galvanized      | B        | 133,—  | 22,—            | 155,—                           |
| Can Shelf Type GR-A, galvanized                | B        | 133,—  | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized                | B        | 133,—  | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized                | B        | 133,—  | 60,—            | 193,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Environment / Storage



| Hazardous Materials DepotType GD-N/R                                  | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>GD-N/R 2, galvanized</b>                                           | C        | 1509,— | 327,—           | 1836,—                          |
| Intermediate Storage Level, hot-dip galvanized                        | C        | 102,—  | 18,—            | 120,—                           |
| Drum Support FA 60-1, hot-dip galvanized                              | B        | 105,—  | 15,—            | 120,—                           |
| Can Shelf Type GR-A, galvanized                                       | B        | 133,—  | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized                                       | B        | 133,—  | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized                                       | B        | 133,—  | 60,—            | 193,—                           |
| <b>GD-N/R 4, galvanized</b>                                           | C        | 1836,— | 327,—           | 2163,—                          |
| Intermediate Storage Level, hot-dip galvanized                        | C        | 102,—  | 18,—            | 120,—                           |
| Drum Support FA 60-1, hot-dip galvanized                              | B        | 105,—  | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized                              | B        | 114,—  | 18,—            | 132,—                           |
| Drum Support FA 200-1, hot-dip galvanized                             | B        | 114,—  | 15,—            | 129,—                           |
| Drum Support FA 200-2, hot-dip galvanized                             | B        | 133,—  | 22,—            | 155,—                           |
| Can Shelf Type GR-A, galvanized                                       | B        | 133,—  | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized                                       | B        | 133,—  | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized                                       | B        | 133,—  | 60,—            | 193,—                           |
| Gas Cylinder Containers Type GFC-B                                    | Category | Price  | Freight charges | Price including freight charges |
| <b>GFC-B M0, painted</b>                                              | B        | 3290,— | 1120,—          | 4410,—                          |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 69,—   | 12,—            | 81,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| <b>GFC-B M1, painted</b>                                              | B        | 3815,— | 1346,—          | 5161,—                          |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 69,—   | 12,—            | 81,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| <b>GFC-B M2, painted</b>                                              | B        | 3974,— | 1346,—          | 5320,—                          |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 69,—   | 12,—            | 81,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| <b>GFC-B M3, painted</b>                                              | B        | 4600,— | 1346,—          | 5946,—                          |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 69,—   | 12,—            | 81,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| <b>GFC-B M4, painted</b>                                              | B        | 5173,— | 1529,—          | 6702,—                          |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 69,—   | 12,—            | 81,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| <b>GFC-B M5, painted</b>                                              | B        | 7187,— | 1529,—          | 8716,—                          |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 69,—   | 12,—            | 81,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| Gas Cylinder Containers Type GFC-B/W                                  | Category | Price  | Freight charges | Price including freight charges |
| <b>GFC-B/W M1, painted</b>                                            | B        | 4073,— | 1346,—          | 5419,—                          |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 69,—   | 12,—            | 81,—                            |
| <b>GFC-B/W M2, painted</b>                                            | B        | 4271,— | 1346,—          | 5617,—                          |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 69,—   | 12,—            | 81,—                            |
| <b>GFC-B/W M3, painted</b>                                            | B        | 4904,— | 1346,—          | 6250,—                          |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 69,—   | 12,—            | 81,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| <b>GFC-B/W M4, painted</b>                                            | B        | 5483,— | 1529,—          | 7012,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Environment / Storage



| Gas Cylinder Containers Type GFC-B/W                                  | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 69,—   | 12,—            | 81,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| <b>GFC-B/W M5, painted</b>                                            | B        | 7578,— | 1529,—          | 9107,—                          |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 69,—   | 12,—            | 81,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |

| Gas Cylinder Containers Type GFC-E/G                                  | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>GFC-E/G M0, hot-dip galvanized</b>                                 | B        | 1487,— | 327,—           | 1814,—                          |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| Access Ramp Type AR, galvanized                                       | B        | 157,—  | 22,—            | 179,—                           |
| <b>GFC-E/G M1, hot-dip galvanized</b>                                 | B        | 2116,— | 1346,—          | 3462,—                          |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| Access Ramp Type AR, galvanized                                       | B        | 157,—  | 22,—            | 179,—                           |
| Central Dividing Wall, galvanized                                     | B        | 84,—   | 22,—            | 106,—                           |
| <b>GFC-E/G M2, hot-dip galvanized</b>                                 | B        | 2319,— | 1346,—          | 3665,—                          |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| Access Ramp Type AR, galvanized                                       | B        | 157,—  | 22,—            | 179,—                           |
| Central Dividing Wall, galvanized                                     | B        | 124,—  | 32,—            | 156,—                           |
| <b>GFC-E/G M3, hot-dip galvanized</b>                                 | B        | 2580,— | 1346,—          | 3926,—                          |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| Access Ramp Type AR, galvanized                                       | B        | 157,—  | 22,—            | 179,—                           |
| Central Dividing Wall, galvanized                                     | B        | 124,—  | 32,—            | 156,—                           |
| <b>GFC-E/G M4, hot-dip galvanized</b>                                 | B        | 2797,— | 1529,—          | 4326,—                          |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| Access Ramp Type AR, galvanized                                       | B        | 157,—  | 22,—            | 179,—                           |
| Central Dividing Wall, galvanized                                     | B        | 124,—  | 32,—            | 156,—                           |
| <b>GFC-E/G M5, hot-dip galvanized</b>                                 | B        | 3465,— | 1529,—          | 4994,—                          |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| Access Ramp Type AR, galvanized                                       | B        | 157,—  | 22,—            | 179,—                           |
| Central Dividing Wall, galvanized                                     | B        | 184,—  | 40,—            | 224,—                           |

| Gas Cylinder Containers Type GFC-E/T                                  | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>GFC-E/T M0, hot-dip galvanized</b>                                 | B        | 1507,— | 327,—           | 1834,—                          |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| Access Ramp Type AR, galvanized                                       | B        | 157,—  | 22,—            | 179,—                           |
| <b>GFC-E/T M1, hot-dip galvanized</b>                                 | B        | 2153,— | 1346,—          | 3499,—                          |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Environment / Storage



| Gas Cylinder Containers Type GFC-E/T                                  | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Access Ramp Type AR, galvanized                                       | B        | 157,—  | 22,—            | 179,—                           |
| Central Dividing Wall, galvanized                                     | B        | 84,—   | 22,—            | 106,—                           |
| <b>GFC-E/T M2, hot-dip galvanized</b>                                 | B        | 2365,— | 1346,—          | 3711,—                          |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| Access Ramp Type AR, galvanized                                       | B        | 157,—  | 22,—            | 179,—                           |
| Central Dividing Wall, galvanized                                     | B        | 124,—  | 32,—            | 156,—                           |
| <b>GFC-E/T M3, hot-dip galvanized</b>                                 | B        | 2644,— | 1346,—          | 3990,—                          |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| Access Ramp Type AR, galvanized                                       | B        | 157,—  | 22,—            | 179,—                           |
| Central Dividing Wall, galvanized                                     | B        | 124,—  | 32,—            | 156,—                           |
| <b>GFC-E/T M4, hot-dip galvanized</b>                                 | B        | 2859,— | 1529,—          | 4388,—                          |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| Access Ramp Type AR, galvanized                                       | B        | 157,—  | 22,—            | 179,—                           |
| Central Dividing Wall, galvanized                                     | B        | 124,—  | 32,—            | 156,—                           |
| <b>GFC-E/T M5, hot-dip galvanized</b>                                 | B        | 3553,— | 1529,—          | 5082,—                          |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| Access Ramp Type AR, galvanized                                       | B        | 157,—  | 22,—            | 179,—                           |
| Central Dividing Wall, galvanized                                     | B        | 184,—  | 40,—            | 224,—                           |

| Gas Cylinder Containers Type GFC-M/D                                  | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>GFC-M0/D, hot-dip galvanized</b>                                   | B        | 993,—  | 225,—           | 1218,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 146,—  | 72,—            | 218,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| <b>GFC-M1/D, hot-dip galvanized</b>                                   | B        | 1204,— | 327,—           | 1531,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 264,—  | 141,—           | 405,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| <b>GFC-M2/D, hot-dip galvanized</b>                                   | B        | 1282,— | 327,—           | 1609,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 362,—  | 141,—           | 503,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| <b>GFC-M3/D, hot-dip galvanized</b>                                   | B        | 1447,— | 327,—           | 1774,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 492,—  | 225,—           | 717,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| <b>GFC-M4/D, hot-dip galvanized</b>                                   | B        | 1546,— | 327,—           | 1873,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 605,—  | 225,—           | 830,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| <b>GFC-M5/D, hot-dip galvanized</b>                                   | B        | 1838,— | 398,—           | 2236,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 739,—  | 225,—           | 964,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Environment / Storage



| Gas Cylinder Containers Type GFC-M/D                                  | Category | Price | Freight charges | Price including freight charges |
|-----------------------------------------------------------------------|----------|-------|-----------------|---------------------------------|
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—  | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,— | 141,—           | 338,—                           |

| Gas Cylinder Containers Type GFC-M                                    | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>GFC-M1, hot-dip galvanized</b>                                     | B        | 1063,— | 225,—           | 1288,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 264,—  | 141,—           | 405,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| <b>GFC-M2, hot-dip galvanized</b>                                     | B        | 1129,— | 327,—           | 1456,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 362,—  | 141,—           | 503,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| <b>GFC-M3, hot-dip galvanized</b>                                     | B        | 1267,— | 327,—           | 1594,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 492,—  | 225,—           | 717,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| <b>GFC-M4, hot-dip galvanized</b>                                     | B        | 1333,— | 327,—           | 1660,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 605,—  | 225,—           | 830,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| <b>GFC-M5, hot-dip galvanized</b>                                     | B        | 1547,— | 327,—           | 1874,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 739,—  | 225,—           | 964,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |

| Gas Cylinder Containers Type GFC-M/D-DF                               | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>GFC-M1/D-DF, hot-dip galvanized</b>                                | B        | 1375,— | 327,—           | 1702,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 264,—  | 141,—           | 405,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| <b>GFC-M2/D-DF, hot-dip galvanized</b>                                | B        | 1452,— | 327,—           | 1779,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 362,—  | 141,—           | 503,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| <b>GFC-M3/D-DF, hot-dip galvanized</b>                                | B        | 1618,— | 327,—           | 1945,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 492,—  | 225,—           | 717,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| <b>GFC-M4/D-DF, hot-dip galvanized</b>                                | B        | 1748,— | 398,—           | 2146,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 605,—  | 225,—           | 830,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| <b>GFC-M5/D-DF, hot-dip galvanized</b>                                | B        | 2040,— | 398,—           | 2438,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 739,—  | 225,—           | 964,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Environment / Storage



| Gas Cylinder Containers Type GFC-M/D-DF                               | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| GFC-M6/D-DF, hot-dip galvanized                                       | B        | 2681,— | 567,—           | 3248,—                          |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| Gas Cylinder Containers Type GFC-M-DF                                 | Category | Price  | Freight charges | Price including freight charges |
| GFC-M1-DF, hot-dip galvanized                                         | B        | 1232,— | 225,—           | 1457,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 264,—  | 141,—           | 405,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| GFC-M2-DF, hot-dip galvanized                                         | B        | 1300,— | 327,—           | 1627,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 362,—  | 141,—           | 503,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| GFC-M3-DF, hot-dip galvanized                                         | B        | 1439,— | 327,—           | 1766,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 492,—  | 225,—           | 717,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| GFC-M4-DF, hot-dip galvanized                                         | B        | 1537,— | 327,—           | 1864,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 605,—  | 225,—           | 830,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| GFC-M5-DF, hot-dip galvanized                                         | B        | 1750,— | 398,—           | 2148,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 739,—  | 225,—           | 964,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 38,—   | 12,—            | 50,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 197,—  | 141,—           | 338,—                           |
| Gas Cylinder Depot Type GFD-G                                         | Category | Price  | Freight charges | Price including freight charges |
| GFD-G 1, galvanized                                                   | B        | 414,—  | 225,—           | 639,—                           |
| GFD-G 2, galvanized                                                   | B        | 763,—  | 225,—           | 988,—                           |
| Gas Cylinder Depot Type GFD-L                                         | Category | Price  | Freight charges | Price including freight charges |
| GFD-L 1, galvanized                                                   | B        | 446,—  | 141,—           | 587,—                           |
| GFD-L 2, galvanized                                                   | B        | 850,—  | 225,—           | 1075,—                          |
| Gas Cylinder Depot Type GFD-R                                         | Category | Price  | Freight charges | Price including freight charges |
| GFD-R 2, painted                                                      | B        | 747,—  | 141,—           | 888,—                           |
| GFD-R 2, hot-dip galvanized                                           | B        | 771,—  | 141,—           | 912,—                           |
| GFD-R 4, painted                                                      | B        | 849,—  | 141,—           | 990,—                           |
| GFD-R 4, hot-dip galvanized                                           | B        | 878,—  | 141,—           | 1019,—                          |
| Hazardous Materials Cabinet Type GS                                   | Category | Price  | Freight charges | Price including freight charges |
| GS-1, painted                                                         | B        | 762,—  | 225,—           | 987,—                           |
| Intermediate Storage Level, galvanized                                | B        | 86,—   | 14,—            | 100,—                           |
| GS-1, hot-dip galvanized                                              | B        | 820,—  | 225,—           | 1045,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Environment / Storage



| Hazardous Materials Cabinet Type GS            | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Intermediate Storage Level, galvanized         | B        | 86,—   | 14,—            | 100,—                           |
| GS-2, painted                                  | B        | 1013,— | 327,—           | 1340,—                          |
| Intermediate Storage Level, galvanized         | B        | 86,—   | 14,—            | 100,—                           |
| GS-2, hot-dip galvanized                       | B        | 1100,— | 327,—           | 1427,—                          |
| Intermediate Storage Level, galvanized         | B        | 86,—   | 14,—            | 100,—                           |
| GS-3, painted                                  | B        | 2070,— | 398,—           | 2468,—                          |
| GS-3, hot-dip galvanized                       | B        | 2217,— | 398,—           | 2615,—                          |
| GS-4, painted                                  | B        | 2081,— | 1120,—          | 3201,—                          |
| GS-4, hot-dip galvanized                       | B        | 2260,— | 1120,—          | 3380,—                          |
| Gas Cylinder Wall Bracket Type GWH             | Category | Price  | Freight charges | Price including freight charges |
| GWH 140-I, hot-dip galvanized                  | F        | 25,—   | 60,—            | 85,—                            |
| GWH 140-II, hot-dip galvanized                 | F        | 38,—   | 60,—            | 98,—                            |
| GWH 140-III, hot-dip galvanized                | F        | 57,—   | 60,—            | 117,—                           |
| GWH 230-I, hot-dip galvanized                  | F        | 27,—   | 60,—            | 87,—                            |
| GWH 230-II, hot-dip galvanized                 | F        | 41,—   | 60,—            | 101,—                           |
| GWH 230-III, hot-dip galvanized                | F        | 62,—   | 60,—            | 122,—                           |
| GWH 320-I, hot-dip galvanized                  | F        | 28,—   | 60,—            | 88,—                            |
| GWH 320-II, hot-dip galvanized                 | F        | 46,—   | 60,—            | 106,—                           |
| GWH 320-III, hot-dip galvanized                | F        | 69,—   | 60,—            | 129,—                           |
| Tilting Canister Stand Type KAH                | Category | Price  | Freight charges | Price including freight charges |
| KAH-5, galvanized                              | A        | 92,—   | 60,—            | 152,—                           |
| KAH-25, galvanized                             | A        | 105,—  | 60,—            | 165,—                           |
| KAH-60, galvanized                             | A        | 135,—  | 60,—            | 195,—                           |
| Spill Tray for Canisters/Small Cans Type KGW   | Category | Price  | Freight charges | Price including freight charges |
| KGW 1, galvanized                              | B        | 88,—   | 60,—            | 148,—                           |
| KGW 1 V4A, stainless steel 1.4571              | B        | 270,—  | 60,—            | 330,—                           |
| KGW 2, galvanized                              | B        | 92,—   | 60,—            | 152,—                           |
| KGW 2 V4A, stainless steel 1.4571              | B        | 311,—  | 60,—            | 371,—                           |
| KGW 3, galvanized                              | B        | 96,—   | 60,—            | 156,—                           |
| KGW 3 V4A, stainless steel 1.4571              | B        | 386,—  | 60,—            | 446,—                           |
| KGW 4, galvanized                              | B        | 113,—  | 141,—           | 254,—                           |
| KGW 4 V4A, stainless steel 1.4571              | B        | 456,—  | 141,—           | 597,—                           |
| KGW 5, galvanized                              | B        | 155,—  | 141,—           | 296,—                           |
| KGW 5 V4A, stainless steel 1.4571              | B        | 593,—  | 141,—           | 734,—                           |
| Spill Tray for Canisters/Small Cans Type KGW/M | Category | Price  | Freight charges | Price including freight charges |
| KGW 1/M, galvanized                            | B        | 124,—  | 60,—            | 184,—                           |
| KGW 1/M V4A, stainless steel 1.4571            | B        | 406,—  | 60,—            | 466,—                           |
| KGW 2/M, galvanized                            | B        | 132,—  | 60,—            | 192,—                           |
| KGW 2/M V4A, stainless steel 1.4571            | B        | 468,—  | 60,—            | 528,—                           |
| KGW 3/M, galvanized                            | B        | 151,—  | 60,—            | 211,—                           |
| KGW 3/M V4A, stainless steel 1.4571            | B        | 589,—  | 60,—            | 649,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and overseas territories excluded

# Price List 0425 en-PT

## Environment / Storage



| Spill Tray for Canisters/Small Cans Type KGW/M                | Category | Price  | Freight charges | Price including freight charges |
|---------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| KGW 4/M, galvanized                                           | B        | 175,—  | 141,—           | 316,—                           |
| KGW 4/M V4A, stainless steel 1.4571                           | B        | 705,—  | 141,—           | 846,—                           |
| KGW 5/M, galvanized                                           | B        | 227,—  | 141,—           | 368,—                           |
| KGW 5/M V4A, stainless steel 1.4571                           | B        | 929,—  | 141,—           | 1070,—                          |
| Spill Tray for Canisters/Small Cans on Pallets Type KGW-P     | Category | Price  | Freight charges | Price including freight charges |
| KGW-P 1, galvanized                                           | B        | 94,—   | 60,—            | 154,—                           |
| KGW-P 1 V4A, stainless steel 1.4571                           | B        | 266,—  | 60,—            | 326,—                           |
| KGW-P 2, galvanized                                           | B        | 142,—  | 60,—            | 202,—                           |
| KGW-P 2 V4A, stainless steel 1.4571                           | B        | 382,—  | 60,—            | 442,—                           |
| KGW-P 3, galvanized                                           | B        | 178,—  | 141,—           | 319,—                           |
| KGW-P 3 V4A, stainless steel 1.4571                           | B        | 586,—  | 60,—            | 646,—                           |
| KGW-P 4, galvanized                                           | B        | 169,—  | 60,—            | 229,—                           |
| KGW-P 4 V4A, stainless steel 1.4571                           | B        | 450,—  | 60,—            | 510,—                           |
| Spill Tray for Canisters/Small Cans on Pallets Type KGW-P/M   | Category | Price  | Freight charges | Price including freight charges |
| KGW-P 1/M, galvanized                                         | B        | 137,—  | 60,—            | 197,—                           |
| KGW-P 1/M V4A, stainless steel 1.4571                         | B        | 385,—  | 60,—            | 445,—                           |
| KGW-P 2/M, galvanized                                         | B        | 210,—  | 60,—            | 270,—                           |
| KGW-P 2/M V4A, stainless steel 1.4571                         | B        | 559,—  | 60,—            | 619,—                           |
| KGW-P 3/M, galvanized                                         | B        | 256,—  | 141,—           | 397,—                           |
| KGW-P 3/M V4A, stainless steel 1.4571                         | B        | 864,—  | 141,—           | 1005,—                          |
| KGW-P 4/M, galvanized                                         | B        | 241,—  | 141,—           | 382,—                           |
| KGW-P 4/M V4A, stainless steel 1.4571                         | B        | 694,—  | 60,—            | 754,—                           |
| Diesel Filling Point Type KPS                                 | Category | Price  | Freight charges | Price including freight charges |
| KPS 1, painted                                                | B        | 2865,— | on request      | on request                      |
| KPS 2, painted                                                | B        | 3723,— | on request      | on request                      |
| KPS 3, painted                                                | B        | 5248,— | on request      | on request                      |
| Polyethylene Sump Tray for Pallets Type KWP-P                 | Category | Price  | Freight charges | Price including freight charges |
| KWP-P 20, made of robust polyethylene                         | B        | 46,—   | 60,—            | 106,—                           |
| Deck with Punched Holes LR-PE 20, robust polyethylene, black  | B        | 61,—   | 14,—            | 75,—                            |
| KWP-P 30, made of robust polyethylene                         | B        | 56,—   | 60,—            | 116,—                           |
| Deck with Punched Holes LR-PE 30, robust polyethylene, black  | B        | 63,—   | 14,—            | 77,—                            |
| KWP-P 40, made of robust polyethylene                         | B        | 62,—   | 60,—            | 122,—                           |
| Deck with Punched Holes LR-PE 40, robust polyethylene, black  | B        | 67,—   | 14,—            | 81,—                            |
| KWP-P 60, made of robust polyethylene                         | B        | 99,—   | 60,—            | 159,—                           |
| Deck with punched holes LR-PE 60, robust polyethylene, black  | B        | 70,—   | 14,—            | 84,—                            |
| KWP-P 100, made of robust polyethylene                        | B        | 113,—  | 141,—           | 254,—                           |
| Deck with punched holes LR-PE 100, robust polyethylene, black | B        | 86,—   | 16,—            | 102,—                           |
| Mobile Sump Tray with Perforated Panel Type LPW               | Category | Price  | Freight charges | Price including freight charges |
| LPW 60-1, painted                                             | B        | 605,—  | 141,—           | 746,—                           |
| Tool Deposit                                                  | B        | 30,—   | 16,—            | 46,—                            |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Environment / Storage



| Mobile Sump Tray with Perforated Panel Type LPW | Category | Price  | Freight charges | Price including freight charges |
|-------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Drip Tray                                       | B        | 48,—   | 16,—            | 64,—                            |
| LPW 60-1, hot-dip galvanized                    | B        | 623,—  | 141,—           | 764,—                           |
| Tool Deposit                                    | B        | 30,—   | 16,—            | 46,—                            |
| Drip Tray                                       | B        | 48,—   | 16,—            | 64,—                            |
| LPW 60-2, painted                               | B        | 618,—  | 141,—           | 759,—                           |
| Tool Deposit                                    | B        | 30,—   | 16,—            | 46,—                            |
| Drip Tray                                       | B        | 48,—   | 16,—            | 64,—                            |
| LPW 60-2, hot-dip galvanized                    | B        | 638,—  | 141,—           | 779,—                           |
| Tool Deposit                                    | B        | 30,—   | 16,—            | 46,—                            |
| Drip Tray                                       | B        | 48,—   | 16,—            | 64,—                            |
| LPW 60-3, painted                               | B        | 624,—  | 141,—           | 765,—                           |
| Tool Deposit                                    | B        | 30,—   | 16,—            | 46,—                            |
| Drip Tray                                       | B        | 48,—   | 16,—            | 64,—                            |
| LPW 60-3, hot-dip galvanized                    | B        | 644,—  | 141,—           | 785,—                           |
| Tool Deposit                                    | B        | 30,—   | 16,—            | 46,—                            |
| Drip Tray                                       | B        | 48,—   | 16,—            | 64,—                            |
| LPW 200-1, painted                              | B        | 794,—  | 225,—           | 1019,—                          |
| Tool Deposit                                    | B        | 30,—   | 16,—            | 46,—                            |
| Drip Tray                                       | B        | 48,—   | 16,—            | 64,—                            |
| LPW 200-1, hot-dip galvanized                   | B        | 827,—  | 225,—           | 1052,—                          |
| Tool Deposit                                    | B        | 30,—   | 16,—            | 46,—                            |
| Drip Tray                                       | B        | 48,—   | 16,—            | 64,—                            |
| LPW 200-2, painted                              | B        | 833,—  | 225,—           | 1058,—                          |
| Tool Deposit                                    | B        | 30,—   | 16,—            | 46,—                            |
| Drip Tray                                       | B        | 48,—   | 16,—            | 64,—                            |
| LPW 200-2, hot-dip galvanized                   | B        | 868,—  | 225,—           | 1093,—                          |
| Tool Deposit                                    | B        | 30,—   | 16,—            | 46,—                            |
| Drip Tray                                       | B        | 48,—   | 16,—            | 64,—                            |
| LPW 200-3, painted                              | B        | 848,—  | 225,—           | 1073,—                          |
| Tool Deposit                                    | B        | 30,—   | 16,—            | 46,—                            |
| Drip Tray                                       | B        | 48,—   | 16,—            | 64,—                            |
| LPW 200-3, hot-dip galvanized                   | B        | 883,—  | 225,—           | 1108,—                          |
| Tool Deposit                                    | B        | 30,—   | 16,—            | 46,—                            |
| Drip Tray                                       | B        | 48,—   | 16,—            | 64,—                            |
| LPW 200-4, painted                              | B        | 1019,— | 225,—           | 1244,—                          |
| LPW 200-4, hot-dip galvanized                   | B        | 1049,— | 225,—           | 1274,—                          |

| Modular Sump Tray Type MAW                        | Category | Price | Freight charges | Price including freight charges |
|---------------------------------------------------|----------|-------|-----------------|---------------------------------|
| MAW, painted                                      | B        | 324,— | 141,—           | 465,—                           |
| MAW, hot-dip galvanized                           | B        | 353,— | 141,—           | 494,—                           |
| Element No. 1: grid grate incl. supportS, painted | B        | 75,—  | 18,—            | 93,—                            |
| Element No. 2: galvanized handle + castors        | B        | 133,— | 19,—            | 152,—                           |
| Element No. 3: runners, painted                   | B        | 99,—  | 15,—            | 114,—                           |
| Element No. 3: runners, hot-dip galvanized        | B        | 63,—  | 15,—            | 78,—                            |
| Element No. 6: surround, galvanized               | B        | 580,— | 141,—           | 721,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Environment / Storage



| Spline Sump Type PW          | Category | Price | Freight charges | Price including freight charges |
|------------------------------|----------|-------|-----------------|---------------------------------|
| PW 200-2, painted            | B        | 236,— | 141,—           | 377,—                           |
| PW 200-2, hot-dip galvanized | B        | 227,— | 141,—           | 368,—                           |
| PW 200-4, painted            | B        | 261,— | 141,—           | 402,—                           |
| PW 200-4, hot-dip galvanized | B        | 252,— | 141,—           | 393,—                           |
| PW 400-4, painted            | B        | 337,— | 141,—           | 478,—                           |
| PW 400-4, hot-dip galvanized | B        | 320,— | 141,—           | 461,—                           |

| Spline Sump Type PWE          | Category | Price | Freight charges | Price including freight charges |
|-------------------------------|----------|-------|-----------------|---------------------------------|
| PWE 200-2, painted            | B        | 209,— | 141,—           | 350,—                           |
| PWE 200-2, hot-dip galvanized | B        | 200,— | 141,—           | 341,—                           |
| PWE 200-4, painted            | B        | 228,— | 141,—           | 369,—                           |
| PWE 200-4, hot-dip galvanized | B        | 220,— | 141,—           | 361,—                           |
| PWE 400-4, painted            | B        | 278,— | 141,—           | 419,—                           |
| PWE 400-4, hot-dip galvanized | B        | 268,— | 141,—           | 409,—                           |

| Hazardous Materials Cabinet with Roller Shutter Door Type RSG | Category | Price  | Freight charges | Price including freight charges |
|---------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| RSG-1, painted                                                | B        | 1841,— | 225,—           | 2066,—                          |
| Set of 4 Feet, height adjustable                              | B        | 77,—   | 9,—             | 86,—                            |
| RSG-2, painted                                                | B        | 1855,— | 225,—           | 2080,—                          |
| Set of 4 Feet, height adjustable                              | B        | 77,—   | 9,—             | 86,—                            |
| RSG-3, painted                                                | B        | 1904,— | 225,—           | 2129,—                          |
| Set of 4 Feet, height adjustable                              | B        | 77,—   | 9,—             | 86,—                            |
| RSG-4, painted                                                | B        | 2037,— | 327,—           | 2364,—                          |
| Set of 4 Feet, height adjustable                              | B        | 77,—   | 9,—             | 86,—                            |

| Shelf Sump with Polyethylene Inlay Type RW PE | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------|----------|--------|-----------------|---------------------------------|
| RW 1800 PE, painted                           | B        | 1008,— | 225,—           | 1233,—                          |
| RW 1800 PE, hot-dip galvanized                | B        | 1062,— | 225,—           | 1287,—                          |
| RW 2200-1 PE, painted                         | B        | 1052,— | 225,—           | 1277,—                          |
| RW 2200-1 PE, hot-dip galvanized              | B        | 1108,— | 225,—           | 1333,—                          |
| RW 2200-2 PE, painted                         | B        | 1232,— | 225,—           | 1457,—                          |
| RW 2200-2 PE, hot-dip galvanized              | B        | 1295,— | 225,—           | 1520,—                          |
| RW 2700-1 PE, painted                         | B        | 1070,— | 278,—           | 1348,—                          |
| RW 2700-1 PE, hot-dip galvanized              | B        | 1151,— | 278,—           | 1429,—                          |
| RW 2700-2 PE, painted                         | B        | 1223,— | 278,—           | 1501,—                          |
| RW 2700-2 PE, hot-dip galvanized              | B        | 1318,— | 278,—           | 1596,—                          |
| RW 2700-3 PE, painted                         | B        | 1416,— | 278,—           | 1694,—                          |
| RW 2700-3 PE, hot-dip galvanized              | B        | 1538,— | 278,—           | 1816,—                          |
| RW 3300-1 PE, painted                         | B        | 1369,— | 278,—           | 1647,—                          |
| RW 3300-1 PE, hot-dip galvanized              | B        | 1458,— | 278,—           | 1736,—                          |
| RW 3300-2 PE, painted                         | B        | 1483,— | 278,—           | 1761,—                          |
| RW 3300-2 PE, hot-dip galvanized              | B        | 1581,— | 278,—           | 1859,—                          |
| RW 3300-3 PE, painted                         | B        | 1679,— | 380,—           | 2059,—                          |
| RW 3300-3 PE, hot-dip galvanized              | B        | 1787,— | 380,—           | 2167,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Environment / Storage



| Shelf Sump Type RW            | Category | Price | Freight charges | Price including freight charges |
|-------------------------------|----------|-------|-----------------|---------------------------------|
| RW 1800, painted              | B        | 489,— | 141,—           | 630,—                           |
| RW 1800, hot-dip galvanized   | B        | 542,— | 141,—           | 683,—                           |
| RW 2200-1, painted            | B        | 501,— | 141,—           | 642,—                           |
| RW 2200-1, hot-dip galvanized | B        | 557,— | 141,—           | 698,—                           |
| RW 2200-2, painted            | B        | 514,— | 225,—           | 739,—                           |
| RW 2200-2, hot-dip galvanized | B        | 576,— | 225,—           | 801,—                           |
| RW 2700-1, painted            | B        | 510,— | 278,—           | 788,—                           |
| RW 2700-1, hot-dip galvanized | B        | 590,— | 278,—           | 868,—                           |
| RW 2700-2, painted            | B        | 586,— | 278,—           | 864,—                           |
| RW 2700-2, hot-dip galvanized | B        | 682,— | 278,—           | 960,—                           |
| RW 2700-3, painted            | B        | 634,— | 278,—           | 912,—                           |
| RW 2700-3, hot-dip galvanized | B        | 754,— | 278,—           | 1032,—                          |
| RW 3300-1, painted            | B        | 657,— | 278,—           | 935,—                           |
| RW 3300-1, hot-dip galvanized | B        | 747,— | 278,—           | 1025,—                          |
| RW 3300-2, painted            | B        | 722,— | 278,—           | 1000,—                          |
| RW 3300-2, hot-dip galvanized | B        | 821,— | 278,—           | 1099,—                          |
| RW 3300-3, painted            | B        | 805,— | 278,—           | 1083,—                          |
| RW 3300-3, hot-dip galvanized | B        | 913,— | 278,—           | 1191,—                          |

| Shelf Sump with Polyethylene Inlay Type RW-GR PE | Category | Price  | Freight charges | Price including freight charges |
|--------------------------------------------------|----------|--------|-----------------|---------------------------------|
| RW-GR 1800 PE, painted                           | B        | 1138,— | 225,—           | 1363,—                          |
| RW-GR 1800 PE, hot-dip galvanized                | B        | 1189,— | 225,—           | 1414,—                          |
| RW-GR 2200-1 PE, painted                         | B        | 1212,— | 225,—           | 1437,—                          |
| RW-GR 2200-1 PE, hot-dip galvanized              | B        | 1268,— | 225,—           | 1493,—                          |
| RW-GR 2200-2 PE, painted                         | B        | 1394,— | 327,—           | 1721,—                          |
| RW-GR 2200-2 PE, hot-dip galvanized              | B        | 1454,— | 327,—           | 1781,—                          |
| RW-GR 2700-1 PE, painted                         | B        | 1268,— | 380,—           | 1648,—                          |
| RW-GR 2700-1 PE, hot-dip galvanized              | B        | 1347,— | 380,—           | 1727,—                          |
| RW-GR 2700-2 PE, painted                         | B        | 1419,— | 380,—           | 1799,—                          |
| RW-GR 2700-2 PE, hot-dip galvanized              | B        | 1516,— | 380,—           | 1896,—                          |
| RW-GR 2700-3 PE, painted                         | B        | 1614,— | 380,—           | 1994,—                          |
| RW-GR 2700-3 PE, hot-dip galvanized              | B        | 1715,— | 380,—           | 2095,—                          |
| RW-GR 3300-1 PE, painted                         | B        | 1729,— | 380,—           | 2109,—                          |
| RW-GR 3300-1 PE, hot-dip galvanized              | B        | 1818,— | 380,—           | 2198,—                          |
| RW-GR 3300-2 PE, painted                         | B        | 1841,— | 380,—           | 2221,—                          |
| RW-GR 3300-2 PE, hot-dip galvanized              | B        | 1949,— | 380,—           | 2329,—                          |
| RW-GR 3300-3 PE, painted                         | B        | 2038,— | 451,—           | 2489,—                          |
| RW-GR 3300-3 PE, hot-dip galvanized              | B        | 2146,— | 451,—           | 2597,—                          |
| RW-GR 3600-3 PE, painted                         | B        | 2345,— | 461,—           | 2806,—                          |
| RW-GR 3600-3 PE, hot-dip galvanized              | B        | 2492,— | 461,—           | 2953,—                          |

| Shelf Sump Type RW-GR          | Category | Price | Freight charges | Price including freight charges |
|--------------------------------|----------|-------|-----------------|---------------------------------|
| RW-GR 1800, painted            | B        | 619,— | 225,—           | 844,—                           |
| RW-GR 1800, hot-dip galvanized | B        | 672,— | 225,—           | 897,—                           |
| RW-GR 2200-1, painted          | B        | 662,— | 225,—           | 887,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Environment / Storage



| Shelf Sump Type RW-GR            | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------|----------|--------|-----------------|---------------------------------|
| RW-GR 2200-1, hot-dip galvanized | B        | 719,-  | 225,-           | 944,-                           |
| RW-GR 2200-2, painted            | B        | 676,-  | 327,-           | 1003,-                          |
| RW-GR 2200-2, hot-dip galvanized | B        | 735,-  | 327,-           | 1062,-                          |
| RW-GR 2700-1, painted            | B        | 707,-  | 278,-           | 985,-                           |
| RW-GR 2700-1, hot-dip galvanized | B        | 787,-  | 380,-           | 1167,-                          |
| RW-GR 2700-2, painted            | B        | 783,-  | 380,-           | 1163,-                          |
| RW-GR 2700-2, hot-dip galvanized | B        | 880,-  | 380,-           | 1260,-                          |
| RW-GR 2700-3, painted            | B        | 831,-  | 380,-           | 1211,-                          |
| RW-GR 2700-3, hot-dip galvanized | B        | 933,-  | 380,-           | 1313,-                          |
| RW-GR 3300-1, painted            | B        | 1016,- | 380,-           | 1396,-                          |
| RW-GR 3300-1, hot-dip galvanized | B        | 1107,- | 380,-           | 1487,-                          |
| RW-GR 3300-2, painted            | B        | 1081,- | 380,-           | 1461,-                          |
| RW-GR 3300-2, hot-dip galvanized | B        | 1188,- | 380,-           | 1568,-                          |
| RW-GR 3300-3, painted            | B        | 1165,- | 380,-           | 1545,-                          |
| RW-GR 3300-3, hot-dip galvanized | B        | 1272,- | 380,-           | 1652,-                          |
| RW-GR 3600-3, painted            | B        | 1285,- | 380,-           | 1665,-                          |
| RW-GR 3600-3, hot-dip galvanized | B        | 1432,- | 380,-           | 1812,-                          |

| Safety Cabinet Type SIW | Category | Price | Freight charges | Price including freight charges |
|-------------------------|----------|-------|-----------------|---------------------------------|
| SIW 1005                | B        | 575,- | 141,-           | 716,-                           |
| SIW 2005                | B        | 725,- | 225,-           | 950,-                           |

| Diesel Filling Point Type TAW | Category | Price  | Freight charges | Price including freight charges |
|-------------------------------|----------|--------|-----------------|---------------------------------|
| TAW 1, painted                | B        | 2365,- | on request      | on request                      |
| TAW 2, painted                | B        | 3086,- | on request      | on request                      |
| TAW 3, painted                | B        | 4447,- | on request      | on request                      |

| Environmental Shelf Type UR  | Category | Price  | Freight charges | Price including freight charges |
|------------------------------|----------|--------|-----------------|---------------------------------|
| UR-G 2200, painted           | B        | 1765,- | 382,-           | 2147,-                          |
| Grid Set, hot-dip galvanized | B        | 191,-  | 141,-           | 332,-                           |
| Crash Guard                  | B        | 72,-   | 9,-             | 81,-                            |
| UR-G 2700, painted           | B        | 1901,- | 382,-           | 2283,-                          |
| Grid Set, hot-dip galvanized | B        | 236,-  | 141,-           | 377,-                           |
| Crash Guard                  | B        | 72,-   | 9,-             | 81,-                            |
| UR-G 3300, painted           | B        | 2656,- | 451,-           | 3107,-                          |
| Grid Set, hot-dip galvanized | B        | 286,-  | 141,-           | 427,-                           |
| Crash Guard                  | B        | 72,-   | 9,-             | 81,-                            |
| UR-A 2200, painted           | B        | 1347,- | 382,-           | 1729,-                          |
| Grid Set, hot-dip galvanized | B        | 191,-  | 141,-           | 332,-                           |
| Crash Guard                  | B        | 72,-   | 9,-             | 81,-                            |
| UR-A 2700, painted           | B        | 1483,- | 382,-           | 1865,-                          |
| Grid Set, hot-dip galvanized | B        | 236,-  | 141,-           | 377,-                           |
| Crash Guard                  | B        | 72,-   | 9,-             | 81,-                            |
| UR-A 3300, painted           | B        | 2238,- | 451,-           | 2689,-                          |
| Grid Set, hot-dip galvanized | B        | 286,-  | 141,-           | 427,-                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Environment / Storage



| Environmental Shelf Type UR | Category | Price | Freight charges | Price including freight charges |
|-----------------------------|----------|-------|-----------------|---------------------------------|
| Crash Guard                 | B        | 72,—  | 9,—             | 81,—                            |

| Stainless Steel Sump Tray Type VAW | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------|----------|--------|-----------------|---------------------------------|
| VAW-1, stainless steel 1.4571      | B        | 956,—  | 141,—           | 1097,—                          |
| Grid, stainless steel 1.4571       | B        | 477,—  | 14,—            | 491,—                           |
| Grid, hot-dip galvanized           | B        | 68,—   | 14,—            | 82,—                            |
| VAW-2, stainless steel 1.4571      | B        | 1042,— | 141,—           | 1183,—                          |
| Grid, stainless steel 1.4571       | B        | 706,—  | 16,—            | 722,—                           |
| Grid, hot-dip galvanized           | B        | 91,—   | 38,—            | 129,—                           |
| VAW-4/A, stainless steel 1.4571    | B        | 1194,— | 141,—           | 1335,—                          |
| Grid, stainless steel 1.4571       | B        | 1025,— | 22,—            | 1047,—                          |
| Grid, hot-dip galvanized           | B        | 119,—  | 22,—            | 141,—                           |
| VAW-4/B, stainless steel 1.4571    | B        | 1459,— | 141,—           | 1600,—                          |
| Grid, stainless steel 1.4571       | B        | 1411,— | 27,—            | 1438,—                          |
| Grid, hot-dip galvanized           | B        | 163,—  | 27,—            | 190,—                           |
| VAW 1000, stainless steel 1.4571   | B        | 2633,— | 225,—           | 2858,—                          |
| Grid, stainless steel 1.4571       | B        | 1143,— | 28,—            | 1171,—                          |
| Grid, hot-dip galvanized           | B        | 138,—  | 28,—            | 166,—                           |
| VAW 1000-2, stainless steel 1.4571 | B        | 3216,— | 278,—           | 3494,—                          |
| Grid, stainless steel 1.4571       | B        | 2070,— | 141,—           | 2211,—                          |
| Grid, hot-dip galvanized           | B        | 224,—  | 141,—           | 365,—                           |

| Heating Chamber Type WK | Category | Price   | Freight charges | Price including freight charges |
|-------------------------|----------|---------|-----------------|---------------------------------|
| WK 29-2 E65, painted    | C        | 29650,— | on request      | on request                      |
| WK 29-2 E85, painted    | C        | 29815,— | on request      | on request                      |
| WK 57-2 E65, painted    | C        | 41623,— | on request      | on request                      |
| WK 57-2 E85, painted    | C        | 44000,— | on request      | on request                      |

| Sump Tray Type WM                         | Category | Price | Freight charges | Price including freight charges |
|-------------------------------------------|----------|-------|-----------------|---------------------------------|
| WM-2/200, hot-dip galvanized              | B        | 280,— | 141,—           | 421,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,— | 21,—            | 154,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,— | 15,—            | 129,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| WM-4/200, hot-dip galvanized              | B        | 318,— | 141,—           | 459,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 105,— | 15,—            | 120,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 114,— | 18,—            | 132,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 133,— | 21,—            | 154,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 114,— | 15,—            | 129,—                           |
| Drum Support FA 200-2, hot-dip galvanized | B        | 133,— | 22,—            | 155,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 133,— | 60,—            | 193,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 133,— | 60,—            | 193,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Environment / Storage



| Sump Tray Type WM                               | Category | Price  | Freight charges | Price including freight charges |
|-------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Can Shelf Type GR-C, galvanized                 | B        | 133,—  | 60,—            | 193,—                           |
| WM-4/400, hot-dip galvanized                    | B        | 382,—  | 225,—           | 607,—                           |
| Sump Tray Type WO                               | Category | Price  | Freight charges | Price including freight charges |
| WO-2/200, hot-dip galvanized                    | B        | 213,—  | 141,—           | 354,—                           |
| WO-4/200, hot-dip galvanized                    | B        | 231,—  | 141,—           | 372,—                           |
| WO-4/400, hot-dip galvanized                    | B        | 298,—  | 141,—           | 439,—                           |
| Polyethylene Sump Pallet Type WP                | Category | Price  | Freight charges | Price including freight charges |
| WP 1/11, made of robust polyethylene            | B        | 1052,— | 141,—           | 1193,—                          |
| WP 2/11, made of robust polyethylene            | B        | 1330,— | 141,—           | 1471,—                          |
| Dispensing Tray VB 2, robust polyethylene, blue | B        | 152,—  | 60,—            | 212,—                           |
| Polyethylene Sump Pallet Type WPA-PE            | Category | Price  | Freight charges | Price including freight charges |
| WPA-PE 2/2, made of robust polyethylene         | B        | 313,—  | 141,—           | 454,—                           |
| WPA-PE 4/2, made of robust polyethylene         | B        | 494,—  | 141,—           | 635,—                           |
| Polyethylene Sump Pallet Type WP-PE             | Category | Price  | Freight charges | Price including freight charges |
| WP-PE 1/11, made of robust polyethylene         | B        | 1139,— | 141,—           | 1280,—                          |
| Dispensing Tray VB 1, robust polyethylene, blue | B        | 163,—  | 60,—            | 223,—                           |
| WP-PE 2/11, made of robust polyethylene         | B        | 1507,— | 278,—           | 1785,—                          |
| Dispensing Tray VB 2, robust polyethylene, blue | B        | 152,—  | 60,—            | 212,—                           |
| WP-PE 2/2, made of robust polyethylene          | B        | 290,—  | 141,—           | 431,—                           |
| WP-PE 4/2, made of robust polyethylene          | B        | 453,—  | 141,—           | 594,—                           |
| WP-PE 4/4, made of robust polyethylene          | B        | 470,—  | 141,—           | 611,—                           |
| WP-PE 8/11, made of robust polyethylene         | B        | 1507,— | 278,—           | 1785,—                          |
| Mobile Polyethylene Sump Tray Type WPT          | Category | Price  | Freight charges | Price including freight charges |
| WPT 230, made of robust polyethylene            | B        | 519,—  | 141,—           | 660,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

## Price List 0425 en-PT

### Hazardous Materials Containers

| Fluorescent Tube Box Type AL-D                                                 | Category | Price      | Freight charges | Price including freight charges |
|--------------------------------------------------------------------------------|----------|------------|-----------------|---------------------------------|
| AL-D 150, aluminium                                                            | C        | 500,—      | 141,—           | 641,—                           |
| AL-D 200, aluminium                                                            | C        | 551,—      | 141,—           | 692,—                           |
| Collecting Container Type ASB                                                  | Category | Price      | Freight charges | Price including freight charges |
| ASB 250, hot-dip galvanized                                                    | C        | 1969,—     | 327,—           | 2296,—                          |
| ASB 450-I, hot-dip galvanized                                                  | C        | 2082,—     | 327,—           | 2409,—                          |
| Special Waste Container Type ASK                                               | Category | Price      | Freight charges | Price including freight charges |
| ASK 540-4, hot-dip galvanized                                                  | C        | on request | on request      | on request                      |
| Duo-Container Type DC                                                          | Category | Price      | Freight charges | Price including freight charges |
| DC 450, hot-dip galvanized                                                     | C        | 2267,—     | on request      | on request                      |
| Stainless steel strainer                                                       | D        | 114,—      | 9,—             | 123,—                           |
| Wing nut spanner for M12, hot-dip galvanized                                   | F        | 33,—       | 15,—            | 48,—                            |
| DC 1000, hot-dip galvanized                                                    | C        | 2408,—     | on request      | on request                      |
| Stainless steel strainer                                                       | D        | 114,—      | 9,—             | 123,—                           |
| Wing nut spanner for M12, hot-dip galvanized                                   | F        | 33,—       | 15,—            | 48,—                            |
| Lithium-Ion Storage Container Type LIL                                         | Category | Price      | Freight charges | Price including freight charges |
| LIL 30, hot-dip galvanized                                                     | B        | 1871,—     | 141,—           | 2012,—                          |
| LIL 90, hot-dip galvanized                                                     | B        | 2720,—     | 225,—           | 2945,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set                      | A        | 150,—      | 15,—            | 165,—                           |
| LIL 220, hot-dip galvanized                                                    | B        | 4699,—     | 327,—           | 5026,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set                      | A        | 150,—      | 15,—            | 165,—                           |
| LIL 280, hot-dip galvanized                                                    | B        | 5685,—     | 327,—           | 6012,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set                      | A        | 150,—      | 15,—            | 165,—                           |
| LIL 340, hot-dip galvanized                                                    | B        | 6562,—     | 327,—           | 6889,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set                      | A        | 150,—      | 15,—            | 165,—                           |
| MobiCont Type M 800                                                            | Category | Price      | Freight charges | Price including freight charges |
| M 800, painted                                                                 | C        | 1342,—     | 327,—           | 1669,—                          |
| Level Indicator                                                                | C        | 212,—      | 9,—             | 221,—                           |
| Funnel for filling, PP                                                         | D        | 65,—       | 9,—             | 74,—                            |
| Filling/Extraction lid                                                         | C        | 65,—       | 9,—             | 74,—                            |
| Lid, galvanized, without a lock                                                | C        | 188,—      | 15,—            | 203,—                           |
| Lid, galvanized, with square lock                                              | C        | 233,—      | 18,—            | 251,—                           |
| Lid, galvanized, with cylinder lock                                            | C        | 233,—      | 18,—            | 251,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                      | A        | 185,—      | 15,—            | 200,—                           |
| Hand Pump K 10 C, connects to drum thread, suitable for fuels and heating fuel | C        | 91,—       | 14,—            | 105,—                           |
| Hose Kit (1.5 m) for Hand Pump Type K 10 C, suitable for diesel and fuel       | C        | 65,—       | 14,—            | 79,—                            |
| Hose Kit (3 m) for Hand Pump Type K 10 C, suitable for diesel and fuel         | C        | 92,—       | 15,—            | 107,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Hazardous Materials Containers



| <b>MobiCont Type M 800</b>                                                     | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|--------------------------------------------------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| Hose Kit (4 m) for Hand Pump Type K 10 C, suitable for diesel and fuel         | C               | 105,—        | 15,—                   | 120,—                                  |
| Electric Pump TecPump 400 DC 12V                                               | C               | 492,—        | 15,—                   | 507,—                                  |
| Electric Pump TecPump 400 DC 24V                                               | C               | 492,—        | 15,—                   | 507,—                                  |
| Electric Pump TecPump 600 AC 230V                                              | C               | 492,—        | 15,—                   | 507,—                                  |
| <b>M 800, hot-dip galvanized</b>                                               | C               | 1432,—       | 327,—                  | 1759,—                                 |
| Level Indicator                                                                | C               | 212,—        | 9,—                    | 221,—                                  |
| Funnel for filling, PP                                                         | D               | 65,—         | 9,—                    | 74,—                                   |
| Filling/Extraction lid                                                         | C               | 65,—         | 9,—                    | 74,—                                   |
| Lid, galvanized, without a lock                                                | C               | 188,—        | 15,—                   | 203,—                                  |
| Lid, galvanized, with square lock                                              | C               | 233,—        | 18,—                   | 251,—                                  |
| Lid, galvanized, with cylinder lock                                            | C               | 233,—        | 18,—                   | 251,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                      | A               | 185,—        | 15,—                   | 200,—                                  |
| Hand Pump K 10 C, connects to drum thread, suitable for fuels and heating fuel | C               | 91,—         | 14,—                   | 105,—                                  |
| Hose Kit (1.5 m) for Hand Pump Type K 10 C, suitable for diesel and fuel       | C               | 65,—         | 14,—                   | 79,—                                   |
| Hose Kit (3 m) for Hand Pump Type K 10 C, suitable for diesel and fuel         | C               | 92,—         | 15,—                   | 107,—                                  |
| Hose Kit (4 m) for Hand Pump Type K 10 C, suitable for diesel and fuel         | C               | 105,—        | 15,—                   | 120,—                                  |
| Electric Pump TecPump 400 DC 12V                                               | C               | 492,—        | 15,—                   | 507,—                                  |
| Electric Pump TecPump 400 DC 24V                                               | C               | 492,—        | 15,—                   | 507,—                                  |
| Electric Pump TecPump 600 AC 230V                                              | C               | 492,—        | 15,—                   | 507,—                                  |
| <b>MobiCont Type MD</b>                                                        | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>MD 800, painted</b>                                                         | C               | 1868,—       | 327,—                  | 2195,—                                 |
| Level Indicator                                                                | C               | 212,—        | 9,—                    | 221,—                                  |
| Hand Pump K 10 C, connects to drum thread, suitable for fuels and heating fuel | C               | 91,—         | 14,—                   | 105,—                                  |
| Hose Kit (1.5 m) for Hand Pump Type K 10 C, suitable for diesel and fuel       | C               | 65,—         | 14,—                   | 79,—                                   |
| Hose Kit (3 m) for Hand Pump Type K 10 C, suitable for diesel and fuel         | C               | 92,—         | 15,—                   | 107,—                                  |
| Hose Kit (4 m) for Hand Pump Type K 10 C, suitable for diesel and fuel         | C               | 105,—        | 15,—                   | 120,—                                  |
| Electric Pump TecPump 400 DC 12V                                               | C               | 492,—        | 15,—                   | 507,—                                  |
| Electric Pump TecPump 400 DC 24V                                               | C               | 492,—        | 15,—                   | 507,—                                  |
| Electric Pump TecPump 600 AC 230V                                              | C               | 492,—        | 15,—                   | 507,—                                  |
| <b>MD 800, hot-dip galvanized</b>                                              | C               | 1956,—       | 327,—                  | 2283,—                                 |
| Level Indicator                                                                | C               | 212,—        | 9,—                    | 221,—                                  |
| Hand Pump K 10 C, connects to drum thread, suitable for fuels and heating fuel | C               | 91,—         | 14,—                   | 105,—                                  |
| Hose Kit (1.5 m) for Hand Pump Type K 10 C, suitable for diesel and fuel       | C               | 65,—         | 14,—                   | 79,—                                   |
| Hose Kit (3 m) for Hand Pump Type K 10 C, suitable for diesel and fuel         | C               | 92,—         | 15,—                   | 107,—                                  |
| Hose Kit (4 m) for Hand Pump Type K 10 C, suitable for diesel and fuel         | C               | 105,—        | 15,—                   | 120,—                                  |
| Electric Pump TecPump 400 DC 12V                                               | C               | 492,—        | 15,—                   | 507,—                                  |
| Electric Pump TecPump 400 DC 24V                                               | C               | 492,—        | 15,—                   | 507,—                                  |
| Electric Pump TecPump 600 AC 230V                                              | C               | 492,—        | 15,—                   | 507,—                                  |
| <b>MobiCont Type MO</b>                                                        | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>MO 800, painted</b>                                                         | C               | on request   | on request             | on request                             |
| Level Indicator                                                                | C               | 212,—        | 9,—                    | 221,—                                  |
| <b>MO 800, hot-dip galvanized</b>                                              | C               | on request   | on request             | on request                             |
| Level Indicator                                                                | C               | 212,—        | 9,—                    | 221,—                                  |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Hazardous Materials Containers



| Fuel Container Type MT                                                                        | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>MT 450, hot-dip galvanized</b>                                                             | C        | 2147,- | 327,-           | 2474,-                          |
| Level Indicator                                                                               | C        | 212,-  | 9,-             | 221,-                           |
| Hand Pump K 10 C, connects to drum thread, suitable for fuels and heating fuel                | C        | 91,-   | 14,-            | 105,-                           |
| Digital Flow Counter FMT 3 with screwed joints                                                | C        | 309,-  | 9,-             | 318,-                           |
| Electric Pump TecPump 400 DC 12V                                                              | C        | 492,-  | 12,-            | 504,-                           |
| Electric Pump TecPump 400 DC 24V                                                              | C        | 492,-  | 12,-            | 504,-                           |
| Electric Pump TecPump 600 AC 230V                                                             | C        | 492,-  | 12,-            | 504,-                           |
| Counter Z 400, Retrofit Kit for Electric Pumps TecPump 400 DC 12V, 400 DC 24V and 600 AC 230V | C        | 153,-  | 9,-             | 162,-                           |
| <b>MT 600, hot-dip galvanized</b>                                                             | C        | 2554,- | 327,-           | 2881,-                          |
| Level Indicator                                                                               | C        | 212,-  | 9,-             | 221,-                           |
| Hand Pump K 10 C, connects to drum thread, suitable for fuels and heating fuel                | C        | 91,-   | 14,-            | 105,-                           |
| Digital Flow Counter FMT 3 with screwed joints                                                | C        | 309,-  | 9,-             | 318,-                           |
| Electric Pump TecPump 400 DC 12V                                                              | C        | 492,-  | 12,-            | 504,-                           |
| Electric Pump TecPump 400 DC 24V                                                              | C        | 492,-  | 12,-            | 504,-                           |
| Electric Pump TecPump 600 AC 230V                                                             | C        | 492,-  | 12,-            | 504,-                           |
| Counter Z 400, Retrofit Kit for Electric Pumps TecPump 400 DC 12V, 400 DC 24V and 600 AC 230V | C        | 153,-  | 9,-             | 162,-                           |
| <b>MT 1000, hot-dip galvanized</b>                                                            | C        | 2761,- | 398,-           | 3159,-                          |
| Level Indicator                                                                               | C        | 212,-  | 9,-             | 221,-                           |
| Hand Pump K 10 C, connects to drum thread, suitable for fuels and heating fuel                | C        | 91,-   | 14,-            | 105,-                           |
| Digital Flow Counter FMT 3 with screwed joints                                                | C        | 309,-  | 9,-             | 318,-                           |
| Electric Pump TecPump 400 DC 12V                                                              | C        | 492,-  | 12,-            | 504,-                           |
| Electric Pump TecPump 400 DC 24V                                                              | C        | 492,-  | 12,-            | 504,-                           |
| Electric Pump TecPump 600 AC 230V                                                             | C        | 492,-  | 12,-            | 504,-                           |
| Counter Z 400, Retrofit Kit for Electric Pumps TecPump 400 DC 12V, 400 DC 24V and 600 AC 230V | C        | 153,-  | 9,-             | 162,-                           |
| MobiCont Type MW                                                                              | Category | Price  | Freight charges | Price including freight charges |
| <b>MW 800, painted</b>                                                                        | C        | 1722,- | 327,-           | 2049,-                          |
| Level Indicator                                                                               | C        | 212,-  | 9,-             | 221,-                           |
| Filling coupling                                                                              | C        | 51,-   | 8,-             | 59,-                            |
| Tank heating, 220 W                                                                           | C        | 371,-  | 12,-            | 383,-                           |
| Tank fitting                                                                                  | B        | 64,-   | 9,-             | 73,-                            |
| Anti-siphon valve                                                                             | D        | 68,-   | 8,-             | 76,-                            |
| Aeration/Vent valve                                                                           | C        | 26,-   | 8,-             | 34,-                            |
| <b>MW 800, hot-dip galvanized</b>                                                             | C        | 1813,- | 327,-           | 2140,-                          |
| Level Indicator                                                                               | C        | 212,-  | 9,-             | 221,-                           |
| Filling coupling                                                                              | C        | 51,-   | 8,-             | 59,-                            |
| Tank heating, 220 W                                                                           | C        | 371,-  | 12,-            | 383,-                           |
| Tank fitting                                                                                  | B        | 64,-   | 9,-             | 73,-                            |
| Anti-siphon valve                                                                             | D        | 68,-   | 8,-             | 76,-                            |
| Aeration/Vent valve                                                                           | C        | 26,-   | 8,-             | 34,-                            |
| Special Waste Container Type SAF                                                              | Category | Price  | Freight charges | Price including freight charges |
| <b>SAF 450, hot-dip galvanized</b>                                                            | C        | 1097,- | on request      | on request                      |
| <b>SAF 600, hot-dip galvanized</b>                                                            | C        | 1097,- | on request      | on request                      |
| <b>SAF 1000, hot-dip galvanized</b>                                                           | C        | 1097,- | on request      | on request                      |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Hazardous Materials Containers



| Large Salvage Packaging Type SAG                 | Category | Price      | Freight charges | Price including freight charges |
|--------------------------------------------------|----------|------------|-----------------|---------------------------------|
| SAG 800, hot-dip galvanized                      | C        | 1102,—     | 327,—           | 1429,—                          |
| SAG 1500, hot-dip galvanized                     | C        | 2078,—     | on request      | on request                      |
| Polyethylene sacks, 25 pieces on roll            | C        | 180,—      | 41,—            | 221,—                           |
| SAG 2100, hot-dip galvanized                     | C        | 2180,—     | on request      | on request                      |
| Polyethylene sacks, 25 pieces on roll            | C        | 180,—      | 41,—            | 221,—                           |
| SAG 2700, hot-dip galvanized                     | C        | 2252,—     | on request      | on request                      |
| Polyethylene sacks, 25 pieces on roll            | C        | 180,—      | 41,—            | 221,—                           |
| Special Waste Container Type SAP                 | Category | Price      | Freight charges | Price including freight charges |
| SAP 450, hot-dip galvanized                      | C        | 920,—      | on request      | on request                      |
| Polyethylene sacks, 50 pieces on roll - 0,085 mm | C        | 134,—      | 62,—            | 196,—                           |
| Polyethylene sacks, 50 pieces on roll - 0,16 mm  | C        | 237,—      | 141,—           | 378,—                           |
| SAP 600, hot-dip galvanized                      | C        | 920,—      | on request      | on request                      |
| Polyethylene sacks, 50 pieces on roll - 0,085 mm | C        | 134,—      | 62,—            | 196,—                           |
| Polyethylene sacks, 50 pieces on roll - 0,16 mm  | C        | 237,—      | 141,—           | 378,—                           |
| SAP 800, hot-dip galvanized                      | C        | 920,—      | on request      | on request                      |
| Polyethylene sacks, 50 pieces on roll - 0,085 mm | C        | 134,—      | 62,—            | 196,—                           |
| Polyethylene sacks, 50 pieces on roll - 0,16 mm  | C        | 237,—      | 141,—           | 378,—                           |
| Special Waste Container Type SAP-1               | Category | Price      | Freight charges | Price including freight charges |
| SAP 450-1, hot-dip galvanized                    | C        | 860,—      | on request      | on request                      |
| Polyethylene sacks, 50 pieces on roll - 0,085 mm | C        | 134,—      | 62,—            | 196,—                           |
| Polyethylene sacks, 50 pieces on roll - 0,16 mm  | C        | 237,—      | 141,—           | 378,—                           |
| SAP 600-1, hot-dip galvanized                    | C        | 860,—      | on request      | on request                      |
| Polyethylene sacks, 50 pieces on roll - 0,085 mm | C        | 134,—      | 62,—            | 196,—                           |
| Polyethylene sacks, 50 pieces on roll - 0,16 mm  | C        | 237,—      | 141,—           | 378,—                           |
| SAP 800-1, hot-dip galvanized                    | C        | 860,—      | on request      | on request                      |
| Polyethylene sacks, 50 pieces on roll - 0,085 mm | C        | 134,—      | 62,—            | 196,—                           |
| Polyethylene sacks, 50 pieces on roll - 0,16 mm  | C        | 237,—      | 141,—           | 378,—                           |
| SAP 800-3, hot-dip galvanized                    | C        | 844,—      | on request      | on request                      |
| Polyethylene sacks, 50 pieces on roll - 0,085 mm | C        | 134,—      | 62,—            | 196,—                           |
| Polyethylene sacks, 50 pieces on roll - 0,16 mm  | C        | 237,—      | 141,—           | 378,—                           |
| Used Battery Container Type SAP 600 K            | Category | Price      | Freight charges | Price including freight charges |
| SAP 600 K, hot-dip galvanized                    | C        | 1242,—     | on request      | on request                      |
| Used Battery Container Type SAP 601 K            | Category | Price      | Freight charges | Price including freight charges |
| SAP 601 K, hot-dip galvanized                    | C        | 1102,—     | on request      | on request                      |
| Special Waste Container Type SAS                 | Category | Price      | Freight charges | Price including freight charges |
| SAS 800, hot-dip galvanized                      | C        | 930,—      | on request      | on request                      |
| Hazardous Materials Container Type SF            | Category | Price      | Freight charges | Price including freight charges |
| SF 240, hot-dip galvanized                       | C        | on request | on request      | on request                      |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded

# Price List 0425 en-PT

## Hazardous Materials Containers



| Fluorescent Tube Box Type SL            | Category | Price      | Freight charges | Price including freight charges |
|-----------------------------------------|----------|------------|-----------------|---------------------------------|
| SL 150, painted                         | C        | 664,—      | 225,—           | 889,—                           |
| SL 150, hot-dip galvanized              | C        | 794,—      | 225,—           | 1019,—                          |
| SL 200, painted                         | C        | 740,—      | 225,—           | 965,—                           |
| SL 200, hot-dip galvanized              | C        | 871,—      | 327,—           | 1198,—                          |
| Fluorescent Tube Box Type SL-D          | Category | Price      | Freight charges | Price including freight charges |
| SL-D 150, painted                       | C        | 731,—      | 225,—           | 956,—                           |
| Removable Tray, galvanized              | C        | 84,—       | 10,—            | 94,—                            |
| SL-D 150, hot-dip galvanized            | C        | 850,—      | 225,—           | 1075,—                          |
| Removable Tray, galvanized              | C        | 84,—       | 10,—            | 94,—                            |
| SL-D 200, painted                       | C        | 808,—      | 225,—           | 1033,—                          |
| Removable Tray, galvanized              | C        | 84,—       | 10,—            | 94,—                            |
| SL-D 200, hot-dip galvanized            | C        | 940,—      | 225,—           | 1165,—                          |
| Removable Tray, galvanized              | C        | 84,—       | 10,—            | 94,—                            |
| Fluorescent Tube Box Type SL-N          | Category | Price      | Freight charges | Price including freight charges |
| SL-N 220, painted                       | C        | 831,—      | 225,—           | 1056,—                          |
| SL-N 220, hot-dip galvanized            | C        | 969,—      | 225,—           | 1194,—                          |
| Special Waste Container Type SP         | Category | Price      | Freight charges | Price including freight charges |
| SP 100, hot-dip galvanized              | C        | on request | on request      | on request                      |
| SP 240, hot-dip galvanized              | C        | on request | on request      | on request                      |
| Transport Box for Aerosol Cans Type STB | Category | Price      | Freight charges | Price including freight charges |
| STB 1000, hot-dip galvanized            | C        | 1118,—     | on request      | on request                      |
| Polyethylene sacks, 50 pieces on roll   | C        | 185,—      | 62,—            | 247,—                           |
| Absorbent felt, 100 pieces              | C        | 353,—      | 60,—            | 413,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Portugal, islands and oversea territories excluded