





## PRICE LIST 0726 EN-BG

**FORKLIFT TRUCK ATTACHMENTS**

**WORKSPACE MATERIAL HANDLING**

**ENVIRONMENT / STORAGE**

**HAZARDOUS MATERIALS CONTAINERS**

**INNOVATION – CONSTRUCTION – PRODUCTION**

*... since 1966*

## Price List 0726 en-BG

### Forklift Truck Attachments

| Drum Gripper Type 3P                                      | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| 3P, painted                                               | B        | 942,–  | 138,–           | 1080,–                          |
| 3P, hot-dip galvanized                                    | B        | 990,–  | 138,–           | 1128,–                          |
| Tilting Container Type 3S                                 | Category | Price  | Freight charges | Price including freight charges |
| 3S 300, painted                                           | A        | 1244,– | 226,–           | 1470,–                          |
| Lid, galvanized                                           | A        | 174,–  | 18,–            | 192,–                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 136,–  | 15,–            | 151,–                           |
| 3S 300, hot-dip galvanized                                | A        | 1342,– | 331,–           | 1673,–                          |
| Lid, galvanized                                           | A        | 174,–  | 18,–            | 192,–                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 136,–  | 15,–            | 151,–                           |
| 3S 600, painted                                           | A        | 1300,– | 331,–           | 1631,–                          |
| Lid, galvanized                                           | A        | 196,–  | 22,–            | 218,–                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 136,–  | 15,–            | 151,–                           |
| 3S 600, hot-dip galvanized                                | A        | 1402,– | 331,–           | 1733,–                          |
| Lid, galvanized                                           | A        | 196,–  | 22,–            | 218,–                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 136,–  | 15,–            | 151,–                           |
| Automatic Tilting Container Type 4A                       | Category | Price  | Freight charges | Price including freight charges |
| 4A 600, painted                                           | A        | 1103,– | 226,–           | 1329,–                          |
| Lid, galvanized                                           | A        | 196,–  | 22,–            | 218,–                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,–   | 0,–             | 78,–                            |
| 4A 600, hot-dip galvanized                                | A        | 1250,– | 226,–           | 1476,–                          |
| Lid, galvanized                                           | A        | 196,–  | 22,–            | 218,–                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,–   | 0,–             | 78,–                            |
| 4A 900, painted                                           | A        | 1239,– | 331,–           | 1570,–                          |
| Lid, galvanized                                           | A        | 223,–  | 27,–            | 250,–                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,–   | 0,–             | 78,–                            |
| 4A 900, hot-dip galvanized                                | A        | 1424,– | 331,–           | 1755,–                          |
| Lid, galvanized                                           | A        | 223,–  | 27,–            | 250,–                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,–   | 0,–             | 78,–                            |
| 4A 1200, painted                                          | A        | 1327,– | 331,–           | 1658,–                          |
| Lid, galvanized                                           | A        | 223,–  | 26,–            | 249,–                           |
| Skip Body Welded Oil and Watertight                       | A        | 121,–  | 0,–             | 121,–                           |
| 4A 1200, hot-dip galvanized                               | A        | 1558,– | 331,–           | 1889,–                          |
| Lid, galvanized                                           | A        | 223,–  | 26,–            | 249,–                           |
| Skip Body Welded Oil and Watertight                       | A        | 121,–  | 0,–             | 121,–                           |
| Drum Gripper Type 4P                                      | Category | Price  | Freight charges | Price including freight charges |
| 4P, painted                                               | B        | 578,–  | 118,–           | 696,–                           |
| 4P, hot-dip galvanized                                    | B        | 551,–  | 118,–           | 669,–                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Drum Gripper Type 4P-D      | Category | Price | Freight charges | Price including freight charges |
|-----------------------------|----------|-------|-----------------|---------------------------------|
| 4P-D120, painted            | B        | 578,— | 118,—           | 696,—                           |
| 4P-D120, hot-dip galvanized | B        | 551,— | 118,—           | 669,—                           |
| 4P-D220, painted            | B        | 578,— | 118,—           | 696,—                           |
| 4P-D220, hot-dip galvanized | B        | 551,— | 118,—           | 669,—                           |

| Tilting Container Type AK                                 | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>AK 50, painted</b>                                     | A        | 802,—  | 226,—           | 1028,—                          |
| Lid, galvanized                                           | A        | 140,—  | 16,—            | 156,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 136,—  | 15,—            | 151,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,—   | 0,—             | 78,—                            |
| <b>AK 50, hot-dip galvanized</b>                          | A        | 956,—  | 226,—           | 1182,—                          |
| Lid, galvanized                                           | A        | 140,—  | 16,—            | 156,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 136,—  | 15,—            | 151,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,—   | 0,—             | 78,—                            |
| <b>AK 75, painted</b>                                     | A        | 897,—  | 226,—           | 1123,—                          |
| Lid, galvanized                                           | A        | 192,—  | 21,—            | 213,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 136,—  | 15,—            | 151,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,—   | 0,—             | 78,—                            |
| <b>AK 75, hot-dip galvanized</b>                          | A        | 1048,— | 331,—           | 1379,—                          |
| Lid, galvanized                                           | A        | 192,—  | 21,—            | 213,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 136,—  | 15,—            | 151,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,—   | 0,—             | 78,—                            |
| <b>AK 100, painted</b>                                    | A        | 970,—  | 331,—           | 1301,—                          |
| Lid, galvanized                                           | A        | 218,—  | 26,—            | 244,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 136,—  | 15,—            | 151,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 121,—  | 0,—             | 121,—                           |
| <b>AK 100, hot-dip galvanized</b>                         | A        | 1133,— | 331,—           | 1464,—                          |
| Lid, galvanized                                           | A        | 218,—  | 26,—            | 244,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 136,—  | 15,—            | 151,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 121,—  | 0,—             | 121,—                           |
| <b>AK 150, painted</b>                                    | A        | 1238,— | 331,—           | 1569,—                          |
| Lid, galvanized                                           | A        | 305,—  | 28,—            | 333,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 136,—  | 15,—            | 151,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 121,—  | 0,—             | 121,—                           |
| <b>AK 150, hot-dip galvanized</b>                         | A        | 1448,— | 331,—           | 1779,—                          |
| Lid, galvanized                                           | A        | 305,—  | 28,—            | 333,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 136,—  | 15,—            | 151,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 121,—  | 0,—             | 121,—                           |

| Container for Building Materials Type BBG | Category | Price | Freight charges | Price including freight charges |
|-------------------------------------------|----------|-------|-----------------|---------------------------------|
| <b>BBG 100, painted</b>                   | A        | 405,— | 226,—           | 631,—                           |
| Lid, galvanized                           | A        | 189,— | 138,—           | 327,—                           |
| <b>BBG 100, hot-dip galvanized</b>        | A        | 496,— | 226,—           | 722,—                           |
| Lid, galvanized                           | A        | 189,— | 138,—           | 327,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Container for Building Materials Type BBK                                 | Category | Price  | Freight charges | Price including freight charges |
|---------------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| BBK 100, painted                                                          | A        | 496,—  | 226,—           | 722,—                           |
| Lid, galvanized                                                           | A        | 189,—  | 138,—           | 327,—                           |
| BBK 100, hot-dip galvanized                                               | A        | 571,—  | 226,—           | 797,—                           |
| Lid, galvanized                                                           | A        | 189,—  | 138,—           | 327,—                           |
| Material Container Type BBM                                               | Category | Price  | Freight charges | Price including freight charges |
| BBM 500, painted                                                          | A        | 325,—  | 138,—           | 463,—                           |
| BBM 500, hot-dip galvanized                                               | A        | 359,—  | 138,—           | 497,—                           |
| Container for Building Materials Type BBP                                 | Category | Price  | Freight charges | Price including freight charges |
| BBP 100, painted                                                          | A        | 433,—  | 138,—           | 571,—                           |
| Lid, galvanized                                                           | A        | 189,—  | 138,—           | 327,—                           |
| Pick-up cones (pins) and angle iron traverse lock                         | A        | 51,—   | 10,—            | 61,—                            |
| BBP 100, hot-dip galvanized                                               | A        | 511,—  | 138,—           | 649,—                           |
| Lid, galvanized                                                           | A        | 189,—  | 138,—           | 327,—                           |
| Pick-up cones (pins) and angle iron traverse lock                         | A        | 51,—   | 10,—            | 61,—                            |
| Tilting Traverse for Containers for Building Material Containers Type BBT | Category | Price  | Freight charges | Price including freight charges |
| BBT, painted                                                              | A        | 571,—  | 226,—           | 797,—                           |
| BBT, hot-dip galvanized                                                   | A        | 649,—  | 226,—           | 875,—                           |
| Building Materials Container Type BC                                      | Category | Price  | Freight charges | Price including freight charges |
| BC 500, painted                                                           | B        | 957,—  | 226,—           | 1183,—                          |
| Lid, galvanized                                                           | B        | 143,—  | 16,—            | 159,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                 | A        | 192,—  | 15,—            | 207,—                           |
| BC 500, hot-dip galvanized                                                | B        | 1179,— | 331,—           | 1510,—                          |
| Lid, galvanized                                                           | B        | 143,—  | 16,—            | 159,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                 | A        | 192,—  | 15,—            | 207,—                           |
| BC 500 (brick clamp operated), painted                                    | B        | 1026,— | 226,—           | 1252,—                          |
| Lid, galvanized                                                           | B        | 143,—  | 16,—            | 159,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                 | A        | 192,—  | 15,—            | 207,—                           |
| BC 500 (brick clamp operated), hot-dip galvanized                         | B        | 1250,— | 331,—           | 1581,—                          |
| Lid, galvanized                                                           | B        | 143,—  | 16,—            | 159,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                 | A        | 192,—  | 15,—            | 207,—                           |
| BC 1000, painted                                                          | B        | 1043,— | 331,—           | 1374,—                          |
| Lid, galvanized                                                           | B        | 143,—  | 16,—            | 159,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                 | A        | 192,—  | 15,—            | 207,—                           |
| BC 1000, hot-dip galvanized                                               | B        | 1316,— | 331,—           | 1647,—                          |
| Lid, galvanized                                                           | B        | 143,—  | 16,—            | 159,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                 | A        | 192,—  | 15,—            | 207,—                           |
| BC 1000 (brick clamp operated), painted                                   | B        | 1111,— | 331,—           | 1442,—                          |
| Lid, galvanized                                                           | B        | 143,—  | 16,—            | 159,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                 | A        | 192,—  | 15,—            | 207,—                           |
| BC 1000 (brick clamp operated), hot-dip galvanized                        | B        | 1386,— | 331,—           | 1717,—                          |
| Lid, galvanized                                                           | B        | 143,—  | 16,—            | 159,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Building Materials Container Type BC                                 | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Tilting Container Type BK                                            | Category | Price  | Freight charges | Price including freight charges |
| <b>BK 30, painted</b>                                                | A        | 700,—  | 226,—           | 926,—                           |
| Lid, galvanized                                                      | A        | 98,—   | 18,—            | 116,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 78,—   | 0,—             | 78,—                            |
| <b>BK 30, hot-dip galvanized</b>                                     | A        | 984,—  | 226,—           | 1210,—                          |
| Lid, galvanized                                                      | A        | 98,—   | 18,—            | 116,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 78,—   | 0,—             | 78,—                            |
| <b>BK 50, painted</b>                                                | A        | 984,—  | 226,—           | 1210,—                          |
| Lid, galvanized                                                      | A        | 98,—   | 20,—            | 118,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 78,—   | 0,—             | 78,—                            |
| <b>BK 50, hot-dip galvanized</b>                                     | A        | 1327,— | 331,—           | 1658,—                          |
| Lid, galvanized                                                      | A        | 98,—   | 20,—            | 118,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 78,—   | 0,—             | 78,—                            |
| <b>BK 80, painted</b>                                                | A        | 1297,— | 331,—           | 1628,—                          |
| Lid, galvanized                                                      | A        | 144,—  | 22,—            | 166,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 78,—   | 0,—             | 78,—                            |
| <b>BK 80, hot-dip galvanized</b>                                     | A        | 1814,— | 331,—           | 2145,—                          |
| Lid, galvanized                                                      | A        | 144,—  | 22,—            | 166,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 78,—   | 0,—             | 78,—                            |
| <b>BK 100, painted</b>                                               | A        | 1508,— | 331,—           | 1839,—                          |
| Lid, galvanized                                                      | A        | 173,—  | 27,—            | 200,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 121,—  | 0,—             | 121,—                           |
| <b>BK 100, hot-dip galvanized</b>                                    | A        | 2070,— | 331,—           | 2401,—                          |
| Lid, galvanized                                                      | A        | 173,—  | 27,—            | 200,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 121,—  | 0,—             | 121,—                           |
| <b>BK 120, painted</b>                                               | A        | 1640,— | 331,—           | 1971,—                          |
| Lid, galvanized                                                      | A        | 184,—  | 32,—            | 216,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Tilting Container Type BK                                            | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 121,—  | 0,—             | 121,—                           |
| <b>BK 120, hot-dip galvanized</b>                                    | A        | 2235,— | 331,—           | 2566,—                          |
| Lid, galvanized                                                      | A        | 184,—  | 32,—            | 216,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 121,—  | 0,—             | 121,—                           |
| <b>BK 150, painted</b>                                               | A        | 1801,— | 402,—           | 2203,—                          |
| Lid, galvanized                                                      | A        | 211,—  | 39,—            | 250,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 121,—  | 0,—             | 121,—                           |
| <b>BK 150, hot-dip galvanized</b>                                    | A        | 2444,— | 402,—           | 2846,—                          |
| Lid, galvanized                                                      | A        | 211,—  | 39,—            | 250,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 121,—  | 0,—             | 121,—                           |
| <b>BK 200, painted</b>                                               | A        | 2240,— | 402,—           | 2642,—                          |
| Lid, galvanized                                                      | A        | 223,—  | 138,—           | 361,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 121,—  | 0,—             | 121,—                           |
| <b>BK 200, hot-dip galvanized</b>                                    | A        | 3052,— | 582,—           | 3634,—                          |
| Lid, galvanized                                                      | A        | 223,—  | 138,—           | 361,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 121,—  | 0,—             | 121,—                           |
| Container With Drop Away Base Type BKB                               | Category | Price  | Freight charges | Price including freight charges |
| <b>BKB 500, painted</b>                                              | A        | 763,—  | 226,—           | 989,—                           |
| Lid, galvanized                                                      | A        | 196,—  | 18,—            | 214,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| <b>BKB 500, hot-dip galvanized</b>                                   | A        | 907,—  | 226,—           | 1133,—                          |
| Lid, galvanized                                                      | A        | 196,—  | 18,—            | 214,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| <b>BKB 700, painted</b>                                              | A        | 816,—  | 226,—           | 1042,—                          |
| Lid, galvanized                                                      | A        | 196,—  | 18,—            | 214,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| <b>BKB 700, hot-dip galvanized</b>                                   | A        | 960,—  | 226,—           | 1186,—                          |
| Lid, galvanized                                                      | A        | 196,—  | 18,—            | 214,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| <b>BKB 1000, painted</b>                                             | A        | 865,—  | 226,—           | 1091,—                          |
| Lid, galvanized                                                      | A        | 196,—  | 18,—            | 214,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| <b>BKB 1000, hot-dip galvanized</b>                                  | A        | 1029,— | 226,—           | 1255,—                          |
| Lid, galvanized                                                      | A        | 196,—  | 18,—            | 214,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Container With Drop Away Base Type BKB                    | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Tilting Container Type BKC                                | Category | Price  | Freight charges | Price including freight charges |
| <b>BKC 200, painted</b>                                   | A        | 2308,— | 582,—           | 2890,—                          |
| Lid, galvanized                                           | A        | 450,—  | 138,—           | 588,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 121,—  | 0,—             | 121,—                           |
| <b>BKC 200, hot-dip galvanized</b>                        | A        | 3089,— | 582,—           | 3671,—                          |
| Lid, galvanized                                           | A        | 450,—  | 138,—           | 588,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 121,—  | 0,—             | 121,—                           |
| <b>BKC 300, painted</b>                                   | A        | 2558,— | 582,—           | 3140,—                          |
| Lid, galvanized                                           | A        | 450,—  | 138,—           | 588,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 121,—  | 0,—             | 121,—                           |
| <b>BKC 300, hot-dip galvanized</b>                        | A        | 3367,— | 582,—           | 3949,—                          |
| Lid, galvanized                                           | A        | 450,—  | 138,—           | 588,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 121,—  | 0,—             | 121,—                           |
| <b>BKC 400, painted</b>                                   | A        | 3150,— | 582,—           | 3732,—                          |
| Lid, galvanized                                           | A        | 450,—  | 226,—           | 676,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 121,—  | 0,—             | 121,—                           |
| <b>BKC 400, hot-dip galvanized</b>                        | A        | 4067,— | 763,—           | 4830,—                          |
| Lid, galvanized                                           | A        | 450,—  | 226,—           | 676,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 121,—  | 0,—             | 121,—                           |
| <b>BKC 500, painted</b>                                   | A        | 3659,— | 763,—           | 4422,—                          |
| Lid, galvanized                                           | A        | 450,—  | 226,—           | 676,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 121,—  | 0,—             | 121,—                           |
| <b>BKC 500, hot-dip galvanized</b>                        | A        | 4641,— | 763,—           | 5404,—                          |
| Lid, galvanized                                           | A        | 450,—  | 226,—           | 676,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 121,—  | 0,—             | 121,—                           |
| Tilting Container Type BKC-H                              | Category | Price  | Freight charges | Price including freight charges |
| <b>BKC-H 200, painted</b>                                 | A        | 3422,— | 582,—           | 4004,—                          |
| Lid, galvanized                                           | A        | 450,—  | 138,—           | 588,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 121,—  | 0,—             | 121,—                           |
| <b>BKC-H 200, hot-dip galvanized</b>                      | A        | 4204,— | 582,—           | 4786,—                          |
| Lid, galvanized                                           | A        | 450,—  | 138,—           | 588,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 121,—  | 0,—             | 121,—                           |
| <b>BKC-H 300, painted</b>                                 | A        | 3673,— | 582,—           | 4255,—                          |
| Lid, galvanized                                           | A        | 450,—  | 138,—           | 588,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 121,—  | 0,—             | 121,—                           |
| <b>BKC-H 300, hot-dip galvanized</b>                      | A        | 4483,— | 582,—           | 5065,—                          |
| Lid, galvanized                                           | A        | 450,—  | 138,—           | 588,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 121,—  | 0,—             | 121,—                           |
| <b>BKC-H 400, painted</b>                                 | A        | 4265,— | 582,—           | 4847,—                          |
| Lid, galvanized                                           | A        | 450,—  | 226,—           | 676,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 121,—  | 0,—             | 121,—                           |
| <b>BKC-H 400, hot-dip galvanized</b>                      | A        | 5182,— | 763,—           | 5945,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Tilting Container Type BKC-H         | Category | Price  | Freight charges | Price including freight charges |
|--------------------------------------|----------|--------|-----------------|---------------------------------|
| Lid, galvanized                      | A        | 450,—  | 226,—           | 676,—                           |
| Skip Body Welded Oil and Watertight  | A        | 121,—  | 0,—             | 121,—                           |
| <b>BKC-H 500, painted</b>            | A        | 4774,— | 763,—           | 5537,—                          |
| Lid, galvanized                      | A        | 450,—  | 226,—           | 676,—                           |
| Skip Body Welded Oil and Watertight  | A        | 121,—  | 0,—             | 121,—                           |
| <b>BKC-H 500, hot-dip galvanized</b> | A        | 5756,— | 763,—           | 6519,—                          |
| Lid, galvanized                      | A        | 450,—  | 226,—           | 676,—                           |
| Skip Body Welded Oil and Watertight  | A        | 121,—  | 0,—             | 121,—                           |

| Tilting Container Type BKM                                           | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>BKM 30, painted</b>                                               | A        | 700,—  | 226,—           | 926,—                           |
| Lid, galvanized                                                      | A        | 104,—  | 18,—            | 122,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 78,—   | 0,—             | 78,—                            |
| <b>BKM 30, hot-dip galvanized</b>                                    | A        | 984,—  | 226,—           | 1210,—                          |
| Lid, galvanized                                                      | A        | 104,—  | 18,—            | 122,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 78,—   | 0,—             | 78,—                            |
| <b>BKM 50, painted</b>                                               | A        | 984,—  | 226,—           | 1210,—                          |
| Lid, galvanized                                                      | A        | 130,—  | 21,—            | 151,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 78,—   | 0,—             | 78,—                            |
| <b>BKM 50, hot-dip galvanized</b>                                    | A        | 1327,— | 226,—           | 1553,—                          |
| Lid, galvanized                                                      | A        | 130,—  | 21,—            | 151,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 78,—   | 0,—             | 78,—                            |
| <b>BKM 75, painted</b>                                               | A        | 1246,— | 331,—           | 1577,—                          |
| Lid, galvanized                                                      | A        | 142,—  | 22,—            | 164,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 78,—   | 0,—             | 78,—                            |
| <b>BKM 75, hot-dip galvanized</b>                                    | A        | 1672,— | 331,—           | 2003,—                          |
| Lid, galvanized                                                      | A        | 142,—  | 22,—            | 164,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 78,—   | 0,—             | 78,—                            |
| <b>BKM 100, painted</b>                                              | A        | 1508,— | 331,—           | 1839,—                          |
| Lid, galvanized                                                      | A        | 185,—  | 27,—            | 212,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 121,—  | 0,—             | 121,—                           |
| <b>BKM 100, hot-dip galvanized</b>                                   | A        | 2070,— | 331,—           | 2401,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Tilting Container Type BKM                                           | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Lid, galvanized                                                      | A        | 185,—  | 27,—            | 212,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 121,—  | 0,—             | 121,—                           |
| <b>BKM 150, painted</b>                                              | A        | 1801,— | 402,—           | 2203,—                          |
| Lid, galvanized                                                      | A        | 271,—  | 36,—            | 307,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 121,—  | 0,—             | 121,—                           |
| <b>BKM 150, hot-dip galvanized</b>                                   | A        | 2444,— | 402,—           | 2846,—                          |
| Lid, galvanized                                                      | A        | 271,—  | 36,—            | 307,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 121,—  | 0,—             | 121,—                           |
| <b>BKM 200, painted</b>                                              | A        | 2240,— | 402,—           | 2642,—                          |
| Lid, galvanized                                                      | A        | 302,—  | 138,—           | 440,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 121,—  | 0,—             | 121,—                           |
| Lid, galvanized                                                      | A        | 302,—  | 138,—           | 440,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 121,—  | 0,—             | 121,—                           |
| Traverse For Stacking Tipplers Type BKT                              | Category | Price  | Freight charges | Price including freight charges |
| <b>BKT 30, painted</b>                                               | A        | 368,—  | 226,—           | 594,—                           |
| Traverse Stand Type TS, hot-dip galvanized                           | A        | 78,—   | 8,—             | 86,—                            |
| <b>BKT 55, painted</b>                                               | A        | 390,—  | 226,—           | 616,—                           |
| Traverse Stand Type TS, hot-dip galvanized                           | A        | 78,—   | 9,—             | 87,—                            |
| <b>BKT 70, painted</b>                                               | A        | 390,—  | 226,—           | 616,—                           |
| Traverse Stand Type TS, hot-dip galvanized                           | A        | 78,—   | 9,—             | 87,—                            |
| <b>BKT 90, painted</b>                                               | A        | 392,—  | 226,—           | 618,—                           |
| Traverse Stand Type TS, hot-dip galvanized                           | A        | 78,—   | 9,—             | 87,—                            |
| <b>BKT 150, painted</b>                                              | A        | 631,—  | 226,—           | 857,—                           |
| Traverse Stand Type TS, hot-dip galvanized                           | A        | 78,—   | 9,—             | 87,—                            |
| <b>BKT 200, painted</b>                                              | A        | 696,—  | 226,—           | 922,—                           |
| Traverse Stand Type TS, hot-dip galvanized                           | A        | 78,—   | 9,—             | 87,—                            |
| Shovel Type BSE                                                      | Category | Price  | Freight charges | Price including freight charges |
| <b>BSE 50, painted</b>                                               | A        | 1486,— | 331,—           | 1817,—                          |
| <b>BSE 75, painted</b>                                               | A        | 1769,— | 331,—           | 2100,—                          |
| <b>BSE 100, painted</b>                                              | A        | 2219,— | 402,—           | 2621,—                          |
| <b>BSE 150, painted</b>                                              | A        | 2507,— | 402,—           | 2909,—                          |
| <b>BSE 200, painted</b>                                              | A        | 2786,— | 582,—           | 3368,—                          |
| <b>BSE 250, painted</b>                                              | A        | 3433,— | 635,—           | 4068,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Shovel Type BSI                                                                                | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| BSI 50, painted                                                                                | A        | 1257,— | 226,—           | 1483,—                          |
| BSI 75, painted                                                                                | A        | 1424,— | 331,—           | 1755,—                          |
| BSI 100, painted                                                                               | A        | 1786,— | 331,—           | 2117,—                          |
| Stacking Tipper Type BSK                                                                       | Category | Price  | Freight charges | Price including freight charges |
| <b>BSK 30, painted</b>                                                                         | A        | 265,—  | 138,—           | 403,—                           |
| Lid, galvanized                                                                                | A        | 69,—   | 12,—            | 81,—                            |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 78,—   | 0,—             | 78,—                            |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 29,—   | on request      | on request                      |
| <b>BSK 30, hot-dip galvanized</b>                                                              | A        | 320,—  | 138,—           | 458,—                           |
| Lid, galvanized                                                                                | A        | 69,—   | 12,—            | 81,—                            |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 78,—   | 0,—             | 78,—                            |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 29,—   | on request      | on request                      |
| <b>BSK 55, painted</b>                                                                         | A        | 332,—  | 138,—           | 470,—                           |
| Lid, galvanized                                                                                | A        | 98,—   | 15,—            | 113,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 78,—   | 0,—             | 78,—                            |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 29,—   | on request      | on request                      |
| <b>BSK 55, hot-dip galvanized</b>                                                              | A        | 405,—  | 138,—           | 543,—                           |
| Lid, galvanized                                                                                | A        | 98,—   | 15,—            | 113,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 78,—   | 0,—             | 78,—                            |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 29,—   | on request      | on request                      |
| <b>BSK 70, painted</b>                                                                         | A        | 352,—  | 138,—           | 490,—                           |
| Lid, galvanized                                                                                | A        | 122,—  | 15,—            | 137,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 78,—   | 0,—             | 78,—                            |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 29,—   | on request      | on request                      |
| <b>BSK 70, hot-dip galvanized</b>                                                              | A        | 457,—  | 138,—           | 595,—                           |
| Lid, galvanized                                                                                | A        | 122,—  | 15,—            | 137,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 78,—   | 0,—             | 78,—                            |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 29,—   | on request      | on request                      |
| <b>BSK 90, painted</b>                                                                         | A        | 379,—  | 138,—           | 517,—                           |
| Lid, galvanized                                                                                | A        | 166,—  | 18,—            | 184,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 78,—   | 0,—             | 78,—                            |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 29,—   | on request      | on request                      |
| <b>BSK 90, hot-dip galvanized</b>                                                              | A        | 487,—  | 226,—           | 713,—                           |
| Lid, galvanized                                                                                | A        | 166,—  | 18,—            | 184,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 78,—   | 0,—             | 78,—                            |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 29,—   | on request      | on request                      |
| <b>BSK 150, painted</b>                                                                        | A        | 871,—  | 226,—           | 1097,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Stacking Tipper Type BSK                                                                       | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Lid, galvanized                                                                                | A        | 223,—  | 21,—            | 244,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 121,—  | 0,—             | 121,—                           |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 29,—   | on request      | on request                      |
| <b>BSK 150, hot-dip galvanized</b>                                                             | A        | 1019,— | 226,—           | 1245,—                          |
| Lid, galvanized                                                                                | A        | 223,—  | 21,—            | 244,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 121,—  | 0,—             | 121,—                           |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 29,—   | on request      | on request                      |
| <b>BSK 200, painted</b>                                                                        | A        | 934,—  | 226,—           | 1160,—                          |
| Lid, galvanized                                                                                | A        | 284,—  | 26,—            | 310,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 121,—  | 0,—             | 121,—                           |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 29,—   | on request      | on request                      |
| <b>BSK 200, hot-dip galvanized</b>                                                             | A        | 1169,— | 226,—           | 1395,—                          |
| Lid, galvanized                                                                                | A        | 284,—  | 26,—            | 310,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 121,—  | 0,—             | 121,—                           |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 29,—   | on request      | on request                      |
| Lattice Tilting Container Type BSK-G                                                           | Category | Price  | Freight charges | Price including freight charges |
| <b>BSK-G 90, painted</b>                                                                       | A        | 344,—  | 138,—           | 482,—                           |
| Lid, galvanized                                                                                | A        | 166,—  | 18,—            | 184,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 192,—  | 15,—            | 207,—                           |
| <b>BSK-G 90, hot-dip galvanized</b>                                                            | A        | 419,—  | 138,—           | 557,—                           |
| Lid, galvanized                                                                                | A        | 166,—  | 18,—            | 184,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 192,—  | 15,—            | 207,—                           |
| Swarf Stacking Tipper Type BSL                                                                 | Category | Price  | Freight charges | Price including freight charges |
| <b>BSL 30, painted</b>                                                                         | A        | 590,—  | 138,—           | 728,—                           |
| Lid, galvanized                                                                                | A        | 69,—   | 12,—            | 81,—                            |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 192,—  | 15,—            | 207,—                           |
| <b>BSL 30, hot-dip galvanized</b>                                                              | A        | 679,—  | 138,—           | 817,—                           |
| Lid, galvanized                                                                                | A        | 69,—   | 12,—            | 81,—                            |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 192,—  | 15,—            | 207,—                           |
| <b>BSL 55, painted</b>                                                                         | A        | 726,—  | 226,—           | 952,—                           |
| Lid, galvanized                                                                                | A        | 98,—   | 15,—            | 113,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 192,—  | 15,—            | 207,—                           |
| <b>BSL 55, hot-dip galvanized</b>                                                              | A        | 852,—  | 226,—           | 1078,—                          |
| Lid, galvanized                                                                                | A        | 98,—   | 15,—            | 113,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 192,—  | 15,—            | 207,—                           |
| <b>BSL 70, painted</b>                                                                         | A        | 763,—  | 226,—           | 989,—                           |
| Lid, galvanized                                                                                | A        | 122,—  | 15,—            | 137,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 192,—  | 15,—            | 207,—                           |
| <b>BSL 70, hot-dip galvanized</b>                                                              | A        | 912,—  | 226,—           | 1138,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| <b>Swarf Stacking Tipper Type BSL</b>                     | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|-----------------------------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| Lid, galvanized                                           | A               | 122,—        | 15,—                   | 137,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| <b>BSL 90, painted</b>                                    | A               | 830,—        | 226,—                  | 1056,—                                 |
| Lid, galvanized                                           | A               | 166,—        | 18,—                   | 184,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| <b>BSL 90, hot-dip galvanized</b>                         | A               | 1004,—       | 226,—                  | 1230,—                                 |
| Lid, galvanized                                           | A               | 166,—        | 18,—                   | 184,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| <b>BSL 150, painted</b>                                   | A               | 1227,—       | 226,—                  | 1453,—                                 |
| Lid, galvanized                                           | A               | 223,—        | 21,—                   | 244,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| <b>BSL 150, hot-dip galvanized</b>                        | A               | 1490,—       | 331,—                  | 1821,—                                 |
| Lid, galvanized                                           | A               | 223,—        | 21,—                   | 244,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| <b>BSL 200, painted</b>                                   | A               | 1327,—       | 331,—                  | 1658,—                                 |
| Lid, galvanized                                           | A               | 284,—        | 26,—                   | 310,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| <b>BSL 200, hot-dip galvanized</b>                        | A               | 1792,—       | 331,—                  | 2123,—                                 |
| Lid, galvanized                                           | A               | 284,—        | 26,—                   | 310,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| <b>Shovel Type BSM</b>                                    | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>BSM 50, painted</b>                                    | A               | 1486,—       | 226,—                  | 1712,—                                 |
| <b>BSM 75, painted</b>                                    | A               | 1769,—       | 331,—                  | 2100,—                                 |
| <b>BSM 100, painted</b>                                   | A               | 2219,—       | 402,—                  | 2621,—                                 |
| <b>BSM 150, painted</b>                                   | A               | 2507,—       | 402,—                  | 2909,—                                 |
| <b>BSM 200, painted</b>                                   | A               | 2786,—       | 582,—                  | 3368,—                                 |
| <b>BSM 250, painted</b>                                   | A               | 3433,—       | 635,—                  | 4068,—                                 |
| <b>Swarf Stacking Tipper Type BSS</b>                     | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>BSS 30, painted</b>                                    | A               | 422,—        | 138,—                  | 560,—                                  |
| Lid, galvanized                                           | A               | 69,—         | 12,—                   | 81,—                                   |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| <b>BSS 30, hot-dip galvanized</b>                         | A               | 490,—        | 138,—                  | 628,—                                  |
| Lid, galvanized                                           | A               | 69,—         | 12,—                   | 81,—                                   |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| <b>BSS 55, painted</b>                                    | A               | 523,—        | 138,—                  | 661,—                                  |
| Lid, galvanized                                           | A               | 98,—         | 15,—                   | 113,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| <b>BSS 55, hot-dip galvanized</b>                         | A               | 648,—        | 138,—                  | 786,—                                  |
| Lid, galvanized                                           | A               | 98,—         | 15,—                   | 113,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| <b>BSS 70, painted</b>                                    | A               | 561,—        | 138,—                  | 699,—                                  |
| Lid, galvanized                                           | A               | 122,—        | 15,—                   | 137,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| <b>Swarf Stacking Tipper Type BSS</b>                     | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|-----------------------------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| <b>BSS 70, hot-dip galvanized</b>                         | A               | 708,—        | 226,—                  | 934,—                                  |
| Lid, galvanized                                           | A               | 122,—        | 15,—                   | 137,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| <b>BSS 90, painted</b>                                    | A               | 597,—        | 226,—                  | 823,—                                  |
| Lid, galvanized                                           | A               | 166,—        | 18,—                   | 184,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| <b>BSS 90, hot-dip galvanized</b>                         | A               | 765,—        | 226,—                  | 991,—                                  |
| Lid, galvanized                                           | A               | 166,—        | 18,—                   | 184,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| <b>BSS 150, painted</b>                                   | A               | 907,—        | 226,—                  | 1133,—                                 |
| Lid, galvanized                                           | A               | 223,—        | 21,—                   | 244,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| <b>BSS 150, hot-dip galvanized</b>                        | A               | 1166,—       | 226,—                  | 1392,—                                 |
| Lid, galvanized                                           | A               | 223,—        | 21,—                   | 244,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| <b>BSS 200, painted</b>                                   | A               | 1024,—       | 226,—                  | 1250,—                                 |
| Lid, galvanized                                           | A               | 284,—        | 26,—                   | 310,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| <b>BSS 200, hot-dip galvanized</b>                        | A               | 1371,—       | 331,—                  | 1702,—                                 |
| Lid, galvanized                                           | A               | 284,—        | 26,—                   | 310,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| <b>Traverse For Stacking Tipplers Type BST</b>            | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>BST 30, painted</b>                                    | A               | 332,—        | 138,—                  | 470,—                                  |
| Traverse Stand Type TS, hot-dip galvanized                | A               | 78,—         | 8,—                    | 86,—                                   |
| <b>BST 55, painted</b>                                    | A               | 354,—        | 138,—                  | 492,—                                  |
| Traverse Stand Type TS, hot-dip galvanized                | A               | 78,—         | 9,—                    | 87,—                                   |
| <b>BST 70, painted</b>                                    | A               | 354,—        | 138,—                  | 492,—                                  |
| Traverse Stand Type TS, hot-dip galvanized                | A               | 78,—         | 9,—                    | 87,—                                   |
| <b>BST 90, painted</b>                                    | A               | 368,—        | 138,—                  | 506,—                                  |
| Traverse Stand Type TS, hot-dip galvanized                | A               | 78,—         | 9,—                    | 87,—                                   |
| <b>BST 150, painted</b>                                   | A               | 551,—        | 226,—                  | 777,—                                  |
| Traverse Stand Type TS, hot-dip galvanized                | A               | 78,—         | 9,—                    | 87,—                                   |
| <b>BST 200, painted</b>                                   | A               | 612,—        | 226,—                  | 838,—                                  |
| Traverse Stand Type TS, hot-dip galvanized                | A               | 78,—         | 9,—                    | 87,—                                   |
| <b>Traverse For Stacking Tipplers Type BST-H</b>          | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>BST-H 30, painted</b>                                  | A               | 2127,—       | 226,—                  | 2353,—                                 |
| Traverse Stand Type TS, hot-dip galvanized                | A               | 78,—         | 8,—                    | 86,—                                   |
| <b>BST-H 55, painted</b>                                  | A               | 2257,—       | 226,—                  | 2483,—                                 |
| Traverse Stand Type TS, hot-dip galvanized                | A               | 78,—         | 8,—                    | 86,—                                   |
| <b>BST-H 70, painted</b>                                  | A               | 2257,—       | 226,—                  | 2483,—                                 |
| Traverse Stand Type TS, hot-dip galvanized                | A               | 78,—         | 8,—                    | 86,—                                   |
| <b>BST-H 90, painted</b>                                  | A               | 2374,—       | 226,—                  | 2600,—                                 |
| Traverse Stand Type TS, hot-dip galvanized                | A               | 78,—         | 8,—                    | 86,—                                   |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Traverse For Stacking Tipplers Type BST-H  | Category | Price  | Freight charges | Price including freight charges |
|--------------------------------------------|----------|--------|-----------------|---------------------------------|
| BST-H 150, painted                         | A        | 2700,— | 331,—           | 3031,—                          |
| Traverse Stand Type TS, hot-dip galvanized | A        | 78,—   | 9,—             | 87,—                            |
| BST-H 200, painted                         | A        | 2972,— | 331,—           | 3303,—                          |
| Traverse Stand Type TS, hot-dip galvanized | A        | 78,—   | 9,—             | 87,—                            |
| Traverse For Stacking Tipplers Type BST-U  | Category | Price  | Freight charges | Price including freight charges |
| BST-U 30, painted                          | A        | 956,—  | 226,—           | 1182,—                          |
| BST-U 55, painted                          | A        | 1020,— | 226,—           | 1246,—                          |
| BST-U 70, painted                          | A        | 1020,— | 226,—           | 1246,—                          |
| BST-U 90, painted                          | A        | 1047,— | 226,—           | 1273,—                          |
| Beam Traverse Type BT                      | Category | Price  | Freight charges | Price including freight charges |
| BT 3001, painted                           | A        | 1877,— | 308,—           | 2185,—                          |
| Support frames, hot-dip galvanized         | A        | 276,—  | 138,—           | 414,—                           |
| BT 3002, painted                           | A        | 2117,— | 308,—           | 2425,—                          |
| Support frames, hot-dip galvanized         | A        | 276,—  | 138,—           | 414,—                           |
| BT 3003, painted                           | A        | 2276,— | 308,—           | 2584,—                          |
| Support frames, hot-dip galvanized         | A        | 276,—  | 138,—           | 414,—                           |
| BT 3005, painted                           | A        | 2596,— | 412,—           | 3008,—                          |
| Support frames, hot-dip galvanized         | A        | 276,—  | 138,—           | 414,—                           |
| Filling Hopper Type BTM                    | Category | Price  | Freight charges | Price including freight charges |
| BTM, painted                               | A        | 2461,— | 402,—           | 2863,—                          |
| Filling Hopper Type BTS                    | Category | Price  | Freight charges | Price including freight charges |
| BTS, painted                               | A        | 2107,— | 402,—           | 2509,—                          |
| Bin Type C                                 | Category | Price  | Freight charges | Price including freight charges |
| C 30, painted                              | A        | 422,—  | 138,—           | 560,—                           |
| C 30, hot-dip galvanized                   | A        | 463,—  | 138,—           | 601,—                           |
| C 80, painted                              | A        | 607,—  | 138,—           | 745,—                           |
| C 80, hot-dip galvanized                   | A        | 653,—  | 138,—           | 791,—                           |
| Swarf Bin Type CS                          | Category | Price  | Freight charges | Price including freight charges |
| CS 30, painted                             | A        | 486,—  | 138,—           | 624,—                           |
| CS 30, hot-dip galvanized                  | A        | 532,—  | 138,—           | 670,—                           |
| CS 80, painted                             | A        | 717,—  | 138,—           | 855,—                           |
| CS 80, hot-dip galvanized                  | A        | 766,—  | 226,—           | 992,—                           |
| Shovel Type DGS                            | Category | Price  | Freight charges | Price including freight charges |
| DGS 500, painted                           | A        | 2655,— | 331,—           | 2986,—                          |
| DGS 700, painted                           | A        | 2685,— | 331,—           | 3016,—                          |
| DGS 950, painted                           | A        | 2723,— | 402,—           | 3125,—                          |
| DGS 1200, painted                          | A        | 2924,— | 402,—           | 3326,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Tilting Container Type DUO                                                                     | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>DUO, painted</b>                                                                            | A        | 1867,— | 331,—           | 2198,—                          |
| Lid, galvanized                                                                                | A        | 236,—  | 27,—            | 263,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 192,—  | 15,—            | 207,—                           |
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A        | 29,—   | on request      | on request                      |
| Tilting Container Type EXPO®                                                                   | Category | Price  | Freight charges | Price including freight charges |
| <b>EXPO 150, painted</b>                                                                       | A        | 608,—  | 138,—           | 746,—                           |
| Lid, galvanized                                                                                | A        | 174,—  | 18,—            | 192,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set                                      | A        | 156,—  | 15,—            | 171,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 78,—   | 0,—             | 78,—                            |
| <b>EXPO 150, hot-dip galvanized</b>                                                            | A        | 717,—  | 138,—           | 855,—                           |
| Lid, galvanized                                                                                | A        | 174,—  | 18,—            | 192,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set                                      | A        | 156,—  | 15,—            | 171,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 78,—   | 0,—             | 78,—                            |
| <b>EXPO 225, painted</b>                                                                       | A        | 662,—  | 138,—           | 800,—                           |
| Lid, galvanized                                                                                | A        | 174,—  | 18,—            | 192,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set                                      | A        | 156,—  | 15,—            | 171,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 78,—   | 0,—             | 78,—                            |
| <b>EXPO 225, hot-dip galvanized</b>                                                            | A        | 785,—  | 138,—           | 923,—                           |
| Lid, galvanized                                                                                | A        | 174,—  | 18,—            | 192,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set                                      | A        | 156,—  | 15,—            | 171,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 78,—   | 0,—             | 78,—                            |
| <b>EXPO 275, painted</b>                                                                       | A        | 691,—  | 138,—           | 829,—                           |
| Lid, galvanized                                                                                | A        | 174,—  | 18,—            | 192,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set                                      | A        | 156,—  | 15,—            | 171,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 78,—   | 0,—             | 78,—                            |
| <b>EXPO 275, hot-dip galvanized</b>                                                            | A        | 826,—  | 138,—           | 964,—                           |
| Lid, galvanized                                                                                | A        | 174,—  | 18,—            | 192,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set                                      | A        | 156,—  | 15,—            | 171,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 78,—   | 0,—             | 78,—                            |
| <b>EXPO 300, painted</b>                                                                       | A        | 623,—  | 226,—           | 849,—                           |
| Lid, galvanized                                                                                | A        | 174,—  | 18,—            | 192,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 78,—   | 0,—             | 78,—                            |
| <b>EXPO 300, hot-dip galvanized</b>                                                            | A        | 798,—  | 226,—           | 1024,—                          |
| Lid, galvanized                                                                                | A        | 174,—  | 18,—            | 192,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 78,—   | 0,—             | 78,—                            |
| <b>EXPO 600, painted</b>                                                                       | A        | 733,—  | 226,—           | 959,—                           |
| Lid, galvanized                                                                                | A        | 196,—  | 22,—            | 218,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 78,—   | 0,—             | 78,—                            |
| <b>EXPO 600, hot-dip galvanized</b>                                                            | A        | 879,—  | 226,—           | 1105,—                          |
| Lid, galvanized                                                                                | A        | 196,—  | 22,—            | 218,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                                                            | A        | 78,—   | 0,—             | 78,—                            |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Tilting Container Type EXPO®                              | Category        | Price        | Freight charges        | Price including freight charges        |
|-----------------------------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| <b>EXPO 900, painted</b>                                  | A               | 818,—        | 226,—                  | 1044,—                                 |
| Lid, galvanized                                           | A               | 223,—        | 27,—                   | 250,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| Skip Body Welded Oil and Watertight                       | A               | 78,—         | 0,—                    | 78,—                                   |
| <b>EXPO 900, hot-dip galvanized</b>                       | A               | 964,—        | 226,—                  | 1190,—                                 |
| Lid, galvanized                                           | A               | 223,—        | 27,—                   | 250,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| Skip Body Welded Oil and Watertight                       | A               | 78,—         | 0,—                    | 78,—                                   |
| <b>EXPO 1200, painted</b>                                 | A               | 885,—        | 331,—                  | 1216,—                                 |
| Lid, galvanized                                           | A               | 223,—        | 26,—                   | 249,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| Skip Body Welded Oil and Watertight                       | A               | 121,—        | 0,—                    | 121,—                                  |
| <b>EXPO 1200, hot-dip galvanized</b>                      | A               | 1042,—       | 331,—                  | 1373,—                                 |
| Lid, galvanized                                           | A               | 223,—        | 26,—                   | 249,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| Skip Body Welded Oil and Watertight                       | A               | 121,—        | 0,—                    | 121,—                                  |
| <b>EXPO 1700, painted</b>                                 | A               | 1202,—       | 331,—                  | 1533,—                                 |
| Lid, galvanized                                           | A               | 276,—        | 33,—                   | 309,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| Skip Body Welded Oil and Watertight                       | A               | 121,—        | 0,—                    | 121,—                                  |
| <b>EXPO 1700, hot-dip galvanized</b>                      | A               | 1435,—       | 331,—                  | 1766,—                                 |
| Lid, galvanized                                           | A               | 276,—        | 33,—                   | 309,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| Skip Body Welded Oil and Watertight                       | A               | 121,—        | 0,—                    | 121,—                                  |
| <b>EXPO 2100, painted</b>                                 | A               | 1325,—       | 331,—                  | 1656,—                                 |
| Lid, galvanized                                           | A               | 360,—        | 36,—                   | 396,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| Skip Body Welded Oil and Watertight                       | A               | 121,—        | 0,—                    | 121,—                                  |
| <b>EXPO 2100, hot-dip galvanized</b>                      | A               | 1606,—       | 331,—                  | 1937,—                                 |
| Lid, galvanized                                           | A               | 360,—        | 36,—                   | 396,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| Skip Body Welded Oil and Watertight                       | A               | 121,—        | 0,—                    | 121,—                                  |
| <b>Swarf Tilting Container Type EXPO®-E</b>               | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>EXPO-E 150, painted</b>                                | A               | 729,—        | 138,—                  | 867,—                                  |
| Lid, galvanized                                           | A               | 174,—        | 18,—                   | 192,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A               | 156,—        | 15,—                   | 171,—                                  |
| <b>EXPO-E 150, hot-dip galvanized</b>                     | A               | 837,—        | 138,—                  | 975,—                                  |
| Lid, galvanized                                           | A               | 174,—        | 18,—                   | 192,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A               | 156,—        | 15,—                   | 171,—                                  |
| <b>EXPO-E 225, painted</b>                                | A               | 782,—        | 138,—                  | 920,—                                  |
| Lid, galvanized                                           | A               | 174,—        | 18,—                   | 192,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A               | 156,—        | 15,—                   | 171,—                                  |
| <b>EXPO-E 225, hot-dip galvanized</b>                     | A               | 907,—        | 138,—                  | 1045,—                                 |
| Lid, galvanized                                           | A               | 174,—        | 18,—                   | 192,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A               | 156,—        | 15,—                   | 171,—                                  |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| <b>Swarf Tilting Container Type EXPO®-E</b>               | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|-----------------------------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| <b>EXPO-E 275, painted</b>                                | A               | 812,—        | 138,—                  | 950,—                                  |
| Lid, galvanized                                           | A               | 174,—        | 18,—                   | 192,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A               | 156,—        | 15,—                   | 171,—                                  |
| <b>EXPO-E 275, hot-dip galvanized</b>                     | A               | 944,—        | 138,—                  | 1082,—                                 |
| Lid, galvanized                                           | A               | 174,—        | 18,—                   | 192,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A               | 156,—        | 15,—                   | 171,—                                  |
| <b>EXPO-E 300, painted</b>                                | A               | 744,—        | 226,—                  | 970,—                                  |
| Lid, galvanized                                           | A               | 174,—        | 18,—                   | 192,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| <b>EXPO-E 300, hot-dip galvanized</b>                     | A               | 919,—        | 226,—                  | 1145,—                                 |
| Lid, galvanized                                           | A               | 174,—        | 18,—                   | 192,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| <b>EXPO-E 600, painted</b>                                | A               | 853,—        | 226,—                  | 1079,—                                 |
| Lid, galvanized                                           | A               | 196,—        | 22,—                   | 218,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| <b>EXPO-E 600, hot-dip galvanized</b>                     | A               | 999,—        | 226,—                  | 1225,—                                 |
| Lid, galvanized                                           | A               | 196,—        | 22,—                   | 218,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| <b>EXPO-E 900, painted</b>                                | A               | 938,—        | 226,—                  | 1164,—                                 |
| Lid, galvanized                                           | A               | 223,—        | 27,—                   | 250,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| <b>EXPO-E 900, hot-dip galvanized</b>                     | A               | 1085,—       | 226,—                  | 1311,—                                 |
| Lid, galvanized                                           | A               | 223,—        | 27,—                   | 250,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| <b>EXPO-E 1200, painted</b>                               | A               | 1048,—       | 331,—                  | 1379,—                                 |
| Lid, galvanized                                           | A               | 223,—        | 26,—                   | 249,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| <b>EXPO-E 1200, hot-dip galvanized</b>                    | A               | 1204,—       | 331,—                  | 1535,—                                 |
| Lid, galvanized                                           | A               | 223,—        | 26,—                   | 249,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| <b>EXPO-E 1700, painted</b>                               | A               | 1365,—       | 331,—                  | 1696,—                                 |
| Lid, galvanized                                           | A               | 276,—        | 33,—                   | 309,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| <b>EXPO-E 1700, hot-dip galvanized</b>                    | A               | 1598,—       | 331,—                  | 1929,—                                 |
| Lid, galvanized                                           | A               | 276,—        | 33,—                   | 309,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| <b>EXPO-E 2100, painted</b>                               | A               | 1488,—       | 331,—                  | 1819,—                                 |
| Lid, galvanized                                           | A               | 360,—        | 36,—                   | 396,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| <b>EXPO-E 2100, hot-dip galvanized</b>                    | A               | 1768,—       | 331,—                  | 2099,—                                 |
| Lid, galvanized                                           | A               | 360,—        | 36,—                   | 396,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| <b>Container With Drop Away Base Type FB</b>              | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>FB 500, painted</b>                                    | A               | 809,—        | 226,—                  | 1035,—                                 |
| Lid, galvanized                                           | A               | 196,—        | 15,—                   | 211,—                                  |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Container With Drop Away Base Type FB                     | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Guiding Plates, galvanized                                | A        | 116,—  | 12,—            | 128,—                           |
| <b>FB 500, hot-dip galvanized</b>                         | A        | 994,—  | 226,—           | 1220,—                          |
| Lid, galvanized                                           | A        | 196,—  | 15,—            | 211,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Guiding Plates, galvanized                                | A        | 116,—  | 12,—            | 128,—                           |
| <b>FB 750, painted</b>                                    | A        | 880,—  | 226,—           | 1106,—                          |
| Lid, galvanized                                           | A        | 196,—  | 15,—            | 211,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Guiding Plates, galvanized                                | A        | 116,—  | 12,—            | 128,—                           |
| <b>FB 750, hot-dip galvanized</b>                         | A        | 1075,— | 226,—           | 1301,—                          |
| Lid, galvanized                                           | A        | 196,—  | 15,—            | 211,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Guiding Plates, galvanized                                | A        | 116,—  | 12,—            | 128,—                           |
| <b>FB 1000, painted</b>                                   | A        | 942,—  | 226,—           | 1168,—                          |
| Lid, galvanized                                           | A        | 238,—  | 18,—            | 256,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Guiding Plates, galvanized                                | A        | 116,—  | 12,—            | 128,—                           |
| <b>FB 1000, hot-dip galvanized</b>                        | A        | 1157,— | 226,—           | 1383,—                          |
| Lid, galvanized                                           | A        | 238,—  | 18,—            | 256,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Guiding Plates, galvanized                                | A        | 116,—  | 12,—            | 128,—                           |
| <b>FB 1500, painted</b>                                   | A        | 1105,— | 331,—           | 1436,—                          |
| Lid, galvanized                                           | A        | 351,—  | 21,—            | 372,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Guiding Plates, galvanized                                | A        | 116,—  | 12,—            | 128,—                           |
| <b>FB 1500, hot-dip galvanized</b>                        | A        | 1392,— | 331,—           | 1723,—                          |
| Lid, galvanized                                           | A        | 351,—  | 21,—            | 372,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Guiding Plates, galvanized                                | A        | 116,—  | 12,—            | 128,—                           |
| <b>FB 2000, painted</b>                                   | A        | 1192,— | 331,—           | 1523,—                          |
| Lid, galvanized                                           | A        | 351,—  | 21,—            | 372,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Guiding Plates, galvanized                                | A        | 116,—  | 12,—            | 128,—                           |
| <b>FB 2000, hot-dip galvanized</b>                        | A        | 1512,— | 331,—           | 1843,—                          |
| Lid, galvanized                                           | A        | 351,—  | 21,—            | 372,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Guiding Plates, galvanized                                | A        | 116,—  | 12,—            | 128,—                           |
| Drum Tipper Type FD/L-HK                                  | Category | Price  | Freight charges | Price including freight charges |
| FD/L-HK, painted                                          | B        | 2324,— | 226,—           | 2550,—                          |
| FD/L-HK, hot-dip galvanized                               | B        | 2765,— | 226,—           | 2991,—                          |
| Drum Tipper Type FD/L-K                                   | Category | Price  | Freight charges | Price including freight charges |
| FD/L-K, painted                                           | B        | 2515,— | 226,—           | 2741,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Drum Tipper Type FD/L-K          | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------|----------|--------|-----------------|---------------------------------|
| FD/L-K, hot-dip galvanized       | B        | 2965,— | 226,—           | 3191,—                          |
| Drum Tipper Type FD-H            | Category | Price  | Freight charges | Price including freight charges |
| FD-H, painted                    | B        | 2593,— | 138,—           | 2731,—                          |
| FD-H, hot-dip galvanized         | B        | 2828,— | 138,—           | 2966,—                          |
| Drum Tipper Type FD-HK           | Category | Price  | Freight charges | Price including freight charges |
| FD-HK, painted                   | B        | 1997,— | 138,—           | 2135,—                          |
| FD-HK, hot-dip galvanized        | B        | 2237,— | 138,—           | 2375,—                          |
| Drum Tipper Type FD-K            | Category | Price  | Freight charges | Price including freight charges |
| FD-K, painted                    | B        | 2188,— | 138,—           | 2326,—                          |
| FD-K, hot-dip galvanized         | B        | 2437,— | 138,—           | 2575,—                          |
| Drum Tipper Type FD-SK           | Category | Price  | Freight charges | Price including freight charges |
| FD-SK, painted                   | B        | 1997,— | 138,—           | 2135,—                          |
| FD-SK, hot-dip galvanized        | B        | 2237,— | 138,—           | 2375,—                          |
| Drum Jack Type FH                | Category | Price  | Freight charges | Price including freight charges |
| FH-I 120, painted                | B        | 1645,— | 138,—           | 1783,—                          |
| FH-I 120, hot-dip galvanized     | B        | 1823,— | 138,—           | 1961,—                          |
| FH-I 220, painted                | B        | 1645,— | 138,—           | 1783,—                          |
| FH-I 220, hot-dip galvanized     | B        | 1852,— | 138,—           | 1990,—                          |
| FH-II 120, painted               | B        | 2402,— | 138,—           | 2540,—                          |
| FH-II 120, hot-dip galvanized    | B        | 2673,— | 138,—           | 2811,—                          |
| FH-II 220, painted               | B        | 2402,— | 138,—           | 2540,—                          |
| FH-II 220, hot-dip galvanized    | B        | 2729,— | 138,—           | 2867,—                          |
| Drum Gripper Type FK             | Category | Price  | Freight charges | Price including freight charges |
| FK-I, painted                    | B        | 1251,— | 138,—           | 1389,—                          |
| FK-I, hot-dip galvanized         | B        | 1524,— | 138,—           | 1662,—                          |
| FK-II, painted                   | B        | 1488,— | 226,—           | 1714,—                          |
| FK-II, hot-dip galvanized        | B        | 1882,— | 226,—           | 2108,—                          |
| Drum Clamp Type FKL              | Category | Price  | Freight charges | Price including freight charges |
| FKL, painted                     | B        | 480,—  | 118,—           | 598,—                           |
| Drum Tipper Type FLEX-HK         | Category | Price  | Freight charges | Price including freight charges |
| FLEX-HK, painted                 | B        | 2164,— | 138,—           | 2302,—                          |
| Shelf Drum Pallet RP, galvanized | B        | 145,—  | 118,—           | 263,—                           |
| FLEX-HK, hot-dip galvanized      | B        | 2338,— | 138,—           | 2476,—                          |
| Shelf Drum Pallet RP, galvanized | B        | 145,—  | 118,—           | 263,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Drum Tipper Type FLEX-K           | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------|----------|--------|-----------------|---------------------------------|
| FLEX-K, painted                   | B        | 2363,— | 138,—           | 2501,—                          |
| Shelf Drum Pallet RP, galvanized  | B        | 145,—  | 118,—           | 263,—                           |
| FLEX-K, hot-dip galvanized        | B        | 2533,— | 138,—           | 2671,—                          |
| Shelf Drum Pallet RP, galvanized  | B        | 145,—  | 118,—           | 263,—                           |
| Drum Traverse Type FT/M           | Category | Price  | Freight charges | Price including freight charges |
| FT/M, galvanized                  | B        | 316,—  | 118,—           | 434,—                           |
| Drum Traverse Type FT/MK          | Category | Price  | Freight charges | Price including freight charges |
| FT/MK, galvanized                 | B        | 362,—  | 118,—           | 480,—                           |
| Drum Turner Type FW               | Category | Price  | Freight charges | Price including freight charges |
| FW-I, painted                     | B        | 1389,— | 226,—           | 1615,—                          |
| FW-I, hot-dip galvanized          | B        | 1803,— | 226,—           | 2029,—                          |
| FW-II, painted                    | B        | 1945,— | 226,—           | 2171,—                          |
| FW-II, hot-dip galvanized         | B        | 2533,— | 226,—           | 2759,—                          |
| Drum Turning Claw Type FWZ        | Category | Price  | Freight charges | Price including freight charges |
| FWZ-60, painted                   | B        | 1355,— | 138,—           | 1493,—                          |
| FWZ-60, galvanized                | B        | 1335,— | 138,—           | 1473,—                          |
| FWZ-200, painted                  | B        | 1397,— | 138,—           | 1535,—                          |
| FWZ-200, galvanized               | B        | 1376,— | 138,—           | 1514,—                          |
| Fork Extensions Type GG           | Category | Price  | Freight charges | Price including freight charges |
| GG 80/40 (1600 mm long), painted  | A        | 541,—  | 138,—           | 679,—                           |
| GG 80/40 (1800 mm long), painted  | A        | 570,—  | 138,—           | 708,—                           |
| GG 80/40 (2000 mm long), painted  | A        | 601,—  | 138,—           | 739,—                           |
| GG 100/40 (1600 mm long), painted | A        | 541,—  | 138,—           | 679,—                           |
| GG 100/40 (1800 mm long), painted | A        | 570,—  | 138,—           | 708,—                           |
| GG 100/40 (2000 mm long), painted | A        | 601,—  | 138,—           | 739,—                           |
| GG 100/45 (1600 mm long), painted | A        | 541,—  | 138,—           | 679,—                           |
| GG 100/45 (1800 mm long), painted | A        | 570,—  | 138,—           | 708,—                           |
| GG 100/45 (2000 mm long), painted | A        | 601,—  | 138,—           | 739,—                           |
| GG 100/50 (1600 mm long), painted | A        | 541,—  | 138,—           | 679,—                           |
| GG 100/50 (1800 mm long), painted | A        | 570,—  | 138,—           | 708,—                           |
| GG 100/50 (2000 mm long), painted | A        | 601,—  | 226,—           | 827,—                           |
| GG 120/40 (1600 mm long), painted | A        | 570,—  | 138,—           | 708,—                           |
| GG 120/40 (1800 mm long), painted | A        | 601,—  | 226,—           | 827,—                           |
| GG 120/40 (2000 mm long), painted | A        | 645,—  | 226,—           | 871,—                           |
| GG 120/50 (1600 mm long), painted | A        | 570,—  | 138,—           | 708,—                           |
| GG 120/50 (1800 mm long), painted | A        | 601,—  | 226,—           | 827,—                           |
| GG 120/50 (2000 mm long), painted | A        | 645,—  | 226,—           | 871,—                           |
| GG 125/45 (1600 mm long), painted | A        | 570,—  | 138,—           | 708,—                           |
| GG 125/45 (1800 mm long), painted | A        | 601,—  | 226,—           | 827,—                           |
| GG 125/45 (2000 mm long), painted | A        | 645,—  | 226,—           | 871,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Fork Extensions Type GG           | Category | Price | Freight charges | Price including freight charges |
|-----------------------------------|----------|-------|-----------------|---------------------------------|
| GG 125/50 (1600 mm long), painted | A        | 570,— | 138,—           | 708,—                           |
| GG 125/50 (1800 mm long), painted | A        | 601,— | 226,—           | 827,—                           |
| GG 125/50 (2000 mm long), painted | A        | 645,— | 226,—           | 871,—                           |
| GG 150/50 (1600 mm long), painted | A        | 634,— | 226,—           | 860,—                           |
| GG 150/50 (1800 mm long), painted | A        | 680,— | 226,—           | 906,—                           |
| GG 150/50 (2000 mm long), painted | A        | 713,— | 226,—           | 939,—                           |
| GG 150/70 (1600 mm long), painted | A        | 634,— | 226,—           | 860,—                           |
| GG 150/70 (1800 mm long), painted | A        | 680,— | 226,—           | 906,—                           |
| GG 150/70 (2000 mm long), painted | A        | 713,— | 226,—           | 939,—                           |

| Fork Extensions Type GO           | Category | Price | Freight charges | Price including freight charges |
|-----------------------------------|----------|-------|-----------------|---------------------------------|
| GO 80/40 (1600 mm long), painted  | A        | 390,— | 138,—           | 528,—                           |
| GO 80/40 (1800 mm long), painted  | A        | 396,— | 138,—           | 534,—                           |
| GO 80/40 (2000 mm long), painted  | A        | 411,— | 138,—           | 549,—                           |
| GO 100/40 (1600 mm long), painted | A        | 390,— | 138,—           | 528,—                           |
| GO 100/40 (1800 mm long), painted | A        | 396,— | 138,—           | 534,—                           |
| GO 100/40 (2000 mm long), painted | A        | 411,— | 138,—           | 549,—                           |
| GO 100/45 (1600 mm long), painted | A        | 390,— | 138,—           | 528,—                           |
| GO 100/45 (1800 mm long), painted | A        | 396,— | 138,—           | 534,—                           |
| GO 100/45 (2000 mm long), painted | A        | 411,— | 138,—           | 549,—                           |
| GO 100/50 (1600 mm long), painted | A        | 390,— | 138,—           | 528,—                           |
| GO 100/50 (1800 mm long), painted | A        | 396,— | 138,—           | 534,—                           |
| GO 100/50 (2000 mm long), painted | A        | 411,— | 138,—           | 549,—                           |
| GO 120/40 (1600 mm long), painted | A        | 396,— | 138,—           | 534,—                           |
| GO 120/40 (1800 mm long), painted | A        | 418,— | 138,—           | 556,—                           |
| GO 120/40 (2000 mm long), painted | A        | 435,— | 138,—           | 573,—                           |
| GO 120/50 (1600 mm long), painted | A        | 396,— | 138,—           | 534,—                           |
| GO 120/50 (1800 mm long), painted | A        | 418,— | 138,—           | 556,—                           |
| GO 120/50 (2000 mm long), painted | A        | 435,— | 138,—           | 573,—                           |
| GO 125/45 (1600 mm long), painted | A        | 396,— | 138,—           | 534,—                           |
| GO 125/45 (1800 mm long), painted | A        | 418,— | 138,—           | 556,—                           |
| GO 125/45 (2000 mm long), painted | A        | 435,— | 138,—           | 573,—                           |
| GO 125/50 (1600 mm long), painted | A        | 396,— | 138,—           | 534,—                           |
| GO 125/50 (1800 mm long), painted | A        | 418,— | 138,—           | 556,—                           |
| GO 125/50 (2000 mm long), painted | A        | 435,— | 138,—           | 573,—                           |
| GO 150/50 (1600 mm long), painted | A        | 475,— | 138,—           | 613,—                           |
| GO 150/50 (1800 mm long), painted | A        | 516,— | 138,—           | 654,—                           |
| GO 150/50 (2000 mm long), painted | A        | 555,— | 138,—           | 693,—                           |
| GO 150/70 (1600 mm long), painted | A        | 475,— | 138,—           | 613,—                           |
| GO 150/70 (1800 mm long), painted | A        | 516,— | 138,—           | 654,—                           |
| GO 150/70 (2000 mm long), painted | A        | 555,— | 138,—           | 693,—                           |

| Tilting Container Type GU | Category | Price | Freight charges | Price including freight charges |
|---------------------------|----------|-------|-----------------|---------------------------------|
| GU 300, painted           | A        | 655,— | 226,—           | 881,—                           |
| Lid, galvanized           | A        | 98,—  | 18,—            | 116,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Tilting Container Type GU                                 | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,–  | 15,–            | 207,–                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,–   | 0,–             | 78,–                            |
| Crane lifting eyes for use with a crane                   | A        | 106,–  | 8,–             | 114,–                           |
| Support legs, 100 mm ground leeway                        | A        | 70,–   | 8,–             | 78,–                            |
| <b>GU 300, hot-dip galvanized</b>                         | A        | 866,–  | 226,–           | 1092,–                          |
| Lid, galvanized                                           | A        | 98,–   | 18,–            | 116,–                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,–  | 15,–            | 207,–                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,–   | 0,–             | 78,–                            |
| Crane lifting eyes for use with a crane                   | A        | 106,–  | 8,–             | 114,–                           |
| Support legs, 100 mm ground leeway                        | A        | 70,–   | 8,–             | 78,–                            |
| <b>GU 500, painted</b>                                    | A        | 891,–  | 226,–           | 1117,–                          |
| Lid, galvanized                                           | A        | 98,–   | 18,–            | 116,–                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,–  | 15,–            | 207,–                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,–   | 0,–             | 78,–                            |
| Adjustable dumping brake                                  | A        | 464,–  | 10,–            | 474,–                           |
| Crane lifting eyes for use with a crane                   | A        | 106,–  | 8,–             | 114,–                           |
| Support legs, 100 mm ground leeway                        | A        | 70,–   | 8,–             | 78,–                            |
| <b>GU 500, hot-dip galvanized</b>                         | A        | 1160,– | 226,–           | 1386,–                          |
| Lid, galvanized                                           | A        | 98,–   | 18,–            | 116,–                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,–  | 15,–            | 207,–                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,–   | 0,–             | 78,–                            |
| Adjustable dumping brake                                  | A        | 464,–  | 10,–            | 474,–                           |
| Crane lifting eyes for use with a crane                   | A        | 106,–  | 8,–             | 114,–                           |
| Support legs, 100 mm ground leeway                        | A        | 70,–   | 8,–             | 78,–                            |
| <b>GU 750, painted</b>                                    | A        | 1052,– | 226,–           | 1278,–                          |
| Lid, galvanized                                           | A        | 139,–  | 26,–            | 165,–                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,–  | 15,–            | 207,–                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,–   | 0,–             | 78,–                            |
| Adjustable dumping brake                                  | A        | 464,–  | 10,–            | 474,–                           |
| Crane lifting eyes for use with a crane                   | A        | 106,–  | 8,–             | 114,–                           |
| Support legs, 100 mm ground leeway                        | A        | 70,–   | 8,–             | 78,–                            |
| <b>GU 750, hot-dip galvanized</b>                         | A        | 1371,– | 226,–           | 1597,–                          |
| Lid, galvanized                                           | A        | 139,–  | 26,–            | 165,–                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,–  | 15,–            | 207,–                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,–   | 0,–             | 78,–                            |
| Adjustable dumping brake                                  | A        | 464,–  | 10,–            | 474,–                           |
| Crane lifting eyes for use with a crane                   | A        | 106,–  | 8,–             | 114,–                           |
| Support legs, 100 mm ground leeway                        | A        | 70,–   | 8,–             | 78,–                            |
| <b>GU 1000, painted</b>                                   | A        | 1163,– | 226,–           | 1389,–                          |
| Lid, galvanized                                           | A        | 192,–  | 27,–            | 219,–                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,–  | 15,–            | 207,–                           |
| Skip Body Welded Oil and Watertight                       | A        | 121,–  | 0,–             | 121,–                           |
| Adjustable dumping brake                                  | A        | 464,–  | 10,–            | 474,–                           |
| Crane lifting eyes for use with a crane                   | A        | 106,–  | 8,–             | 114,–                           |
| Support legs, 100 mm ground leeway                        | A        | 70,–   | 8,–             | 78,–                            |
| <b>GU 1000, hot-dip galvanized</b>                        | A        | 1647,– | 331,–           | 1978,–                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Tilting Container Type GU                                 | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Lid, galvanized                                           | A        | 192,—  | 27,—            | 219,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 121,—  | 0,—             | 121,—                           |
| Adjustable dumping brake                                  | A        | 464,—  | 10,—            | 474,—                           |
| Crane lifting eyes for use with a crane                   | A        | 106,—  | 8,—             | 114,—                           |
| Support legs, 100 mm ground leeway                        | A        | 70,—   | 8,—             | 78,—                            |
| <b>GU 1500, painted</b>                                   | A        | 1357,— | 331,—           | 1688,—                          |
| Lid, galvanized                                           | A        | 192,—  | 27,—            | 219,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 121,—  | 0,—             | 121,—                           |
| Adjustable dumping brake                                  | A        | 464,—  | 10,—            | 474,—                           |
| Crane lifting eyes for use with a crane                   | A        | 106,—  | 8,—             | 114,—                           |
| Support legs, 100 mm ground leeway                        | A        | 70,—   | 8,—             | 78,—                            |
| <b>GU 1500, hot-dip galvanized</b>                        | A        | 1769,— | 331,—           | 2100,—                          |
| Lid, galvanized                                           | A        | 192,—  | 27,—            | 219,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 121,—  | 0,—             | 121,—                           |
| Adjustable dumping brake                                  | A        | 464,—  | 10,—            | 474,—                           |
| Crane lifting eyes for use with a crane                   | A        | 106,—  | 8,—             | 114,—                           |
| Support legs, 100 mm ground leeway                        | A        | 70,—   | 8,—             | 78,—                            |
| <b>GU 2000, painted</b>                                   | A        | 1675,— | 331,—           | 2006,—                          |
| Lid, galvanized                                           | A        | 226,—  | 32,—            | 258,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 121,—  | 0,—             | 121,—                           |
| Adjustable dumping brake                                  | A        | 464,—  | 10,—            | 474,—                           |
| Crane lifting eyes for use with a crane                   | A        | 106,—  | 8,—             | 114,—                           |
| Support legs, 100 mm ground leeway                        | A        | 70,—   | 8,—             | 78,—                            |
| <b>GU 2000, hot-dip galvanized</b>                        | A        | 2200,— | 331,—           | 2531,—                          |
| Lid, galvanized                                           | A        | 226,—  | 32,—            | 258,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 121,—  | 0,—             | 121,—                           |
| Adjustable dumping brake                                  | A        | 464,—  | 10,—            | 474,—                           |
| Crane lifting eyes for use with a crane                   | A        | 106,—  | 8,—             | 114,—                           |
| Support legs, 100 mm ground leeway                        | A        | 70,—   | 8,—             | 78,—                            |

| Swarf Tilting Container Type GU-E                         | Category | Price | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|-------|-----------------|---------------------------------|
| <b>GU-E 300, painted</b>                                  | A        | 775,— | 226,—           | 1001,—                          |
| Lid, galvanized                                           | A        | 98,—  | 18,—            | 116,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,— | 15,—            | 207,—                           |
| Crane lifting eyes for use with a crane                   | A        | 106,— | 8,—             | 114,—                           |
| Support legs, 100 mm ground leeway                        | A        | 70,—  | 8,—             | 78,—                            |
| <b>GU-E 300, hot-dip galvanized</b>                       | A        | 986,— | 226,—           | 1212,—                          |
| Lid, galvanized                                           | A        | 98,—  | 18,—            | 116,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,— | 15,—            | 207,—                           |
| Crane lifting eyes for use with a crane                   | A        | 106,— | 8,—             | 114,—                           |
| Support legs, 100 mm ground leeway                        | A        | 70,—  | 8,—             | 78,—                            |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Swarf Tilting Container Type GU-E                         | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>GU-E 500, painted</b>                                  | A        | 1012,— | 226,—           | 1238,—                          |
| Lid, galvanized                                           | A        | 98,—   | 18,—            | 116,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Adjustable dumping brake                                  | A        | 464,—  | 10,—            | 474,—                           |
| Crane lifting eyes for use with a crane                   | A        | 106,—  | 8,—             | 114,—                           |
| Support legs, 100 mm ground leeway                        | A        | 70,—   | 8,—             | 78,—                            |
| <b>GU-E 500, hot-dip galvanized</b>                       | A        | 1280,— | 226,—           | 1506,—                          |
| Lid, galvanized                                           | A        | 98,—   | 18,—            | 116,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Adjustable dumping brake                                  | A        | 464,—  | 10,—            | 474,—                           |
| Crane lifting eyes for use with a crane                   | A        | 106,—  | 8,—             | 114,—                           |
| Support legs, 100 mm ground leeway                        | A        | 70,—   | 8,—             | 78,—                            |
| <b>GU-E 750, painted</b>                                  | A        | 1172,— | 226,—           | 1398,—                          |
| Lid, galvanized                                           | A        | 139,—  | 26,—            | 165,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Adjustable dumping brake                                  | A        | 464,—  | 10,—            | 474,—                           |
| Crane lifting eyes for use with a crane                   | A        | 106,—  | 8,—             | 114,—                           |
| Support legs, 100 mm ground leeway                        | A        | 70,—   | 8,—             | 78,—                            |
| <b>GU-E 750, hot-dip galvanized</b>                       | A        | 1491,— | 226,—           | 1717,—                          |
| Lid, galvanized                                           | A        | 139,—  | 26,—            | 165,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Adjustable dumping brake                                  | A        | 464,—  | 10,—            | 474,—                           |
| Crane lifting eyes for use with a crane                   | A        | 106,—  | 8,—             | 114,—                           |
| Support legs, 100 mm ground leeway                        | A        | 70,—   | 8,—             | 78,—                            |
| <b>GU-E 1000, painted</b>                                 | A        | 1325,— | 226,—           | 1551,—                          |
| Lid, galvanized                                           | A        | 192,—  | 27,—            | 219,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Adjustable dumping brake                                  | A        | 464,—  | 10,—            | 474,—                           |
| Crane lifting eyes for use with a crane                   | A        | 106,—  | 8,—             | 114,—                           |
| Support legs, 100 mm ground leeway                        | A        | 70,—   | 8,—             | 78,—                            |
| <b>GU-E 1000, hot-dip galvanized</b>                      | A        | 1810,— | 331,—           | 2141,—                          |
| Lid, galvanized                                           | A        | 192,—  | 27,—            | 219,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Adjustable dumping brake                                  | A        | 464,—  | 10,—            | 474,—                           |
| Crane lifting eyes for use with a crane                   | A        | 106,—  | 8,—             | 114,—                           |
| Support legs, 100 mm ground leeway                        | A        | 70,—   | 8,—             | 78,—                            |
| <b>GU-E 1500, painted</b>                                 | A        | 1520,— | 331,—           | 1851,—                          |
| Lid, galvanized                                           | A        | 192,—  | 27,—            | 219,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Adjustable dumping brake                                  | A        | 464,—  | 10,—            | 474,—                           |
| Crane lifting eyes for use with a crane                   | A        | 106,—  | 8,—             | 114,—                           |
| Support legs, 100 mm ground leeway                        | A        | 70,—   | 8,—             | 78,—                            |
| <b>GU-E 1500, hot-dip galvanized</b>                      | A        | 1932,— | 331,—           | 2263,—                          |
| Lid, galvanized                                           | A        | 192,—  | 27,—            | 219,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Adjustable dumping brake                                  | A        | 464,—  | 10,—            | 474,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| <b>Swarf Tilting Container Type GU-E</b>                  | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|-----------------------------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| Crane lifting eyes for use with a crane                   | A               | 106,—        | 8,—                    | 114,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 70,—         | 8,—                    | 78,—                                   |
| <b>GU-E 2000, painted</b>                                 | A               | 1838,—       | 331,—                  | 2169,—                                 |
| Lid, galvanized                                           | A               | 226,—        | 32,—                   | 258,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| Adjustable dumping brake                                  | A               | 464,—        | 10,—                   | 474,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 106,—        | 8,—                    | 114,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 70,—         | 8,—                    | 78,—                                   |
| <b>GU-E 2000, hot-dip galvanized</b>                      | A               | 2362,—       | 331,—                  | 2693,—                                 |
| Lid, galvanized                                           | A               | 226,—        | 32,—                   | 258,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| Adjustable dumping brake                                  | A               | 464,—        | 10,—                   | 474,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 106,—        | 8,—                    | 114,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 70,—         | 8,—                    | 78,—                                   |
| <b>Tilting Container Type GU-RZ</b>                       | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>GU-RZ 30, painted</b>                                  | A               | 699,—        | 226,—                  | 925,—                                  |
| Lid, galvanized                                           | A               | 95,—         | 18,—                   | 113,—                                  |
| <b>GU-RZ 30, hot-dip galvanized</b>                       | A               | 779,—        | 226,—                  | 1005,—                                 |
| Lid, galvanized                                           | A               | 95,—         | 18,—                   | 113,—                                  |
| <b>GU-RZ 55, painted</b>                                  | A               | 931,—        | 226,—                  | 1157,—                                 |
| Lid, galvanized                                           | A               | 95,—         | 18,—                   | 113,—                                  |
| <b>GU-RZ 55, hot-dip galvanized</b>                       | A               | 1026,—       | 226,—                  | 1252,—                                 |
| Lid, galvanized                                           | A               | 95,—         | 18,—                   | 113,—                                  |
| <b>Fork Protection Type GZS</b>                           | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>GZS, painted</b>                                       | F               | 179,—        | 118,—                  | 297,—                                  |
| <b>Container With Drop Away Base Type HKB</b>             | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>HKB 60, painted</b>                                    | A               | 1078,—       | 226,—                  | 1304,—                                 |
| <b>HKB 70, painted</b>                                    | A               | 1140,—       | 226,—                  | 1366,—                                 |
| <b>HKB 90, painted</b>                                    | A               | 1417,—       | 226,—                  | 1643,—                                 |
| <b>Shovel Type HVR</b>                                    | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>HVR 50, painted</b>                                    | A               | 3393,—       | 331,—                  | 3724,—                                 |
| <b>HVR 75, painted</b>                                    | A               | 3976,—       | 402,—                  | 4378,—                                 |
| <b>HVR 80 L, painted</b>                                  | A               | 4095,—       | 402,—                  | 4497,—                                 |
| <b>HVR 100, painted</b>                                   | A               | 5033,—       | 582,—                  | 5615,—                                 |
| <b>HVR 150, painted</b>                                   | A               | 6432,—       | 582,—                  | 7014,—                                 |
| <b>Kippomat Type KG-A</b>                                 | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>KG-A, hot-dip galvanized</b>                           | A               | 3218,—       | 331,—                  | 3549,—                                 |
| <b>Kippomat Type KG-B</b>                                 | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>KG-B, hot-dip galvanized</b>                           | A               | 3137,—       | 331,—                  | 3468,—                                 |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Kippomat Type KG-C       | Category | Price  | Freight charges | Price including freight charges |
|--------------------------|----------|--------|-----------------|---------------------------------|
| KG-C, hot-dip galvanized | A        | 2081,— | 226,—           | 2307,—                          |

| Tipping Skip Type KK                                        | Category | Price  | Freight charges | Price including freight charges |
|-------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>KK 250, painted</b>                                      | E        | 484,—  | 138,—           | 622,—                           |
| Lid, galvanized                                             | E        | 136,—  | 15,—            | 151,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 136,—  | 15,—            | 151,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 103,—  | 15,—            | 118,—                           |
| <b>KK 250, hot-dip galvanized</b>                           | E        | 534,—  | 138,—           | 672,—                           |
| Lid, galvanized                                             | E        | 136,—  | 15,—            | 151,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 136,—  | 15,—            | 151,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 103,—  | 15,—            | 118,—                           |
| <b>KK 400, painted</b>                                      | E        | 551,—  | 138,—           | 689,—                           |
| Lid, galvanized                                             | E        | 156,—  | 16,—            | 172,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 136,—  | 15,—            | 151,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 103,—  | 15,—            | 118,—                           |
| <b>KK 400, hot-dip galvanized</b>                           | E        | 600,—  | 138,—           | 738,—                           |
| Lid, galvanized                                             | E        | 156,—  | 16,—            | 172,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 136,—  | 15,—            | 151,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 103,—  | 15,—            | 118,—                           |
| <b>KK 600, painted</b>                                      | E        | 764,—  | 226,—           | 990,—                           |
| Lid, galvanized                                             | E        | 173,—  | 20,—            | 193,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 136,—  | 15,—            | 151,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 103,—  | 15,—            | 118,—                           |
| <b>KK 600, hot-dip galvanized</b>                           | E        | 865,—  | 226,—           | 1091,—                          |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 103,—  | 15,—            | 118,—                           |
| Lid, galvanized                                             | E        | 173,—  | 20,—            | 193,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 136,—  | 15,—            | 151,—                           |
| <b>KK 800, painted</b>                                      | E        | 823,—  | 226,—           | 1049,—                          |
| Lid, galvanized                                             | E        | 181,—  | 21,—            | 202,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 136,—  | 15,—            | 151,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 103,—  | 15,—            | 118,—                           |
| <b>KK 800, hot-dip galvanized</b>                           | E        | 930,—  | 226,—           | 1156,—                          |
| Lid, galvanized                                             | E        | 181,—  | 21,—            | 202,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 136,—  | 15,—            | 151,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 103,—  | 15,—            | 118,—                           |
| <b>KK 1000, painted</b>                                     | E        | 881,—  | 226,—           | 1107,—                          |
| Lid, galvanized                                             | E        | 193,—  | 22,—            | 215,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 136,—  | 15,—            | 151,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 103,—  | 15,—            | 118,—                           |
| <b>KK 1000, hot-dip galvanized</b>                          | E        | 1014,— | 226,—           | 1240,—                          |
| Lid, galvanized                                             | E        | 193,—  | 22,—            | 215,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 136,—  | 15,—            | 151,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 103,—  | 15,—            | 118,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Kippomat Type KM                                            | Category | Price  | Freight charges | Price including freight charges |
|-------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| KM, hot-dip galvanized                                      | A        | 3218,— | 226,—           | 3444,—                          |
| Tipping Skip Type KN                                        | Category | Price  | Freight charges | Price including freight charges |
| KN 250, painted                                             | E        | 484,—  | 138,—           | 622,—                           |
| Lid, galvanized                                             | E        | 136,—  | 15,—            | 151,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 136,—  | 15,—            | 151,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 103,—  | 15,—            | 118,—                           |
| KN 250, hot-dip galvanized                                  | E        | 534,—  | 138,—           | 672,—                           |
| Lid, galvanized                                             | E        | 136,—  | 15,—            | 151,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 136,—  | 15,—            | 151,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 103,—  | 15,—            | 118,—                           |
| KN 400, painted                                             | E        | 551,—  | 138,—           | 689,—                           |
| Lid, galvanized                                             | E        | 156,—  | 16,—            | 172,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 136,—  | 15,—            | 151,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 103,—  | 15,—            | 118,—                           |
| KN 400, hot-dip galvanized                                  | E        | 600,—  | 138,—           | 738,—                           |
| Lid, galvanized                                             | E        | 156,—  | 16,—            | 172,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 136,—  | 15,—            | 151,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 103,—  | 15,—            | 118,—                           |
| Tipping Skip Type KS                                        | Category | Price  | Freight charges | Price including freight charges |
| KS 400, painted                                             | E        | 900,—  | 226,—           | 1126,—                          |
| KS 550, painted                                             | E        | 964,—  | 226,—           | 1190,—                          |
| KS 700, painted                                             | E        | 1024,— | 226,—           | 1250,—                          |
| Extensible Crane Arm Type KT                                | Category | Price  | Freight charges | Price including freight charges |
| KT 2,5, painted                                             | A        | 1448,— | 226,—           | 1674,—                          |
| KT 2,5, hot-dip galvanized                                  | A        | 1763,— | 331,—           | 2094,—                          |
| KT 5,0, painted                                             | A        | 1798,— | 331,—           | 2129,—                          |
| KT 5,0, hot-dip galvanized                                  | A        | 2242,— | 331,—           | 2573,—                          |
| Extensible Crane Arm Type KTH                               | Category | Price  | Freight charges | Price including freight charges |
| KTH 2,5, painted                                            | A        | 1748,— | 331,—           | 2079,—                          |
| KTH 2,5, hot-dip galvanized                                 | A        | 2068,— | 331,—           | 2399,—                          |
| KTH 5,0, painted                                            | A        | 2012,— | 331,—           | 2343,—                          |
| KTH 5,0, hot-dip galvanized                                 | A        | 2373,— | 331,—           | 2704,—                          |
| Extensible Crane Arm Type KTH-K                             | Category | Price  | Freight charges | Price including freight charges |
| KTH-K 2,5, painted                                          | A        | 1606,— | 226,—           | 1832,—                          |
| KTH-K 2,5, hot-dip galvanized                               | A        | 1943,— | 226,—           | 2169,—                          |
| KTH-K 5,0, painted                                          | A        | 1852,— | 226,—           | 2078,—                          |
| KTH-K 5,0, hot-dip galvanized                               | A        | 2232,— | 331,—           | 2563,—                          |
| Extensible Crane Arm Type KT-K                              | Category | Price  | Freight charges | Price including freight charges |
| KT-K 2,5, painted                                           | A        | 1291,— | 226,—           | 1517,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Extensible Crane Arm Type KT-K | Category | Price  | Freight charges | Price including freight charges |
|--------------------------------|----------|--------|-----------------|---------------------------------|
| KT-K 2,5, hot-dip galvanized   | A        | 1622,— | 226,—           | 1848,—                          |
| KT-K 5,0, painted              | A        | 1625,— | 226,—           | 1851,—                          |
| KT-K 5,0, hot-dip galvanized   | A        | 2092,— | 226,—           | 2318,—                          |

| Barrow Tipper Type KW-ET       | Category | Price  | Freight charges | Price including freight charges |
|--------------------------------|----------|--------|-----------------|---------------------------------|
| KW-ET 250, painted             | E        | 588,—  | 138,—           | 726,—                           |
| Lid, galvanized                | E        | 136,—  | 15,—            | 151,—                           |
| KW-ET 250, hot-dip galvanized  | E        | 900,—  | 138,—           | 1038,—                          |
| Lid, galvanized                | E        | 136,—  | 15,—            | 151,—                           |
| KW-ET 400, painted             | E        | 648,—  | 138,—           | 786,—                           |
| Lid, galvanized                | E        | 156,—  | 16,—            | 172,—                           |
| KW-ET 400, hot-dip galvanized  | E        | 998,—  | 138,—           | 1136,—                          |
| Lid, galvanized                | E        | 156,—  | 16,—            | 172,—                           |
| KW-ET 600, painted             | E        | 808,—  | 226,—           | 1034,—                          |
| Lid, galvanized                | E        | 173,—  | 20,—            | 193,—                           |
| KW-ET 600, hot-dip galvanized  | E        | 1166,— | 226,—           | 1392,—                          |
| Lid, galvanized                | E        | 173,—  | 20,—            | 193,—                           |
| KW-ET 1000, painted            | E        | 997,—  | 226,—           | 1223,—                          |
| Lid, galvanized                | E        | 193,—  | 22,—            | 215,—                           |
| KW-ET 1000, hot-dip galvanized | E        | 1591,— | 226,—           | 1817,—                          |
| Lid, galvanized                | E        | 193,—  | 22,—            | 215,—                           |

| Loading Arm Type LA             | Category | Price  | Freight charges | Price including freight charges |
|---------------------------------|----------|--------|-----------------|---------------------------------|
| LA 1600-1,0, painted            | A        | 542,—  | 138,—           | 680,—                           |
| LA 1600-1,0, hot-dip galvanized | A        | 581,—  | 138,—           | 719,—                           |
| LA 1600-2,5, painted            | A        | 786,—  | 138,—           | 924,—                           |
| LA 1600-2,5, hot-dip galvanized | A        | 927,—  | 138,—           | 1065,—                          |
| LA 1600-5,0, painted            | A        | 1133,— | 226,—           | 1359,—                          |
| LA 1600-5,0, hot-dip galvanized | A        | 1325,— | 226,—           | 1551,—                          |
| LA 2400-1,0, painted            | A        | 569,—  | 138,—           | 707,—                           |
| LA 2400-1,0, hot-dip galvanized | A        | 632,—  | 138,—           | 770,—                           |
| LA 2400-2,5, painted            | A        | 877,—  | 226,—           | 1103,—                          |
| LA 2400-2,5, hot-dip galvanized | A        | 1017,— | 226,—           | 1243,—                          |
| LA 2400-5,0, painted            | A        | 1250,— | 226,—           | 1476,—                          |
| LA 2400-5,0, hot-dip galvanized | A        | 1480,— | 226,—           | 1706,—                          |
| LA 25-1,0, painted              | A        | 632,—  | 138,—           | 770,—                           |
| LA 25-1,0, hot-dip galvanized   | A        | 683,—  | 138,—           | 821,—                           |

| Loading Arm Type LAT           | Category | Price | Freight charges | Price including freight charges |
|--------------------------------|----------|-------|-----------------|---------------------------------|
| LAT 25-1,0, painted            | A        | 766,— | 138,—           | 904,—                           |
| LAT 25-1,0, hot-dip galvanized | A        | 838,— | 138,—           | 976,—                           |

| Scissor Gripper Type LG | Category | Price | Freight charges | Price including freight charges |
|-------------------------|----------|-------|-----------------|---------------------------------|
| LG 60, painted          | B        | 245,— | 118,—           | 363,—                           |
| LG 60, galvanized       | B        | 223,— | 118,—           | 341,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Scissor Gripper Type LG                                   | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| LG 200, painted                                           | B        | 245,—  | 118,—           | 363,—                           |
| LG 200, galvanized                                        | B        | 223,—  | 118,—           | 341,—                           |
| Container for Long Material Type LGK                      | Category | Price  | Freight charges | Price including freight charges |
| LGK, painted                                              | A        | 1376,— | 226,—           | 1602,—                          |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| LGK, hot-dip galvanized                                   | A        | 1676,— | 226,—           | 1902,—                          |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Long Material Carrier Type LGT                            | Category | Price  | Freight charges | Price including freight charges |
| LGT 1,5, painted                                          | A        | 1929,— | 331,—           | 2260,—                          |
| LGT 1,5, hot-dip galvanized                               | A        | 2263,— | 331,—           | 2594,—                          |
| LGT 2,5, painted                                          | A        | 2164,— | on request      | on request                      |
| LGT 2,5, hot-dip galvanized                               | A        | 2590,— | on request      | on request                      |
| LGT 3,5, painted                                          | A        | 2989,— | on request      | on request                      |
| LGT 3,5, hot-dip galvanized                               | A        | 3670,— | on request      | on request                      |
| LGT 4,5, painted                                          | A        | 3302,— | on request      | on request                      |
| LGT 4,5, hot-dip galvanized                               | A        | 4071,— | on request      | on request                      |
| Drum Claw Type LGZ                                        | Category | Price  | Freight charges | Price including freight charges |
| LGZ 60, painted                                           | B        | 225,—  | 118,—           | 343,—                           |
| LGZ 60, galvanized                                        | B        | 211,—  | 118,—           | 329,—                           |
| LGZ 200, painted                                          | B        | 225,—  | 118,—           | 343,—                           |
| LGZ 200, galvanized                                       | B        | 211,—  | 118,—           | 329,—                           |
| Crane Hook Type LH                                        | Category | Price  | Freight charges | Price including freight charges |
| LH-I 1,0, painted                                         | A        | 199,—  | 118,—           | 317,—                           |
| LH-I 1,0, hot-dip galvanized                              | A        | 223,—  | 118,—           | 341,—                           |
| LH-I 1,5, painted                                         | A        | 218,—  | 118,—           | 336,—                           |
| LH-I 1,5, hot-dip galvanized                              | A        | 242,—  | 118,—           | 360,—                           |
| LH-I 2,0, painted                                         | A        | 229,—  | 118,—           | 347,—                           |
| LH-I 2,0, hot-dip galvanized                              | A        | 254,—  | 118,—           | 372,—                           |
| LH-I 2,5, painted                                         | A        | 255,—  | 118,—           | 373,—                           |
| LH-I 2,5, hot-dip galvanized                              | A        | 279,—  | 118,—           | 397,—                           |
| LH-I 3,0, painted                                         | A        | 331,—  | 118,—           | 449,—                           |
| LH-I 3,0, hot-dip galvanized                              | A        | 356,—  | 118,—           | 474,—                           |
| LH-II 1,5, painted                                        | A        | 329,—  | 118,—           | 447,—                           |
| LH-II 1,5, hot-dip galvanized                             | A        | 378,—  | 118,—           | 496,—                           |
| LH-II 2,5, painted                                        | A        | 434,—  | 118,—           | 552,—                           |
| LH-II 2,5, hot-dip galvanized                             | A        | 516,—  | 118,—           | 634,—                           |
| LH-II 5,0, painted                                        | A        | 720,—  | 138,—           | 858,—                           |
| LH-II 5,0, hot-dip galvanized                             | A        | 808,—  | 138,—           | 946,—                           |
| LH-II 7,5, painted                                        | A        | 856,—  | 138,—           | 994,—                           |
| LH-II 7,5, hot-dip galvanized                             | A        | 949,—  | 138,—           | 1087,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Long Load Handler Type LSL                                | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| LSL, painted                                              | A        | 1141,— | 226,—           | 1367,—                          |
| LSL, hot-dip galvanized                                   | A        | 1310,— | 226,—           | 1536,—                          |
| Long Material Sidecar Type LSW                            | Category | Price  | Freight charges | Price including freight charges |
| LSW 1,3, painted                                          | A        | 953,—  | 138,—           | 1091,—                          |
| LSW 1,3, hot-dip galvanized                               | A        | 1017,— | 226,—           | 1243,—                          |
| LSW 2,5, painted                                          | A        | 1132,— | 138,—           | 1270,—                          |
| LSW 2,5, hot-dip galvanized                               | A        | 1197,— | 226,—           | 1423,—                          |
| Access Safety Platform Type MB-B                          | Category | Price  | Freight charges | Price including freight charges |
| MB-B, painted                                             | A        | 1085,— | 226,—           | 1311,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 136,—  | 15,—            | 151,—                           |
| Access Safety Platform Type MB-B/L                        | Category | Price  | Freight charges | Price including freight charges |
| MB-B/L, painted                                           | A        | 1274,— | 226,—           | 1500,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 136,—  | 15,—            | 151,—                           |
| Access Safety Platform Type MB-D                          | Category | Price  | Freight charges | Price including freight charges |
| MB-D, painted                                             | A        | 908,—  | 226,—           | 1134,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 136,—  | 15,—            | 151,—                           |
| Access Safety Platform Type MB-D/L                        | Category | Price  | Freight charges | Price including freight charges |
| MB-D/L, painted                                           | A        | 1096,— | 226,—           | 1322,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 136,—  | 15,—            | 151,—                           |
| Access Safety Platform Type MB-F                          | Category | Price  | Freight charges | Price including freight charges |
| MB-F, painted                                             | A        | 1074,— | 226,—           | 1300,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 136,—  | 15,—            | 151,—                           |
| Access Safety Platform Type MB-II                         | Category | Price  | Freight charges | Price including freight charges |
| MB-II, painted                                            | A        | 994,—  | 226,—           | 1220,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 136,—  | 15,—            | 151,—                           |
| MB-II, hot-dip galvanized                                 | A        | 1171,— | 226,—           | 1397,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 136,—  | 15,—            | 151,—                           |
| Access Safety Platform Type MB-K-IV                       | Category | Price  | Freight charges | Price including freight charges |
| MB-K-IV, painted                                          | A        | 2012,— | 280,—           | 2292,—                          |
| Access Safety Platform Type MB-ST                         | Category | Price  | Freight charges | Price including freight charges |
| MB-ST, painted                                            | A        | 2576,— | 226,—           | 2802,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 136,—  | 15,—            | 151,—                           |
| Access Safety Platform Type MB-ST/L                       | Category | Price  | Freight charges | Price including freight charges |
| MB-ST/L, painted                                          | A        | 2764,— | 226,—           | 2990,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Access Safety Platform Type MB-ST/L                       | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 136,—  | 15,—            | 151,—                           |
| Access Safety Platform Type MB-ST/T                       | Category | Price  | Freight charges | Price including freight charges |
| <b>MB-ST/T, painted</b>                                   | A        | 2903,— | 226,—           | 3129,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 136,—  | 15,—            | 151,—                           |
| Access Safety Platform Type MB-ST/T/L                     | Category | Price  | Freight charges | Price including freight charges |
| <b>MB-ST/T/L, painted</b>                                 | A        | 3092,— | 226,—           | 3318,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 136,—  | 15,—            | 151,—                           |
| Mini Tilting Container Type MGU                           | Category | Price  | Freight charges | Price including freight charges |
| <b>MGU 230, painted</b>                                   | A        | 569,—  | 138,—           | 707,—                           |
| Lid, galvanized                                           | A        | 131,—  | 18,—            | 149,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 156,—  | 15,—            | 171,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,—   | 0,—             | 78,—                            |
| <b>MGU 230, hot-dip galvanized</b>                        | A        | 655,—  | 226,—           | 881,—                           |
| Lid, galvanized                                           | A        | 131,—  | 18,—            | 149,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 156,—  | 15,—            | 171,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,—   | 0,—             | 78,—                            |
| <b>MGU 270, painted</b>                                   | A        | 621,—  | 226,—           | 847,—                           |
| Lid, galvanized                                           | A        | 131,—  | 18,—            | 149,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 156,—  | 15,—            | 171,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,—   | 0,—             | 78,—                            |
| <b>MGU 270, hot-dip galvanized</b>                        | A        | 729,—  | 226,—           | 955,—                           |
| Lid, galvanized                                           | A        | 131,—  | 18,—            | 149,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 156,—  | 15,—            | 171,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,—   | 0,—             | 78,—                            |
| <b>MGU 460, painted</b>                                   | A        | 815,—  | 226,—           | 1041,—                          |
| Lid, galvanized                                           | A        | 169,—  | 22,—            | 191,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 156,—  | 15,—            | 171,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,—   | 0,—             | 78,—                            |
| <b>MGU 460, hot-dip galvanized</b>                        | A        | 967,—  | 226,—           | 1193,—                          |
| Lid, galvanized                                           | A        | 169,—  | 22,—            | 191,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 156,—  | 15,—            | 171,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,—   | 0,—             | 78,—                            |
| <b>MGU 610, painted</b>                                   | A        | 919,—  | 226,—           | 1145,—                          |
| Lid, galvanized                                           | A        | 181,—  | 26,—            | 207,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 156,—  | 15,—            | 171,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,—   | 0,—             | 78,—                            |
| <b>MGU 610, hot-dip galvanized</b>                        | A        | 1089,— | 226,—           | 1315,—                          |
| Lid, galvanized                                           | A        | 181,—  | 26,—            | 207,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 156,—  | 15,—            | 171,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,—   | 0,—             | 78,—                            |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Wheelie Bin Jack Type MH                                  | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| MH-I, painted                                             | A        | 657,—  | 138,—           | 795,—                           |
| MH-II, painted                                            | A        | 725,—  | 138,—           | 863,—                           |
| MH-III, painted                                           | A        | 784,—  | 138,—           | 922,—                           |
| Wheelie Bin Tipper Type MK                                | Category | Price  | Freight charges | Price including freight charges |
| MK 120, painted                                           | A        | 1273,— | 138,—           | 1411,—                          |
| MK 240, painted                                           | A        | 1273,— | 138,—           | 1411,—                          |
| Wheelie Bin Tipper Type MK-H                              | Category | Price  | Freight charges | Price including freight charges |
| MK-H 120, painted                                         | A        | 1902,— | 138,—           | 2040,—                          |
| MK-H 240, painted                                         | A        | 1902,— | 226,—           | 2128,—                          |
| Mini Container With Drop Away Base Type MSB               | Category | Price  | Freight charges | Price including freight charges |
| MSB 150, painted                                          | A        | 636,—  | 138,—           | 774,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 156,—  | 15,—            | 171,—                           |
| Guiding Plates, galvanized                                | A        | 73,—   | 12,—            | 85,—                            |
| MSB 150, hot-dip galvanized                               | A        | 746,—  | 138,—           | 884,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 156,—  | 15,—            | 171,—                           |
| Guiding Plates, galvanized                                | A        | 73,—   | 12,—            | 85,—                            |
| MSB 250, painted                                          | A        | 690,—  | 138,—           | 828,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 156,—  | 15,—            | 171,—                           |
| Guiding Plates, galvanized                                | A        | 73,—   | 12,—            | 85,—                            |
| MSB 250, hot-dip galvanized                               | A        | 826,—  | 138,—           | 964,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 156,—  | 15,—            | 171,—                           |
| Guiding Plates, galvanized                                | A        | 73,—   | 12,—            | 85,—                            |
| MSB 400, painted                                          | A        | 850,—  | 138,—           | 988,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 156,—  | 15,—            | 171,—                           |
| Guiding Plates, galvanized                                | A        | 73,—   | 12,—            | 85,—                            |
| MSB 400, hot-dip galvanized                               | A        | 1018,— | 226,—           | 1244,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 156,—  | 15,—            | 171,—                           |
| Guiding Plates, galvanized                                | A        | 73,—   | 12,—            | 85,—                            |
| Tilting Container Type NK                                 | Category | Price  | Freight charges | Price including freight charges |
| NK 30, painted                                            | A        | 700,—  | 226,—           | 926,—                           |
| Lid, galvanized                                           | A        | 98,—   | 15,—            | 113,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,—   | 0,—             | 78,—                            |
| NK 30, hot-dip galvanized                                 | A        | 984,—  | 226,—           | 1210,—                          |
| Lid, galvanized                                           | A        | 98,—   | 15,—            | 113,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,—   | 0,—             | 78,—                            |
| NK 50, painted                                            | A        | 984,—  | 226,—           | 1210,—                          |
| Lid, galvanized                                           | A        | 98,—   | 18,—            | 116,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,—   | 0,—             | 78,—                            |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Tilting Container Type NK                                 | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>NK 50, hot-dip galvanized</b>                          | A        | 1327,— | 226,—           | 1553,—                          |
| Lid, galvanized                                           | A        | 98,—   | 18,—            | 116,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,—   | 0,—             | 78,—                            |
| <b>NK 75, painted</b>                                     | A        | 1115,— | 331,—           | 1446,—                          |
| Lid, galvanized                                           | A        | 142,—  | 22,—            | 164,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,—   | 0,—             | 78,—                            |
| <b>NK 75, hot-dip galvanized</b>                          | A        | 1743,— | 331,—           | 2074,—                          |
| Lid, galvanized                                           | A        | 142,—  | 22,—            | 164,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,—   | 0,—             | 78,—                            |
| <b>NK 100, painted</b>                                    | A        | 1508,— | 331,—           | 1839,—                          |
| Lid, galvanized                                           | A        | 173,—  | 27,—            | 200,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 121,—  | 0,—             | 121,—                           |
| <b>NK 100, hot-dip galvanized</b>                         | A        | 2070,— | 331,—           | 2401,—                          |
| Lid, galvanized                                           | A        | 173,—  | 27,—            | 200,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 121,—  | 0,—             | 121,—                           |
| Cylindrical Container Type RB                             | Category | Price  | Freight charges | Price including freight charges |
| <b>RB 300, painted</b>                                    | A        | 679,—  | 138,—           | 817,—                           |
| Lid, aluminium                                            | A        | 160,—  | 14,—            | 174,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 156,—  | 15,—            | 171,—                           |
| <b>RB 450, painted</b>                                    | A        | 793,—  | 138,—           | 931,—                           |
| Lid, aluminium                                            | A        | 160,—  | 14,—            | 174,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 156,—  | 15,—            | 171,—                           |
| Tilting Container Type RD                                 | Category | Price  | Freight charges | Price including freight charges |
| <b>RD 750, painted</b>                                    | A        | 1202,— | 331,—           | 1533,—                          |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,—   | 0,—             | 78,—                            |
| <b>RD 750, hot-dip galvanized</b>                         | A        | 1602,— | 331,—           | 1933,—                          |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,—   | 0,—             | 78,—                            |
| <b>RD 1000, painted</b>                                   | A        | 1449,— | 331,—           | 1780,—                          |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 121,—  | 0,—             | 121,—                           |
| <b>RD 1000, hot-dip galvanized</b>                        | A        | 1933,— | 331,—           | 2264,—                          |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 121,—  | 0,—             | 121,—                           |
| Platform for Off-Cuts Type RGP                            | Category | Price  | Freight charges | Price including freight charges |
| <b>RGP-1, painted</b>                                     | A        | 2437,— | on request      | on request                      |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Platform for Off-Cuts Type RGP | Category | Price  | Freight charges | Price including freight charges |
|--------------------------------|----------|--------|-----------------|---------------------------------|
| RGP-1, hot-dip galvanized      | A        | 3118,— | on request      | on request                      |
| RGP-2, painted                 | A        | 2669,— | on request      | on request                      |
| RGP-2, hot-dip galvanized      | A        | 3558,— | on request      | on request                      |
| RGP-3, painted                 | A        | 2907,— | on request      | on request                      |
| RGP-3, hot-dip galvanized      | A        | 3916,— | on request      | on request                      |
| Shunting Aid Type RH           | Category | Price  | Freight charges | Price including freight charges |
| RH, painted                    | A        | 426,—  | 118,—           | 544,—                           |
| Shunting Aid Type RH-AC        | Category | Price  | Freight charges | Price including freight charges |
| RH-AC, painted                 | A        | 2305,— | 331,—           | 2636,—                          |
| Shunting Aid Type RH-RA        | Category | Price  | Freight charges | Price including freight charges |
| RH-RA, painted                 | A        | 1586,— | 138,—           | 1724,—                          |
| Shunting Aid Type RH-RAK       | Category | Price  | Freight charges | Price including freight charges |
| RH-RAK, painted                | A        | 1691,— | 138,—           | 1829,—                          |
| Shunting Aid Type RH-RM        | Category | Price  | Freight charges | Price including freight charges |
| RH-RM, painted                 | A        | 1178,— | 138,—           | 1316,—                          |
| Shunting Aid Type RH-RMK       | Category | Price  | Freight charges | Price including freight charges |
| RH-RMK, painted                | A        | 1285,— | 138,—           | 1423,—                          |
| Drum Lifter Type RS 60         | Category | Price  | Freight charges | Price including freight charges |
| RS 60-I, painted               | B        | 1013,— | 138,—           | 1151,—                          |
| RS 60-I, hot-dip galvanized    | B        | 1076,— | 138,—           | 1214,—                          |
| RS 60-II, painted              | B        | 1713,— | 138,—           | 1851,—                          |
| RS 60-II, hot-dip galvanized   | B        | 1798,— | 138,—           | 1936,—                          |
| Drum Lifter Type RS            | Category | Price  | Freight charges | Price including freight charges |
| RS-I/91, painted               | B        | 1701,— | 226,—           | 1927,—                          |
| RS-I/91, hot-dip galvanized    | B        | 1945,— | 226,—           | 2171,—                          |
| RS-II/91, painted              | B        | 2948,— | 226,—           | 3174,—                          |
| RS-II/91, hot-dip galvanized   | B        | 3320,— | 226,—           | 3546,—                          |
| RS-I/M, painted                | B        | 1556,— | 138,—           | 1694,—                          |
| RS-I/M, hot-dip galvanized     | B        | 1798,— | 226,—           | 2024,—                          |
| RS-II/M, painted               | B        | 2663,— | 226,—           | 2889,—                          |
| RS-II/M, hot-dip galvanized    | B        | 3030,— | 226,—           | 3256,—                          |
| Drum Lifter Type RS/D 91       | Category | Price  | Freight charges | Price including freight charges |
| RS-I/D 91, painted             | B        | 1488,— | 226,—           | 1714,—                          |
| RS-I/D 91, hot-dip galvanized  | B        | 1730,— | 226,—           | 1956,—                          |
| RS-II/D 91, painted            | B        | 2521,— | 226,—           | 2747,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Drum Lifter Type RS/D 91       | Category | Price  | Freight charges | Price including freight charges |
|--------------------------------|----------|--------|-----------------|---------------------------------|
| RS-II/D 91, hot-dip galvanized | B        | 2887,— | 226,—           | 3113,—                          |

| Swarf Tilting Container Type S3S                          | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| S3S 300, painted                                          | A        | 1357,— | 226,—           | 1583,—                          |
| Lid, galvanized                                           | A        | 174,—  | 18,—            | 192,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 136,—  | 15,—            | 151,—                           |
| S3S 300, hot-dip galvanized                               | A        | 1454,— | 331,—           | 1785,—                          |
| Lid, galvanized                                           | A        | 174,—  | 18,—            | 192,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 136,—  | 15,—            | 151,—                           |
| S3S 600, painted                                          | A        | 1413,— | 331,—           | 1744,—                          |
| Lid, galvanized                                           | A        | 196,—  | 22,—            | 218,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 136,—  | 15,—            | 151,—                           |
| S3S 600, hot-dip galvanized                               | A        | 1514,— | 331,—           | 1845,—                          |
| Lid, galvanized                                           | A        | 196,—  | 22,—            | 218,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 136,—  | 15,—            | 151,—                           |

| Swarf Tilting Container Type S4A | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------|----------|--------|-----------------|---------------------------------|
| S4A 600, painted                 | A        | 1271,— | 226,—           | 1497,—                          |
| Lid, galvanized                  | A        | 196,—  | 22,—            | 218,—                           |
| S4A 600, hot-dip galvanized      | A        | 1418,— | 226,—           | 1644,—                          |
| Lid, galvanized                  | A        | 196,—  | 22,—            | 218,—                           |
| S4A 900, painted                 | A        | 1408,— | 331,—           | 1739,—                          |
| Lid, galvanized                  | A        | 223,—  | 27,—            | 250,—                           |
| S4A 900, hot-dip galvanized      | A        | 1595,— | 331,—           | 1926,—                          |
| Lid, galvanized                  | A        | 223,—  | 27,—            | 250,—                           |
| S4A 1200, painted                | A        | 1497,— | 331,—           | 1828,—                          |
| Lid, galvanized                  | A        | 223,—  | 26,—            | 249,—                           |
| S4A 1200, hot-dip galvanized     | A        | 1730,— | 331,—           | 2061,—                          |
| Lid, galvanized                  | A        | 223,—  | 26,—            | 249,—                           |

| Container With Drop Away Base Type SB                                | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| SB 500, painted                                                      | B        | 1000,— | 226,—           | 1226,—                          |
| Lid, galvanized                                                      | B        | 143,—  | 16,—            | 159,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| SB 500, hot-dip galvanized                                           | B        | 1303,— | 226,—           | 1529,—                          |
| Lid, galvanized                                                      | B        | 143,—  | 16,—            | 159,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| SB 750, painted                                                      | B        | 1094,— | 226,—           | 1320,—                          |
| Lid, galvanized                                                      | B        | 143,—  | 16,—            | 159,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| SB 750, hot-dip galvanized                                           | B        | 1520,— | 331,—           | 1851,—                          |
| Lid, galvanized                                                      | B        | 143,—  | 16,—            | 159,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Container With Drop Away Base Type SB                                | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| <b>SB 1000, painted</b>                                              | B        | 1295,— | 331,—           | 1626,—                          |
| Lid, galvanized                                                      | B        | 143,—  | 16,—            | 159,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| <b>SB 1000, hot-dip galvanized</b>                                   | B        | 1801,— | 331,—           | 2132,—                          |
| Lid, galvanized                                                      | B        | 143,—  | 16,—            | 159,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| <b>SB 1500, painted</b>                                              | B        | 1755,— | 331,—           | 2086,—                          |
| Lid, galvanized                                                      | B        | 254,—  | 21,—            | 275,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| <b>SB 1500, hot-dip galvanized</b>                                   | B        | 2443,— | 402,—           | 2845,—                          |
| Lid, galvanized                                                      | B        | 254,—  | 21,—            | 275,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| <b>SB 2000, painted</b>                                              | B        | 1803,— | 402,—           | 2205,—                          |
| Lid, galvanized                                                      | B        | 254,—  | 21,—            | 275,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| <b>SB 2000, hot-dip galvanized</b>                                   | B        | 2581,— | 402,—           | 2983,—                          |
| Lid, galvanized                                                      | B        | 254,—  | 21,—            | 275,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set            | A        | 192,—  | 15,—            | 207,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| Collecting System Type SBS                                           | Category | Price  | Freight charges | Price including freight charges |
| <b>SBS 500, painted</b>                                              | C        | 399,—  | 226,—           | 625,—                           |
| Trolley TW 500, hot-dip galvanized                                   | C        | 258,—  | 138,—           | 396,—                           |
| <b>SBS 500, hot-dip galvanized</b>                                   | C        | 472,—  | 226,—           | 698,—                           |
| Trolley TW 500, hot-dip galvanized                                   | C        | 258,—  | 138,—           | 396,—                           |
| <b>SBS 1000, painted</b>                                             | C        | 509,—  | 226,—           | 735,—                           |
| Trolley TW 1000, hot-dip galvanized                                  | C        | 297,—  | 138,—           | 435,—                           |
| <b>SBS 1000, hot-dip galvanized</b>                                  | C        | 626,—  | 226,—           | 852,—                           |
| Trolley TW 1000, hot-dip galvanized                                  | C        | 297,—  | 138,—           | 435,—                           |
| <b>SBS 2000, painted</b>                                             | C        | 807,—  | 384,—           | 1191,—                          |
| Trolley TW 2000, hot-dip galvanized                                  | C        | 505,—  | 138,—           | 643,—                           |
| <b>SBS 2000, hot-dip galvanized</b>                                  | C        | 968,—  | 384,—           | 1352,—                          |
| Trolley TW 2000, hot-dip galvanized                                  | C        | 505,—  | 138,—           | 643,—                           |
| Filling Hopper Type SBT                                              | Category | Price  | Freight charges | Price including freight charges |
| <b>SBT, painted</b>                                                  | A        | 1671,— | 331,—           | 2002,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Snowdozer Type SCH-F           | Category | Price  | Freight charges | Price including freight charges |
|--------------------------------|----------|--------|-----------------|---------------------------------|
| SCH-F 150, painted             | A        | 2233,— | 331,—           | 2564,—                          |
| SCH-F 180, painted             | A        | 2507,— | 331,—           | 2838,—                          |
| SCH-F 210, painted             | A        | 2818,— | 331,—           | 3149,—                          |
| SCH-F 240, painted             | A        | 3095,— | 455,—           | 3550,—                          |
| Snowdozer Type SCH-G           | Category | Price  | Freight charges | Price including freight charges |
| SCH-G 150, painted             | A        | 1584,— | 226,—           | 1810,—                          |
| SCH-G 180, painted             | A        | 1730,— | 226,—           | 1956,—                          |
| SCH-G 210, painted             | A        | 1998,— | 331,—           | 2329,—                          |
| SCH-G 240, painted             | A        | 2160,— | 384,—           | 2544,—                          |
| Snowdozer Type SCH-L           | Category | Price  | Freight charges | Price including freight charges |
| SCH-L 1500, painted            | A        | 1182,— | 226,—           | 1408,—                          |
| SCH-L 1500, hot-dip galvanized | A        | 1310,— | 226,—           | 1536,—                          |
| SCH-L 1800, painted            | A        | 1380,— | 226,—           | 1606,—                          |
| SCH-L 1800, hot-dip galvanized | A        | 1532,— | 226,—           | 1758,—                          |
| Snow Plough Type SCH-P-G       | Category | Price  | Freight charges | Price including freight charges |
| SCH-P-G 150, painted           | A        | 2493,— | 331,—           | 2824,—                          |
| SCH-P-G 180, painted           | A        | 2677,— | 331,—           | 3008,—                          |
| SCH-P-G 210, painted           | A        | 2870,— | 331,—           | 3201,—                          |
| SCH-P-G 240, painted           | A        | 3408,— | 384,—           | 3792,—                          |
| Snow Plough Type SCH-P-S       | Category | Price  | Freight charges | Price including freight charges |
| SCH-P-S 150, painted           | A        | 2318,— | 331,—           | 2649,—                          |
| SCH-P-S 180, painted           | A        | 2476,— | 331,—           | 2807,—                          |
| SCH-P-S 210, painted           | A        | 2629,— | 331,—           | 2960,—                          |
| SCH-P-S 240, painted           | A        | 3128,— | 384,—           | 3512,—                          |
| Snow Plough Type SCH-P-V       | Category | Price  | Freight charges | Price including freight charges |
| SCH-P-V 150, painted           | A        | 2681,— | 331,—           | 3012,—                          |
| SCH-P-V 180, painted           | A        | 2949,— | 331,—           | 3280,—                          |
| SCH-P-V 210, painted           | A        | 3200,— | 331,—           | 3531,—                          |
| SCH-P-V 240, painted           | A        | 3741,— | 384,—           | 4125,—                          |
| Snowdozer Type SCH-S           | Category | Price  | Freight charges | Price including freight charges |
| SCH-S 150, painted             | A        | 1407,— | 226,—           | 1633,—                          |
| SCH-S 180, painted             | A        | 1528,— | 226,—           | 1754,—                          |
| SCH-S 210, painted             | A        | 1760,— | 331,—           | 2091,—                          |
| SCH-S 240, painted             | A        | 1880,— | 384,—           | 2264,—                          |
| Snow Plough Type SCH-U-G       | Category | Price  | Freight charges | Price including freight charges |
| SCH-U-G 150, painted           | A        | 2493,— | 331,—           | 2824,—                          |
| SCH-U-G 180, painted           | A        | 2677,— | 331,—           | 3008,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Snow Plough Type SCH-U-G     | Category | Price  | Freight charges | Price including freight charges |
|------------------------------|----------|--------|-----------------|---------------------------------|
| SCH-U-G 210, painted         | A        | 2870,— | 331,—           | 3201,—                          |
| SCH-U-G 240, painted         | A        | 3408,— | 384,—           | 3792,—                          |
| Snow Plough Type SCH-U-S     | Category | Price  | Freight charges | Price including freight charges |
| SCH-U-S 150, painted         | A        | 2318,— | 331,—           | 2649,—                          |
| SCH-U-S 180, painted         | A        | 2476,— | 331,—           | 2807,—                          |
| SCH-U-S 210, painted         | A        | 2629,— | 331,—           | 2960,—                          |
| SCH-U-S 240, painted         | A        | 3128,— | 384,—           | 3512,—                          |
| Snow Plough Type SCH-U-V     | Category | Price  | Freight charges | Price including freight charges |
| SCH-U-V 150, painted         | A        | 2681,— | 331,—           | 3012,—                          |
| SCH-U-V 180, painted         | A        | 2949,— | 331,—           | 3280,—                          |
| SCH-U-V 210, painted         | A        | 3200,— | 331,—           | 3531,—                          |
| SCH-U-V 240, painted         | A        | 3741,— | 384,—           | 4125,—                          |
| Snowdozer Type SCH-V         | Category | Price  | Freight charges | Price including freight charges |
| SCH-V 150, painted           | A        | 1769,— | 226,—           | 1995,—                          |
| SCH-V 180, painted           | A        | 1991,— | 226,—           | 2217,—                          |
| SCH-V 210, painted           | A        | 2331,— | 331,—           | 2662,—                          |
| SCH-V 240, painted           | A        | 2492,— | 384,—           | 2876,—                          |
| Silo Container Type SG       | Category | Price  | Freight charges | Price including freight charges |
| SG 375, painted              | E        | 1014,— | 226,—           | 1240,—                          |
| Lid, galvanized              | E        | 131,—  | 28,—            | 159,—                           |
| SG 375, hot-dip galvanized   | E        | 1760,— | 226,—           | 1986,—                          |
| Lid, galvanized              | E        | 131,—  | 28,—            | 159,—                           |
| SG 600, painted              | E        | 1209,— | 226,—           | 1435,—                          |
| Lid, galvanized              | E        | 131,—  | 28,—            | 159,—                           |
| SG 600, hot-dip galvanized   | E        | 1951,— | 226,—           | 2177,—                          |
| Lid, galvanized              | E        | 131,—  | 28,—            | 159,—                           |
| Silo Container Type SG-D     | Category | Price  | Freight charges | Price including freight charges |
| SG-D 375, painted            | E        | 1014,— | 138,—           | 1152,—                          |
| Lid, galvanized              | E        | 131,—  | 28,—            | 159,—                           |
| SG-D 375, hot-dip galvanized | E        | 1760,— | 226,—           | 1986,—                          |
| Lid, galvanized              | E        | 131,—  | 28,—            | 159,—                           |
| SG-D 600, painted            | E        | 1209,— | 226,—           | 1435,—                          |
| Lid, galvanized              | E        | 131,—  | 28,—            | 159,—                           |
| SG-D 600, hot-dip galvanized | E        | 1951,— | 226,—           | 2177,—                          |
| Lid, galvanized              | E        | 131,—  | 28,—            | 159,—                           |
| Silo Container Type SGK      | Category | Price  | Freight charges | Price including freight charges |
| SGK 50, painted              | A        | 1115,— | 226,—           | 1341,—                          |
| SGK 50, hot-dip galvanized   | A        | 1142,— | 226,—           | 1368,—                          |
| SGK 75, painted              | A        | 1214,— | 226,—           | 1440,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Silo Container Type SGK                                   | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| SGK 75, hot-dip galvanized                                | A        | 1251,— | 226,—           | 1477,—                          |
| SGK 100, painted                                          | A        | 1327,— | 226,—           | 1553,—                          |
| SGK 100, hot-dip galvanized                               | A        | 1367,— | 226,—           | 1593,—                          |
| Silo Container Type SGS                                   | Category | Price  | Freight charges | Price including freight charges |
| SGS 50, painted                                           | A        | 885,—  | 138,—           | 1023,—                          |
| SGS 50, hot-dip galvanized                                | A        | 902,—  | 226,—           | 1128,—                          |
| SGS 75, painted                                           | A        | 982,—  | 226,—           | 1208,—                          |
| SGS 75, hot-dip galvanized                                | A        | 1015,— | 226,—           | 1241,—                          |
| SGS 100, painted                                          | A        | 1078,— | 226,—           | 1304,—                          |
| SGS 100, hot-dip galvanized                               | A        | 1110,— | 226,—           | 1336,—                          |
| Swarf Tilting Container Type SGU                          | Category | Price  | Freight charges | Price including freight charges |
| <b>SGU 30, painted</b>                                    | A        | 940,—  | 226,—           | 1166,—                          |
| Lid, galvanized                                           | A        | 98,—   | 18,—            | 116,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Crane lifting eyes for use with a crane                   | A        | 106,—  | 8,—             | 114,—                           |
| Support legs, 100 mm ground leeway                        | A        | 70,—   | 8,—             | 78,—                            |
| <b>SGU 30, hot-dip galvanized</b>                         | A        | 1117,— | 226,—           | 1343,—                          |
| Lid, galvanized                                           | A        | 98,—   | 18,—            | 116,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Crane lifting eyes for use with a crane                   | A        | 106,—  | 8,—             | 114,—                           |
| Support legs, 100 mm ground leeway                        | A        | 70,—   | 8,—             | 78,—                            |
| <b>SGU 50, painted</b>                                    | A        | 1163,— | 226,—           | 1389,—                          |
| Lid, galvanized                                           | A        | 98,—   | 18,—            | 116,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Adjustable dumping brake                                  | A        | 464,—  | 10,—            | 474,—                           |
| Crane lifting eyes for use with a crane                   | A        | 106,—  | 8,—             | 114,—                           |
| Support legs, 100 mm ground leeway                        | A        | 70,—   | 8,—             | 78,—                            |
| <b>SGU 50, hot-dip galvanized</b>                         | A        | 1407,— | 226,—           | 1633,—                          |
| Lid, galvanized                                           | A        | 98,—   | 18,—            | 116,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Adjustable dumping brake                                  | A        | 464,—  | 10,—            | 474,—                           |
| Crane lifting eyes for use with a crane                   | A        | 106,—  | 8,—             | 114,—                           |
| Support legs, 100 mm ground leeway                        | A        | 70,—   | 8,—             | 78,—                            |
| <b>SGU 75, painted</b>                                    | A        | 1312,— | 226,—           | 1538,—                          |
| Lid, galvanized                                           | A        | 139,—  | 26,—            | 165,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Adjustable dumping brake                                  | A        | 464,—  | 10,—            | 474,—                           |
| Crane lifting eyes for use with a crane                   | A        | 106,—  | 8,—             | 114,—                           |
| Support legs, 100 mm ground leeway                        | A        | 70,—   | 8,—             | 78,—                            |
| <b>SGU 75, hot-dip galvanized</b>                         | A        | 1623,— | 226,—           | 1849,—                          |
| Lid, galvanized                                           | A        | 139,—  | 26,—            | 165,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Adjustable dumping brake                                  | A        | 464,—  | 10,—            | 474,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Swarf Tilting Container Type SGU                          | Category        | Price        | Freight charges        | Price including freight charges        |
|-----------------------------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| Crane lifting eyes for use with a crane                   | A               | 106,—        | 8,—                    | 114,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 70,—         | 8,—                    | 78,—                                   |
| <b>SGU 100, painted</b>                                   | A               | 1571,—       | 331,—                  | 1902,—                                 |
| Lid, galvanized                                           | A               | 192,—        | 27,—                   | 219,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| Adjustable dumping brake                                  | A               | 464,—        | 10,—                   | 474,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 106,—        | 8,—                    | 114,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 70,—         | 8,—                    | 78,—                                   |
| <b>SGU 100, hot-dip galvanized</b>                        | A               | 2120,—       | 331,—                  | 2451,—                                 |
| Lid, galvanized                                           | A               | 192,—        | 27,—                   | 219,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| Adjustable dumping brake                                  | A               | 464,—        | 10,—                   | 474,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 106,—        | 8,—                    | 114,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 70,—         | 8,—                    | 78,—                                   |
| <b>SGU 150, painted</b>                                   | A               | 1764,—       | 331,—                  | 2095,—                                 |
| Lid, galvanized                                           | A               | 192,—        | 27,—                   | 219,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| Adjustable dumping brake                                  | A               | 464,—        | 10,—                   | 474,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 106,—        | 8,—                    | 114,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 70,—         | 8,—                    | 78,—                                   |
| <b>SGU 150, hot-dip galvanized</b>                        | A               | 2242,—       | 331,—                  | 2573,—                                 |
| Lid, galvanized                                           | A               | 192,—        | 27,—                   | 219,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| Adjustable dumping brake                                  | A               | 464,—        | 10,—                   | 474,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 106,—        | 8,—                    | 114,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 70,—         | 8,—                    | 78,—                                   |
| <b>SGU 200, painted</b>                                   | A               | 2215,—       | 402,—                  | 2617,—                                 |
| Lid, galvanized                                           | A               | 226,—        | 32,—                   | 258,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| Adjustable dumping brake                                  | A               | 464,—        | 10,—                   | 474,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 106,—        | 8,—                    | 114,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 70,—         | 8,—                    | 78,—                                   |
| <b>SGU 200, hot-dip galvanized</b>                        | A               | 2779,—       | 402,—                  | 3181,—                                 |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A               | 192,—        | 15,—                   | 207,—                                  |
| Lid, galvanized                                           | A               | 226,—        | 32,—                   | 258,—                                  |
| Adjustable dumping brake                                  | A               | 464,—        | 10,—                   | 474,—                                  |
| Crane lifting eyes for use with a crane                   | A               | 106,—        | 8,—                    | 114,—                                  |
| Support legs, 100 mm ground leeway                        | A               | 70,—         | 8,—                    | 78,—                                   |
| <b>Swarf Tilting Container Type SGU-RZ</b>                | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>SGU-RZ 30, painted</b>                                 | A               | 972,—        | 226,—                  | 1198,—                                 |
| Lid, galvanized                                           | A               | 95,—         | 18,—                   | 113,—                                  |
| <b>SGU-RZ 30, hot-dip galvanized</b>                      | A               | 1097,—       | 226,—                  | 1323,—                                 |
| Lid, galvanized                                           | A               | 95,—         | 18,—                   | 113,—                                  |
| <b>SGU-RZ 55, painted</b>                                 | A               | 1202,—       | 226,—                  | 1428,—                                 |
| Lid, galvanized                                           | A               | 95,—         | 18,—                   | 113,—                                  |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| <b>Swarf Tilting Container Type SGU-RZ</b>                           | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|----------------------------------------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| SGU-RZ 55, hot-dip galvanized                                        | A               | 1314,—       | 226,—                  | 1540,—                                 |
| Lid, galvanized                                                      | A               | 95,—         | 18,—                   | 113,—                                  |
| <b>Gritter Type SH</b>                                               | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| SH, painted                                                          | A               | 3569,—       | 226,—                  | 3795,—                                 |
| Tarpaulin                                                            | A               | 122,—        | 10,—                   | 132,—                                  |
| <b>Forklift Safety Cage Type SIKO</b>                                | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| SIKO, painted                                                        | A               | 726,—        | 226,—                  | 952,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set            | A               | 136,—        | 15,—                   | 151,—                                  |
| <b>Forklift Safety Cage Type SIKO/L</b>                              | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| SIKO/L, painted                                                      | A               | 878,—        | 226,—                  | 1104,—                                 |
| Castor Set, polyamide, Load capacity 1050 kg / castor set            | A               | 136,—        | 15,—                   | 151,—                                  |
| <b>Forklift Safety Cage Type SIKO-G</b>                              | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| SIKO-G, painted                                                      | A               | 657,—        | 138,—                  | 795,—                                  |
| <b>Forklift Safety Cage Type SIKO-M</b>                              | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| SIKO-M, painted                                                      | A               | 529,—        | 138,—                  | 667,—                                  |
| <b>Heavy Duty Tilting Container Type SK</b>                          | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>SK 300, painted</b>                                               | A               | 1281,—       | 331,—                  | 1612,—                                 |
| Lid, galvanized                                                      | A               | 174,—        | 18,—                   | 192,—                                  |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A               | 379,—        | 15,—                   | 394,—                                  |
| Skip Body Welded Oil and Watertight                                  | A               | 78,—         | 0,—                    | 78,—                                   |
| <b>SK 300, hot-dip galvanized</b>                                    | A               | 1555,—       | 331,—                  | 1886,—                                 |
| Lid, galvanized                                                      | A               | 174,—        | 18,—                   | 192,—                                  |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A               | 379,—        | 15,—                   | 394,—                                  |
| Skip Body Welded Oil and Watertight                                  | A               | 78,—         | 0,—                    | 78,—                                   |
| <b>SK 600, painted</b>                                               | A               | 1386,—       | 331,—                  | 1717,—                                 |
| Lid, galvanized                                                      | A               | 196,—        | 22,—                   | 218,—                                  |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A               | 379,—        | 15,—                   | 394,—                                  |
| Skip Body Welded Oil and Watertight                                  | A               | 78,—         | 0,—                    | 78,—                                   |
| <b>SK 600, hot-dip galvanized</b>                                    | A               | 1724,—       | 402,—                  | 2126,—                                 |
| Lid, galvanized                                                      | A               | 196,—        | 22,—                   | 218,—                                  |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A               | 379,—        | 15,—                   | 394,—                                  |
| Skip Body Welded Oil and Watertight                                  | A               | 78,—         | 0,—                    | 78,—                                   |
| <b>SK 900, painted</b>                                               | A               | 1510,—       | 402,—                  | 1912,—                                 |
| Lid, galvanized                                                      | A               | 223,—        | 27,—                   | 250,—                                  |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A               | 379,—        | 15,—                   | 394,—                                  |
| Skip Body Welded Oil and Watertight                                  | A               | 78,—         | 0,—                    | 78,—                                   |
| <b>SK 900, hot-dip galvanized</b>                                    | A               | 1941,—       | 402,—                  | 2343,—                                 |
| Lid, galvanized                                                      | A               | 223,—        | 27,—                   | 250,—                                  |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A               | 379,—        | 15,—                   | 394,—                                  |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Heavy Duty Tilting Container Type SK                                 | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Skip Body Welded Oil and Watertight                                  | A        | 78,—   | 0,—             | 78,—                            |
| <b>SK 1200, painted</b>                                              | A        | 1770,— | 402,—           | 2172,—                          |
| Lid, galvanized                                                      | A        | 223,—  | 26,—            | 249,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 121,—  | 0,—             | 121,—                           |
| <b>SK 1200, hot-dip galvanized</b>                                   | A        | 2277,— | 582,—           | 2859,—                          |
| Lid, galvanized                                                      | A        | 223,—  | 26,—            | 249,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 121,—  | 0,—             | 121,—                           |
| <b>SK 1700, painted</b>                                              | A        | 1862,— | 582,—           | 2444,—                          |
| Lid, galvanized                                                      | A        | 276,—  | 33,—            | 309,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 121,—  | 0,—             | 121,—                           |
| <b>SK 1700, hot-dip galvanized</b>                                   | A        | 2492,— | 582,—           | 3074,—                          |
| Lid, galvanized                                                      | A        | 276,—  | 33,—            | 309,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 121,—  | 0,—             | 121,—                           |
| <b>SK 2100, painted</b>                                              | A        | 2032,— | 582,—           | 2614,—                          |
| Lid, galvanized                                                      | A        | 360,—  | 36,—            | 396,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 121,—  | 0,—             | 121,—                           |
| <b>SK 2100, hot-dip galvanized</b>                                   | A        | 2739,— | 582,—           | 3321,—                          |
| Lid, galvanized                                                      | A        | 360,—  | 36,—            | 396,—                           |
| Heavy-duty Castor Set, polyamide, Load capacity 2550 kg / castor set | A        | 379,—  | 15,—            | 394,—                           |
| Skip Body Welded Oil and Watertight                                  | A        | 121,—  | 0,—             | 121,—                           |
| Broom Type SKB                                                       | Category | Price  | Freight charges | Price including freight charges |
| <b>SKB 100, painted</b>                                              | A        | 958,—  | 138,—           | 1096,—                          |
| <b>SKB 150, painted</b>                                              | A        | 1197,— | 138,—           | 1335,—                          |
| <b>SKB 200, painted</b>                                              | A        | 1475,— | 138,—           | 1613,—                          |
| Broom Type SKB-O                                                     | Category | Price  | Freight charges | Price including freight charges |
| <b>SKB-O 100, painted</b>                                            | A        | 658,—  | 138,—           | 796,—                           |
| <b>SKB-O 150, painted</b>                                            | A        | 898,—  | 138,—           | 1036,—                          |
| <b>SKB-O 200, painted</b>                                            | A        | 1176,— | 138,—           | 1314,—                          |
| Swarf Tipping Skip Type SKK                                          | Category | Price  | Freight charges | Price including freight charges |
| <b>SKK 250, painted</b>                                              | E        | 534,—  | 138,—           | 672,—                           |
| Lid, galvanized                                                      | E        | 136,—  | 15,—            | 151,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set            | A        | 136,—  | 15,—            | 151,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set          | E        | 103,—  | 15,—            | 118,—                           |
| <b>SKK 250, hot-dip galvanized</b>                                   | E        | 583,—  | 138,—           | 721,—                           |
| Lid, galvanized                                                      | E        | 136,—  | 15,—            | 151,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set            | A        | 136,—  | 15,—            | 151,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set          | E        | 103,—  | 15,—            | 118,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| <b>Swarf Tipping Skip Type SKK</b>                          | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|-------------------------------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| <b>SKK 400, painted</b>                                     | E               | 600,—        | 138,—                  | 738,—                                  |
| Lid, galvanized                                             | E               | 156,—        | 16,—                   | 172,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 136,—        | 15,—                   | 151,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 103,—        | 15,—                   | 118,—                                  |
| <b>SKK 400, hot-dip galvanized</b>                          | E               | 649,—        | 138,—                  | 787,—                                  |
| Lid, galvanized                                             | E               | 156,—        | 16,—                   | 172,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 136,—        | 15,—                   | 151,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 103,—        | 15,—                   | 118,—                                  |
| <b>SKK 600, painted</b>                                     | E               | 815,—        | 226,—                  | 1041,—                                 |
| Lid, galvanized                                             | E               | 173,—        | 20,—                   | 193,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 136,—        | 15,—                   | 151,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 103,—        | 15,—                   | 118,—                                  |
| <b>SKK 600, hot-dip galvanized</b>                          | E               | 914,—        | 226,—                  | 1140,—                                 |
| Lid, galvanized                                             | E               | 173,—        | 20,—                   | 193,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 136,—        | 15,—                   | 151,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 103,—        | 15,—                   | 118,—                                  |
| <b>SKK 800, painted</b>                                     | E               | 872,—        | 226,—                  | 1098,—                                 |
| Lid, galvanized                                             | E               | 181,—        | 21,—                   | 202,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 136,—        | 15,—                   | 151,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 103,—        | 15,—                   | 118,—                                  |
| <b>SKK 800, hot-dip galvanized</b>                          | E               | 980,—        | 226,—                  | 1206,—                                 |
| Lid, galvanized                                             | E               | 181,—        | 21,—                   | 202,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 136,—        | 15,—                   | 151,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 103,—        | 15,—                   | 118,—                                  |
| <b>SKK 1000, painted</b>                                    | E               | 930,—        | 226,—                  | 1156,—                                 |
| Lid, galvanized                                             | E               | 193,—        | 22,—                   | 215,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 136,—        | 15,—                   | 151,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 103,—        | 15,—                   | 118,—                                  |
| <b>SKK 1000, hot-dip galvanized</b>                         | E               | 1063,—       | 226,—                  | 1289,—                                 |
| Lid, galvanized                                             | E               | 193,—        | 22,—                   | 215,—                                  |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A               | 136,—        | 15,—                   | 151,—                                  |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E               | 103,—        | 15,—                   | 118,—                                  |

| <b>Swarf Tilting Container Type SKM</b> | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|-----------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| <b>SKM 30, painted</b>                  | A               | 950,—        | 226,—                  | 1176,—                                 |
| Lid, galvanized                         | A               | 104,—        | 18,—                   | 122,—                                  |
| <b>SKM 30, hot-dip galvanized</b>       | A               | 1148,—       | 226,—                  | 1374,—                                 |
| Lid, galvanized                         | A               | 104,—        | 18,—                   | 122,—                                  |
| <b>SKM 50, painted</b>                  | A               | 1220,—       | 226,—                  | 1446,—                                 |
| Lid, galvanized                         | A               | 158,—        | 28,—                   | 186,—                                  |
| <b>SKM 50, hot-dip galvanized</b>       | A               | 1478,—       | 226,—                  | 1704,—                                 |
| Lid, galvanized                         | A               | 158,—        | 28,—                   | 186,—                                  |
| <b>SKM 75, painted</b>                  | A               | 1469,—       | 226,—                  | 1695,—                                 |
| Lid, galvanized                         | A               | 175,—        | 33,—                   | 208,—                                  |
| <b>SKM 75, hot-dip galvanized</b>       | A               | 1790,—       | 331,—                  | 2121,—                                 |
| Lid, galvanized                         | A               | 175,—        | 33,—                   | 208,—                                  |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Swarf Tipping Skip Type SKN                                 | Category | Price  | Freight charges | Price including freight charges |
|-------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>SKN 250, painted</b>                                     | E        | 534,—  | 138,—           | 672,—                           |
| Lid, galvanized                                             | E        | 136,—  | 15,—            | 151,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 136,—  | 15,—            | 151,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 103,—  | 15,—            | 118,—                           |
| <b>SKN 250, hot-dip galvanized</b>                          | E        | 583,—  | 138,—           | 721,—                           |
| Lid, galvanized                                             | E        | 136,—  | 15,—            | 151,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 136,—  | 15,—            | 151,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 103,—  | 15,—            | 118,—                           |
| <b>SKN 400, painted</b>                                     | E        | 600,—  | 138,—           | 738,—                           |
| Lid, galvanized                                             | E        | 156,—  | 16,—            | 172,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 136,—  | 15,—            | 151,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 103,—  | 15,—            | 118,—                           |
| <b>SKN 400, hot-dip galvanized</b>                          | E        | 649,—  | 138,—           | 787,—                           |
| Lid, galvanized                                             | E        | 156,—  | 16,—            | 172,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 136,—  | 15,—            | 151,—                           |
| Castor Set, solid rubber, Load capacity 615 kg / castor set | E        | 103,—  | 15,—            | 118,—                           |
| Swarf Tipping Skip Type SKS                                 | Category | Price  | Freight charges | Price including freight charges |
| <b>SKS 400, painted</b>                                     | E        | 946,—  | 226,—           | 1172,—                          |
| <b>SKS 550, painted</b>                                     | E        | 1013,— | 226,—           | 1239,—                          |
| <b>SKS 700, painted</b>                                     | E        | 1072,— | 226,—           | 1298,—                          |
| Swarf Barrow Tipper Type SKW-ET                             | Category | Price  | Freight charges | Price including freight charges |
| <b>SKW-ET 250, painted</b>                                  | E        | 638,—  | 138,—           | 776,—                           |
| Lid, galvanized                                             | E        | 136,—  | 15,—            | 151,—                           |
| <b>SKW-ET 250, hot-dip galvanized</b>                       | E        | 975,—  | 138,—           | 1113,—                          |
| Lid, galvanized                                             | E        | 136,—  | 15,—            | 151,—                           |
| <b>SKW-ET 400, painted</b>                                  | E        | 697,—  | 138,—           | 835,—                           |
| Lid, galvanized                                             | E        | 156,—  | 16,—            | 172,—                           |
| <b>SKW-ET 400, hot-dip galvanized</b>                       | E        | 1071,— | 138,—           | 1209,—                          |
| Lid, galvanized                                             | E        | 156,—  | 16,—            | 172,—                           |
| <b>SKW-ET 600, painted</b>                                  | E        | 851,—  | 226,—           | 1077,—                          |
| Lid, galvanized                                             | E        | 173,—  | 20,—            | 193,—                           |
| <b>SKW-ET 600, hot-dip galvanized</b>                       | E        | 1233,— | 226,—           | 1459,—                          |
| Lid, galvanized                                             | E        | 173,—  | 20,—            | 193,—                           |
| <b>SKW-ET 1000, painted</b>                                 | E        | 1032,— | 226,—           | 1258,—                          |
| Lid, galvanized                                             | E        | 193,—  | 22,—            | 215,—                           |
| <b>SKW-ET 1000, hot-dip galvanized</b>                      | E        | 1643,— | 226,—           | 1869,—                          |
| Lid, galvanized                                             | E        | 193,—  | 22,—            | 215,—                           |
| Mini Swarf Tilting Container Type SMGU                      | Category | Price  | Freight charges | Price including freight charges |
| <b>SMGU 230, painted</b>                                    | A        | 689,—  | 138,—           | 827,—                           |
| Lid, galvanized                                             | A        | 131,—  | 18,—            | 149,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set   | A        | 156,—  | 15,—            | 171,—                           |
| <b>SMGU 230, hot-dip galvanized</b>                         | A        | 775,—  | 226,—           | 1001,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Mini Swarf Tilting Container Type SMGU                    | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Lid, galvanized                                           | A        | 131,—  | 18,—            | 149,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 156,—  | 15,—            | 171,—                           |
| <b>SMGU 270, painted</b>                                  | A        | 744,—  | 226,—           | 970,—                           |
| Lid, galvanized                                           | A        | 131,—  | 18,—            | 149,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 156,—  | 15,—            | 171,—                           |
| <b>SMGU 270, hot-dip galvanized</b>                       | A        | 850,—  | 226,—           | 1076,—                          |
| Lid, galvanized                                           | A        | 131,—  | 18,—            | 149,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 156,—  | 15,—            | 171,—                           |
| <b>SMGU 460, painted</b>                                  | A        | 935,—  | 226,—           | 1161,—                          |
| Lid, galvanized                                           | A        | 169,—  | 22,—            | 191,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 156,—  | 15,—            | 171,—                           |
| <b>SMGU 460, hot-dip galvanized</b>                       | A        | 1088,— | 226,—           | 1314,—                          |
| Lid, galvanized                                           | A        | 169,—  | 22,—            | 191,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 156,—  | 15,—            | 171,—                           |
| <b>SMGU 610, painted</b>                                  | A        | 1041,— | 226,—           | 1267,—                          |
| Lid, galvanized                                           | A        | 181,—  | 26,—            | 207,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 156,—  | 15,—            | 171,—                           |
| <b>SMGU 610, hot-dip galvanized</b>                       | A        | 1209,— | 226,—           | 1435,—                          |
| Lid, galvanized                                           | A        | 181,—  | 26,—            | 207,—                           |
| Castor Set, polyamide, Load capacity 1050 kg / castor set | A        | 156,—  | 15,—            | 171,—                           |
| Silo Container Type SR                                    | Category | Price  | Freight charges | Price including freight charges |
| <b>SR 375, painted</b>                                    | E        | 844,—  | 138,—           | 982,—                           |
| Lid, galvanized                                           | E        | 131,—  | 33,—            | 164,—                           |
| <b>SR 375, hot-dip galvanized</b>                         | E        | 1584,— | 138,—           | 1722,—                          |
| Lid, galvanized                                           | E        | 131,—  | 33,—            | 164,—                           |
| <b>SR 600, painted</b>                                    | E        | 1048,— | 226,—           | 1274,—                          |
| Lid, galvanized                                           | E        | 131,—  | 33,—            | 164,—                           |
| <b>SR 600, hot-dip galvanized</b>                         | E        | 1801,— | 226,—           | 2027,—                          |
| Lid, galvanized                                           | E        | 131,—  | 33,—            | 164,—                           |
| Silo Container Type SR-D                                  | Category | Price  | Freight charges | Price including freight charges |
| <b>SR-D 375, painted</b>                                  | E        | 844,—  | 138,—           | 982,—                           |
| Lid, galvanized                                           | E        | 131,—  | 33,—            | 164,—                           |
| <b>SR-D 375, hot-dip galvanized</b>                       | E        | 1584,— | 138,—           | 1722,—                          |
| Lid, galvanized                                           | E        | 131,—  | 33,—            | 164,—                           |
| <b>SR-D 600, painted</b>                                  | E        | 1048,— | 226,—           | 1274,—                          |
| Lid, galvanized                                           | E        | 131,—  | 33,—            | 164,—                           |
| <b>SR-D 600, hot-dip galvanized</b>                       | E        | 1801,— | 226,—           | 2027,—                          |
| Lid, galvanized                                           | E        | 131,—  | 33,—            | 164,—                           |
| Silo Container Type SRE                                   | Category | Price  | Freight charges | Price including freight charges |
| <b>SRE 375, painted</b>                                   | E        | 962,—  | 226,—           | 1188,—                          |
| Lid, galvanized                                           | E        | 131,—  | 33,—            | 164,—                           |
| <b>SRE 375, hot-dip galvanized</b>                        | E        | 1723,— | 226,—           | 1949,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Silo Container Type SRE                                   | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Lid, galvanized                                           | E        | 131,—  | 33,—            | 164,—                           |
| SRE 600, painted                                          | E        | 1171,— | 226,—           | 1397,—                          |
| Lid, galvanized                                           | E        | 131,—  | 33,—            | 164,—                           |
| SRE 600, hot-dip galvanized                               | E        | 1857,— | 226,—           | 2083,—                          |
| Lid, galvanized                                           | E        | 131,—  | 33,—            | 164,—                           |
| Silo Container Type SRE-D                                 | Category | Price  | Freight charges | Price including freight charges |
| SRE-D 375, painted                                        | E        | 962,—  | 138,—           | 1100,—                          |
| Lid, galvanized                                           | E        | 131,—  | 33,—            | 164,—                           |
| SRE-D 375, hot-dip galvanized                             | E        | 1723,— | 226,—           | 1949,—                          |
| Lid, galvanized                                           | E        | 131,—  | 33,—            | 164,—                           |
| SRE-D 600, painted                                        | E        | 1171,— | 226,—           | 1397,—                          |
| Lid, galvanized                                           | E        | 131,—  | 33,—            | 164,—                           |
| SRE-D 600, hot-dip galvanized                             | E        | 1857,— | 226,—           | 2083,—                          |
| Lid, galvanized                                           | E        | 131,—  | 33,—            | 164,—                           |
| Forklift Tender System Type STS                           | Category | Price  | Freight charges | Price including freight charges |
| STS 2,5, painted                                          | C        | 3857,— | on request      | on request                      |
| STS 5,0, painted                                          | C        | 4546,— | on request      | on request                      |
| Spreader Type STW                                         | Category | Price  | Freight charges | Price including freight charges |
| STW 100, painted                                          | A        | 1216,— | 138,—           | 1354,—                          |
| Tarpaulin                                                 | A        | 116,—  | 10,—            | 126,—                           |
| STW 260, painted                                          | A        | 2147,— | 138,—           | 2285,—                          |
| Tarpaulin                                                 | A        | 122,—  | 10,—            | 132,—                           |
| Traverse for Big Bags Type TBB                            | Category | Price  | Freight charges | Price including freight charges |
| TBB, painted                                              | A        | 901,—  | 138,—           | 1039,—                          |
| Traverse For Big Bags Type TBB-E                          | Category | Price  | Freight charges | Price including freight charges |
| TBB-E, painted                                            | A        | 852,—  | 138,—           | 990,—                           |
| Traverse For Big Bags Type TBB-W                          | Category | Price  | Freight charges | Price including freight charges |
| TBB-W, painted                                            | A        | 1093,— | 138,—           | 1231,—                          |
| Mini Lifting Beam Type TM                                 | Category | Price  | Freight charges | Price including freight charges |
| TM 200-500, hot-dip galvanized                            | F        | 399,—  | 118,—           | 517,—                           |
| TM 400-800, hot-dip galvanized                            | F        | 429,—  | 118,—           | 547,—                           |
| TM 800-1200, hot-dip galvanized                           | F        | 566,—  | 118,—           | 684,—                           |
| Tilting Container Type TRIO                               | Category | Price  | Freight charges | Price including freight charges |
| TRIO, painted                                             | A        | 2333,— | 402,—           | 2735,—                          |
| Lid, galvanized                                           | A        | 215,—  | 26,—            | 241,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| <b>Tilting Container Type TRI0</b>                                                             | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
|------------------------------------------------------------------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| Set of 5 self-adhesive stickers with symbols for: glass, paper, plastic, metal, residual waste | A               | 29,—         | on request             | on request                             |
| <b>Universal Container Type UC</b>                                                             | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>UC 500, painted</b>                                                                         | A               | 675,—        | 138,—                  | 813,—                                  |
| Lid, galvanized                                                                                | A               | 168,—        | 16,—                   | 184,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A               | 192,—        | 15,—                   | 207,—                                  |
| Pick-up Profile on Type UC for Traverse Type UCT                                               | A               | 106,—        | 0,—                    | 106,—                                  |
| <b>UC 500, hot-dip galvanized</b>                                                              | A               | 771,—        | 226,—                  | 997,—                                  |
| Lid, galvanized                                                                                | A               | 168,—        | 16,—                   | 184,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A               | 192,—        | 15,—                   | 207,—                                  |
| Pick-up Profile on Type UC for Traverse Type UCT                                               | A               | 106,—        | 0,—                    | 106,—                                  |
| <b>UC 750, painted</b>                                                                         | A               | 734,—        | 226,—                  | 960,—                                  |
| Lid, galvanized                                                                                | A               | 168,—        | 16,—                   | 184,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A               | 192,—        | 15,—                   | 207,—                                  |
| Pick-up Profile on Type UC for Traverse Type UCT                                               | A               | 106,—        | 0,—                    | 106,—                                  |
| <b>UC 750, hot-dip galvanized</b>                                                              | A               | 853,—        | 226,—                  | 1079,—                                 |
| Lid, galvanized                                                                                | A               | 168,—        | 16,—                   | 184,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A               | 192,—        | 15,—                   | 207,—                                  |
| Pick-up Profile on Type UC for Traverse Type UCT                                               | A               | 106,—        | 0,—                    | 106,—                                  |
| <b>UC 1000, painted</b>                                                                        | A               | 771,—        | 226,—                  | 997,—                                  |
| Lid, galvanized                                                                                | A               | 168,—        | 16,—                   | 184,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A               | 192,—        | 15,—                   | 207,—                                  |
| Pick-up Profile on Type UC for Traverse Type UCT                                               | A               | 106,—        | 0,—                    | 106,—                                  |
| <b>UC 1000, hot-dip galvanized</b>                                                             | A               | 894,—        | 226,—                  | 1120,—                                 |
| Lid, galvanized                                                                                | A               | 168,—        | 16,—                   | 184,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A               | 192,—        | 15,—                   | 207,—                                  |
| Pick-up Profile on Type UC for Traverse Type UCT                                               | A               | 106,—        | 0,—                    | 106,—                                  |
| <b>Hydraulic Traverse Type UCT</b>                                                             | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>UCT, painted</b>                                                                            | A               | 2737,—       | 331,—                  | 3068,—                                 |
| <b>Tilting Container Type VD</b>                                                               | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>VD 500, painted</b>                                                                         | A               | 794,—        | 226,—                  | 1020,—                                 |
| Lid, galvanized                                                                                | A               | 144,—        | 18,—                   | 162,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A               | 192,—        | 15,—                   | 207,—                                  |
| Skip Body Welded Oil and Watertight                                                            | A               | 78,—         | 0,—                    | 78,—                                   |
| <b>VD 500, hot-dip galvanized</b>                                                              | A               | 1033,—       | 226,—                  | 1259,—                                 |
| Lid, galvanized                                                                                | A               | 144,—        | 18,—                   | 162,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A               | 192,—        | 15,—                   | 207,—                                  |
| Skip Body Welded Oil and Watertight                                                            | A               | 78,—         | 0,—                    | 78,—                                   |
| <b>VD 650, painted</b>                                                                         | A               | 868,—        | 226,—                  | 1094,—                                 |
| Lid, galvanized                                                                                | A               | 144,—        | 18,—                   | 162,—                                  |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                                      | A               | 192,—        | 15,—                   | 207,—                                  |
| Skip Body Welded Oil and Watertight                                                            | A               | 78,—         | 0,—                    | 78,—                                   |
| <b>VD 650, hot-dip galvanized</b>                                                              | A               | 1130,—       | 226,—                  | 1356,—                                 |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Tilting Container Type VD                                 | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Lid, galvanized                                           | A        | 144,—  | 18,—            | 162,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,—   | 0,—             | 78,—                            |
| <b>VD 800, painted</b>                                    | A        | 991,—  | 226,—           | 1217,—                          |
| Lid, galvanized                                           | A        | 174,—  | 22,—            | 196,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,—   | 0,—             | 78,—                            |
| <b>VD 800, hot-dip galvanized</b>                         | A        | 1346,— | 226,—           | 1572,—                          |
| Lid, galvanized                                           | A        | 174,—  | 22,—            | 196,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,—   | 0,—             | 78,—                            |
| <b>VD 1000, painted</b>                                   | A        | 1041,— | 226,—           | 1267,—                          |
| Lid, galvanized                                           | A        | 174,—  | 22,—            | 196,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 121,—  | 0,—             | 121,—                           |
| <b>VD 1000, hot-dip galvanized</b>                        | A        | 1469,— | 226,—           | 1695,—                          |
| Lid, galvanized                                           | A        | 174,—  | 22,—            | 196,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 121,—  | 0,—             | 121,—                           |

| Tilting Container Type VG                                 | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>VG 550, painted</b>                                    | A        | 812,—  | 226,—           | 1038,—                          |
| Lid, galvanized                                           | A        | 144,—  | 18,—            | 162,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,—   | 0,—             | 78,—                            |
| <b>VG 550, hot-dip galvanized</b>                         | A        | 1058,— | 226,—           | 1284,—                          |
| Lid, galvanized                                           | A        | 144,—  | 18,—            | 162,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,—   | 0,—             | 78,—                            |
| <b>VG 700, painted</b>                                    | A        | 962,—  | 226,—           | 1188,—                          |
| Lid, galvanized                                           | A        | 144,—  | 18,—            | 162,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,—   | 0,—             | 78,—                            |
| <b>VG 700, hot-dip galvanized</b>                         | A        | 1252,— | 226,—           | 1478,—                          |
| Lid, galvanized                                           | A        | 144,—  | 18,—            | 162,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,—   | 0,—             | 78,—                            |
| <b>VG 900, painted</b>                                    | A        | 1060,— | 226,—           | 1286,—                          |
| Lid, galvanized                                           | A        | 174,—  | 22,—            | 196,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,—   | 0,—             | 78,—                            |
| <b>VG 900, hot-dip galvanized</b>                         | A        | 1502,— | 226,—           | 1728,—                          |
| Lid, galvanized                                           | A        | 174,—  | 22,—            | 196,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 78,—   | 0,—             | 78,—                            |
| <b>VG 1100, painted</b>                                   | A        | 1150,— | 226,—           | 1376,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Forklift Truck Attachments



| Tilting Container Type VG                                 | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Lid, galvanized                                           | A        | 174,—  | 22,—            | 196,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 121,—  | 0,—             | 121,—                           |
| <b>VG 1100, hot-dip galvanized</b>                        | A        | 1561,— | 226,—           | 1787,—                          |
| Lid, galvanized                                           | A        | 174,—  | 22,—            | 196,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set | A        | 192,—  | 15,—            | 207,—                           |
| Skip Body Welded Oil and Watertight                       | A        | 121,—  | 0,—             | 121,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

## Price List 0726 en-BG

### Workspace Material Handling

| Battery Charging Station Type BL   | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------|----------|--------|-----------------|---------------------------------|
| BL 1, painted                      | A        | 1422,— | 138,—           | 1560,—                          |
| Fire Extinguisher                  | A        | 204,—  | 14,—            | 218,—                           |
| Storage tray for water receptacle  | A        | 64,—   | 13,—            | 77,—                            |
| BL 2, painted                      | A        | 1798,— | 138,—           | 1936,—                          |
| Fire Extinguisher                  | A        | 204,—  | 14,—            | 218,—                           |
| Storage tray for water receptacle  | A        | 64,—   | 13,—            | 77,—                            |
| BL 3, painted                      | A        | 1798,— | 138,—           | 1936,—                          |
| Fire Extinguisher                  | A        | 204,—  | 14,—            | 218,—                           |
| Storage tray for water receptacle  | A        | 64,—   | 13,—            | 77,—                            |
| Drum Jack Roller Type FHR          | Category | Price  | Freight charges | Price including freight charges |
| FHR 600 F, painted                 | B        | 3286,— | 331,—           | 3617,—                          |
| FHR 600 F, hot-dip galvanized      | B        | 3641,— | 331,—           | 3972,—                          |
| FHR 600 G, painted                 | B        | 2617,— | 226,—           | 2843,—                          |
| FHR 600 G, hot-dip galvanized      | B        | 2888,— | 226,—           | 3114,—                          |
| FHR 600 K, painted                 | B        | 2617,— | 226,—           | 2843,—                          |
| FHR 600 K, hot-dip galvanized      | B        | 2888,— | 226,—           | 3114,—                          |
| Drum Trolley Type FP-L             | Category | Price  | Freight charges | Price including freight charges |
| FP-L, galvanized                   | C        | 624,—  | 138,—           | 762,—                           |
| Drum Trolley Type FP-V             | Category | Price  | Freight charges | Price including freight charges |
| FP-V, galvanized                   | C        | 605,—  | 138,—           | 743,—                           |
| Drum Dolly Type FRW                | Category | Price  | Freight charges | Price including freight charges |
| FRW-I, hot-dip galvanized          | A        | 116,—  | 118,—           | 234,—                           |
| FRW-II, hot-dip galvanized         | A        | 154,—  | 118,—           | 272,—                           |
| FRW-III, hot-dip galvanized        | A        | 207,—  | 138,—           | 345,—                           |
| Dolly Type GRW                     | Category | Price  | Freight charges | Price including freight charges |
| GRW-I, hot-dip galvanized          | F        | 126,—  | 118,—           | 244,—                           |
| Handle, hot-dip galvanized         | F        | 55,—   | 10,—            | 65,—                            |
| GRW-II, hot-dip galvanized         | F        | 143,—  | 118,—           | 261,—                           |
| Handle, hot-dip galvanized         | F        | 55,—   | 10,—            | 65,—                            |
| GRW-III, hot-dip galvanized        | F        | 179,—  | 138,—           | 317,—                           |
| Handle, hot-dip galvanized         | F        | 55,—   | 10,—            | 65,—                            |
| Gas Cylinder Wall Bracket Type GWH | Category | Price  | Freight charges | Price including freight charges |
| GWH 140-I, hot-dip galvanized      | F        | 26,—   | 118,—           | 144,—                           |
| GWH 140-II, hot-dip galvanized     | F        | 40,—   | 118,—           | 158,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Workspace Material Handling



| Gas Cylinder Wall Bracket Type GWH            | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------|----------|--------|-----------------|---------------------------------|
| GWH 140-III, hot-dip galvanized               | F        | 59,—   | 118,—           | 177,—                           |
| GWH 230-I, hot-dip galvanized                 | F        | 28,—   | 118,—           | 146,—                           |
| GWH 230-II, hot-dip galvanized                | F        | 43,—   | 118,—           | 161,—                           |
| GWH 230-III, hot-dip galvanized               | F        | 65,—   | 118,—           | 183,—                           |
| GWH 320-I, hot-dip galvanized                 | F        | 29,—   | 118,—           | 147,—                           |
| GWH 320-II, hot-dip galvanized                | F        | 48,—   | 118,—           | 166,—                           |
| GWH 320-III, hot-dip galvanized               | F        | 72,—   | 118,—           | 190,—                           |
| Fork Lifter Type GZH-A                        | Category | Price  | Freight charges | Price including freight charges |
| GZH-A, painted                                | F        | 114,—  | 118,—           | 232,—                           |
| Fork Lifter Type GZH-B                        | Category | Price  | Freight charges | Price including freight charges |
| GZH-B, painted                                | F        | 114,—  | 118,—           | 232,—                           |
| Fork Pallet Type GZP                          | Category | Price  | Freight charges | Price including freight charges |
| GZP 4, hot-dip galvanized                     | A        | 161,—  | 138,—           | 299,—                           |
| GZP 8, hot-dip galvanized                     | A        | 201,—  | 138,—           | 339,—                           |
| IBC Residue Drainer Type IR                   | Category | Price  | Freight charges | Price including freight charges |
| IR-1, hot-dip galvanized                      | A        | 596,—  | 138,—           | 734,—                           |
| IR-2, hot-dip galvanized                      | A        | 711,—  | 138,—           | 849,—                           |
| IR-3, hot-dip galvanized                      | A        | 596,—  | 138,—           | 734,—                           |
| Tilting Canister Stand Type KAH               | Category | Price  | Freight charges | Price including freight charges |
| KAH-5, galvanized                             | A        | 96,—   | 118,—           | 214,—                           |
| KAH-25, galvanized                            | A        | 109,—  | 118,—           | 227,—                           |
| KAH-60, galvanized                            | A        | 140,—  | 118,—           | 258,—                           |
| Sheet Metal Storage Units With Trays Type KBR | Category | Price  | Freight charges | Price including freight charges |
| KBR 1, painted                                | A        | 5985,— | 941,—           | 6926,—                          |
| KBR 2, painted                                | A        | 6207,— | on request      | on request                      |
| KBR 3, painted                                | A        | 6667,— | on request      | on request                      |
| Liftomat Type L/E                             | Category | Price  | Freight charges | Price including freight charges |
| L/E 1300, painted                             | B        | 4908,— | 331,—           | 5239,—                          |
| L/E 1300, hot-dip galvanized                  | B        | 5578,— | 331,—           | 5909,—                          |
| Liftomat Type L/M                             | Category | Price  | Freight charges | Price including freight charges |
| L/M 600, painted                              | B        | 3553,— | 226,—           | 3779,—                          |
| L/M 600, hot-dip galvanized                   | B        | 4025,— | 226,—           | 4251,—                          |
| L/M 1300, painted                             | B        | 3986,— | 331,—           | 4317,—                          |
| L/M 1300, hot-dip galvanized                  | B        | 4569,— | 331,—           | 4900,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Workspace Material Handling



| Security Cage for Storage Type LBM                        | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| LBM 1500, hot-dip galvanized                              | A        | 2002,— | 331,—           | 2333,—                          |
| LBM 3000, hot-dip galvanized                              | A        | 2747,— | 582,—           | 3329,—                          |
| LBM 4500, hot-dip galvanized                              | A        | 3492,— | 582,—           | 4074,—                          |
| LBM 6000, hot-dip galvanized                              | A        | 4232,— | 763,—           | 4995,—                          |
| Wheelie Bin Tipping Station Type MKS                      | Category | Price  | Freight charges | Price including freight charges |
| MKS-12V, painted                                          | A        | 3745,— | 226,—           | 3971,—                          |
| External Charger for 12 V electro-hydraulic constructions | A        | 201,—  | 15,—            | 216,—                           |
| MKS-230V, painted                                         | A        | 3745,— | 226,—           | 3971,—                          |
| Wheelie Bin Tipping Station Type MKS-F                    | Category | Price  | Freight charges | Price including freight charges |
| MKS-F, painted                                            | A        | 2459,— | 226,—           | 2685,—                          |
| Wheelie Bin Tipping Station Type MKS-H                    | Category | Price  | Freight charges | Price including freight charges |
| MKS-H, painted                                            | A        | 2459,— | 226,—           | 2685,—                          |
| Stillage Transport Cage Type MTP                          | Category | Price  | Freight charges | Price including freight charges |
| MTP 2000, hot-dip galvanized                              | A        | 2196,— | 331,—           | 2527,—                          |
| Tension belt                                              | A        | 48,—   | 8,—             | 56,—                            |
| MTP 3000, hot-dip galvanized                              | A        | 2774,— | 402,—           | 3176,—                          |
| Tension belt                                              | A        | 48,—   | 8,—             | 56,—                            |
| Two-Wheeled Pallet Picker Type PZ                         | Category | Price  | Freight charges | Price including freight charges |
| PZ, hot-dip galvanized                                    | F        | 456,—  | 118,—           | 574,—                           |
| Tyre Fitting Equipment Type RM                            | Category | Price  | Freight charges | Price including freight charges |
| RM, painted                                               | F        | 458,—  | 118,—           | 576,—                           |
| Surround for Waste Bins Type SECOMAT                      | Category | Price  | Freight charges | Price including freight charges |
| S 120-D, powder coated                                    | B        | 682,—  | 138,—           | 820,—                           |
| S 120-K, powder coated                                    | B        | 764,—  | 138,—           | 902,—                           |
| S 240-D, powder coated                                    | B        | 782,—  | 138,—           | 920,—                           |
| S 240-K, powder coated                                    | B        | 856,—  | 138,—           | 994,—                           |
| S1100, powder-coated                                      | B        | 791,—  | 138,—           | 929,—                           |
| S1100-W, powder-coated                                    | B        | 1040,— | 226,—           | 1266,—                          |
| S1100-WT, powder-coated                                   | B        | 1305,— | 226,—           | 1531,—                          |
| S1100-WTB, powder-coated                                  | B        | 1408,— | 226,—           | 1634,—                          |
| S4USE, powder coated                                      | C        | 2656,— | 331,—           | 2987,—                          |
| Gas Cylinder Pallet Type SFP                              | Category | Price  | Freight charges | Price including freight charges |
| SFP 4, hot-dip galvanized                                 | C        | 346,—  | 138,—           | 484,—                           |
| SFP 8, hot-dip galvanized                                 | C        | 460,—  | 226,—           | 686,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

## Price List 0726 en-BG

### Workspace Material Handling



| Loading Support Type VS | Category | Price | Freight charges | Price including freight charges |
|-------------------------|----------|-------|-----------------|---------------------------------|
| VS, painted             | C        | 765,— | 226,—           | 991,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

## Price List 0726 en-BG Environment / Storage

| Sump Trays Type SERIES 2000               | Category | Price | Freight charges | Price including freight charges |
|-------------------------------------------|----------|-------|-----------------|---------------------------------|
| 2000, painted                             | B        | 250,— | 138,—           | 388,—                           |
| 2000, hot-dip galvanized                  | B        | 288,— | 138,—           | 426,—                           |
| 2002, painted                             | B        | 285,— | 138,—           | 423,—                           |
| 2002, hot-dip galvanized                  | B        | 322,— | 138,—           | 460,—                           |
| 2008, painted                             | B        | 250,— | 138,—           | 388,—                           |
| 2008, hot-dip galvanized                  | B        | 300,— | 138,—           | 438,—                           |
| 2010, painted                             | B        | 301,— | 138,—           | 439,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 109,— | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 118,— | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 138,— | 21,—            | 159,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 118,— | 15,—            | 133,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| 2010, hot-dip galvanized                  | B        | 351,— | 138,—           | 489,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 109,— | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 118,— | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 138,— | 21,—            | 159,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 118,— | 15,—            | 133,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| 2016, painted                             | B        | 262,— | 138,—           | 400,—                           |
| 2016, hot-dip galvanized                  | B        | 314,— | 138,—           | 452,—                           |
| 2018, painted                             | B        | 315,— | 138,—           | 453,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 109,— | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 118,— | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 138,— | 21,—            | 159,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 118,— | 15,—            | 133,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| 2018, hot-dip galvanized                  | B        | 365,— | 138,—           | 503,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 109,— | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 118,— | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 138,— | 21,—            | 159,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 118,— | 15,—            | 133,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| 2026, painted                             | B        | 262,— | 138,—           | 400,—                           |
| 2026, hot-dip galvanized                  | B        | 310,— | 138,—           | 448,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Environment / Storage



| Sump Trays Type SERIES 2000               | Category | Price | Freight charges | Price including freight charges |
|-------------------------------------------|----------|-------|-----------------|---------------------------------|
| <b>2028, painted</b>                      | B        | 366,— | 138,—           | 504,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 109,— | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 118,— | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 138,— | 21,—            | 159,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 118,— | 15,—            | 133,—                           |
| Drum Support FA 200-2, hot-dip galvanized | B        | 138,— | 22,—            | 160,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| <b>2028, hot-dip galvanized</b>           | B        | 412,— | 138,—           | 550,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 109,— | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 118,— | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 138,— | 21,—            | 159,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 118,— | 15,—            | 133,—                           |
| Drum Support FA 200-2, hot-dip galvanized | B        | 138,— | 22,—            | 160,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| <b>2030, painted</b>                      | B        | 275,— | 138,—           | 413,—                           |
| <b>2030, hot-dip galvanized</b>           | B        | 321,— | 138,—           | 459,—                           |
| <b>2032, painted</b>                      | B        | 378,— | 138,—           | 516,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 109,— | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 118,— | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 138,— | 21,—            | 159,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 118,— | 15,—            | 133,—                           |
| Drum Support FA 200-2, hot-dip galvanized | B        | 138,— | 22,—            | 160,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| <b>2032, hot-dip galvanized</b>           | B        | 426,— | 138,—           | 564,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 109,— | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 118,— | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 138,— | 21,—            | 159,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 118,— | 15,—            | 133,—                           |
| Drum Support FA 200-2, hot-dip galvanized | B        | 138,— | 22,—            | 160,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| <b>2040, painted</b>                      | B        | 351,— | 138,—           | 489,—                           |
| <b>2040, hot-dip galvanized</b>           | B        | 426,— | 138,—           | 564,—                           |
| <b>2042, painted</b>                      | B        | 455,— | 226,—           | 681,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 109,— | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 118,— | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 138,— | 21,—            | 159,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 138,— | 118,—           | 256,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Environment / Storage



| Sump Trays Type SERIES 2000               | Category | Price | Freight charges | Price including freight charges |
|-------------------------------------------|----------|-------|-----------------|---------------------------------|
| Can Shelf Type GR-C, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| <b>2042, hot-dip galvanized</b>           | B        | 529,— | 226,—           | 755,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 109,— | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 118,— | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 138,— | 21,—            | 159,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| <b>2048, painted</b>                      | B        | 271,— | 138,—           | 409,—                           |
| <b>2048, hot-dip galvanized</b>           | B        | 316,— | 138,—           | 454,—                           |
| <b>2050, painted</b>                      | B        | 369,— | 138,—           | 507,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 109,— | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 118,— | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 138,— | 21,—            | 159,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| <b>2050, hot-dip galvanized</b>           | B        | 414,— | 138,—           | 552,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 109,— | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 118,— | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 138,— | 21,—            | 159,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Sump Trays Type SERIES 2000/SW            | Category | Price | Freight charges | Price including freight charges |
| <b>2002/SW, painted</b>                   | B        | 427,— | 138,—           | 565,—                           |
| <b>2002/SW, hot-dip galvanized</b>        | B        | 464,— | 138,—           | 602,—                           |
| <b>2018/SW, painted</b>                   | B        | 468,— | 226,—           | 694,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 109,— | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 118,— | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 138,— | 21,—            | 159,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 118,— | 15,—            | 133,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| <b>2018/SW, hot-dip galvanized</b>        | B        | 517,— | 226,—           | 743,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 109,— | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 118,— | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 138,— | 21,—            | 159,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 118,— | 15,—            | 133,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| <b>2032/SW, painted</b>                   | B        | 552,— | 226,—           | 778,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 109,— | 15,—            | 124,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Environment / Storage



| Sump Trays Type SERIES 2000/SW                   | Category | Price | Freight charges | Price including freight charges |
|--------------------------------------------------|----------|-------|-----------------|---------------------------------|
| Drum Support FA 60-2, hot-dip galvanized         | B        | 118,— | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized         | B        | 138,— | 21,—            | 159,—                           |
| Drum Support FA 200-1, hot-dip galvanized        | B        | 118,— | 15,—            | 133,—                           |
| Drum Support FA 200-2, hot-dip galvanized        | B        | 138,— | 22,—            | 160,—                           |
| Can Shelf Type GR-A, galvanized                  | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized                  | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized                  | B        | 138,— | 118,—           | 256,—                           |
| <b>2032/SW, hot-dip galvanized</b>               | B        | 600,— | 226,—           | 826,—                           |
| Drum Support FA 60-1, hot-dip galvanized         | B        | 109,— | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized         | B        | 118,— | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized         | B        | 138,— | 21,—            | 159,—                           |
| Drum Support FA 200-1, hot-dip galvanized        | B        | 118,— | 15,—            | 133,—                           |
| Drum Support FA 200-2, hot-dip galvanized        | B        | 138,— | 22,—            | 160,—                           |
| Can Shelf Type GR-A, galvanized                  | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized                  | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized                  | B        | 138,— | 118,—           | 256,—                           |
| <b>2042/SW, painted</b>                          | B        | 685,— | 280,—           | 965,—                           |
| Drum Support FA 60-1, hot-dip galvanized         | B        | 109,— | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized         | B        | 118,— | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized         | B        | 138,— | 21,—            | 159,—                           |
| Can Shelf Type GR-A, galvanized                  | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized                  | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized                  | B        | 138,— | 118,—           | 256,—                           |
| <b>2042/SW, hot-dip galvanized</b>               | B        | 760,— | 280,—           | 1040,—                          |
| Drum Support FA 60-1, hot-dip galvanized         | B        | 109,— | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized         | B        | 118,— | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized         | B        | 138,— | 21,—            | 159,—                           |
| Can Shelf Type GR-A, galvanized                  | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized                  | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized                  | B        | 138,— | 118,—           | 256,—                           |
| Mobile Sump Trays Type SERIES 2000               | Category | Price | Freight charges | Price including freight charges |
| <b>2004, painted</b>                             | B        | 590,— | 138,—           | 728,—                           |
| Fixture and Tension Belt for 1 x 200 Litre Drum  | B        | 48,—  | 9,—             | 57,—                            |
| <b>2004, hot-dip galvanized</b>                  | B        | 657,— | 138,—           | 795,—                           |
| Fixture and Tension Belt for 1 x 200 Litre Drum  | B        | 48,—  | 9,—             | 57,—                            |
| <b>2020, painted</b>                             | B        | 656,— | 138,—           | 794,—                           |
| Fixture and Tension Belt for 2 x 200 Litre Drums | B        | 48,—  | 9,—             | 57,—                            |
| <b>2020, hot-dip galvanized</b>                  | B        | 717,— | 138,—           | 855,—                           |
| Fixture and Tension Belt for 2 x 200 Litre Drums | B        | 48,—  | 9,—             | 57,—                            |
| <b>2050 SR, painted</b>                          | B        | 709,— | 138,—           | 847,—                           |
| Fixture and Tension Belt for 3 x 200 Litre Drums | B        | 48,—  | 9,—             | 57,—                            |
| <b>2050 SR, hot-dip galvanized</b>               | B        | 766,— | 226,—           | 992,—                           |
| Fixture and Tension Belt for 3 x 200 Litre Drums | B        | 48,—  | 9,—             | 57,—                            |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Environment / Storage



| Drum Shelves with Sump Trays Type SERIES 3000 | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>3000, hot-dip galvanized</b>               | B        | 1091,— | 226,—           | 1317,—                          |
| Retainer Bar                                  | B        | 48,—   | 12,—            | 60,—                            |
| Rotating Support RA 200, hot-dip galvanized   | B        | 97,—   | 10,—            | 107,—                           |
| Can Stand Type GS, hot-dip galvanized         | B        | 65,—   | 18,—            | 83,—                            |
| Crash Guard                                   | B        | 75,—   | 9,—             | 84,—                            |
| <b>3001, hot-dip galvanized</b>               | B        | 919,—  | 226,—           | 1145,—                          |
| Retainer Bar                                  | B        | 48,—   | 12,—            | 60,—                            |
| Rotating Support RA 200, hot-dip galvanized   | B        | 97,—   | 10,—            | 107,—                           |
| Can Stand Type GS, hot-dip galvanized         | B        | 65,—   | 18,—            | 83,—                            |
| Crash Guard                                   | B        | 75,—   | 9,—             | 84,—                            |
| <b>3002, hot-dip galvanized</b>               | B        | 1299,— | 280,—           | 1579,—                          |
| Retainer Bar                                  | B        | 48,—   | 12,—            | 60,—                            |
| Rotating Support RA 200, hot-dip galvanized   | B        | 97,—   | 10,—            | 107,—                           |
| Can Stand Type GS, hot-dip galvanized         | B        | 65,—   | 18,—            | 83,—                            |
| Crash Guard                                   | B        | 75,—   | 9,—             | 84,—                            |
| <b>3003, hot-dip galvanized</b>               | B        | 1101,— | 280,—           | 1381,—                          |
| Retainer Bar                                  | B        | 48,—   | 12,—            | 60,—                            |
| Rotating Support RA 200, hot-dip galvanized   | B        | 97,—   | 10,—            | 107,—                           |
| Can Stand Type GS, hot-dip galvanized         | B        | 65,—   | 18,—            | 83,—                            |
| Crash Guard                                   | B        | 75,—   | 9,—             | 84,—                            |
| <b>3004, hot-dip galvanized</b>               | B        | 1344,— | 226,—           | 1570,—                          |
| Retainer Bar                                  | B        | 48,—   | 12,—            | 60,—                            |
| Rotating Support RA 60, hot-dip galvanized    | B        | 97,—   | 9,—             | 106,—                           |
| Can Stand Type GS, hot-dip galvanized         | B        | 65,—   | 18,—            | 83,—                            |
| Crash Guard                                   | B        | 75,—   | 9,—             | 84,—                            |
| <b>3005, hot-dip galvanized</b>               | B        | 1216,— | 226,—           | 1442,—                          |
| Retainer Bar                                  | B        | 48,—   | 12,—            | 60,—                            |
| Rotating Support RA 60, hot-dip galvanized    | B        | 97,—   | 9,—             | 106,—                           |
| Can Stand Type GS, hot-dip galvanized         | B        | 65,—   | 18,—            | 83,—                            |
| Crash Guard                                   | B        | 75,—   | 9,—             | 84,—                            |
| <b>3006, hot-dip galvanized</b>               | B        | 1697,— | 384,—           | 2081,—                          |
| Retainer Bar                                  | B        | 48,—   | 12,—            | 60,—                            |
| Rotating Support RA 60, hot-dip galvanized    | B        | 97,—   | 9,—             | 106,—                           |
| Can Stand Type GS, hot-dip galvanized         | B        | 65,—   | 18,—            | 83,—                            |
| Crash Guard                                   | B        | 75,—   | 9,—             | 84,—                            |
| <b>3007, hot-dip galvanized</b>               | B        | 1449,— | 280,—           | 1729,—                          |
| Retainer Bar                                  | B        | 48,—   | 12,—            | 60,—                            |
| Rotating Support RA 60, hot-dip galvanized    | B        | 97,—   | 9,—             | 106,—                           |
| Can Stand Type GS, hot-dip galvanized         | B        | 65,—   | 18,—            | 83,—                            |
| Crash Guard                                   | B        | 75,—   | 9,—             | 84,—                            |
| <b>3010, hot-dip galvanized</b>               | B        | 1288,— | 280,—           | 1568,—                          |
| Retainer Bar                                  | B        | 48,—   | 12,—            | 60,—                            |
| Rotating Support RA 200, hot-dip galvanized   | B        | 97,—   | 10,—            | 107,—                           |
| Can Stand Type GS, hot-dip galvanized         | B        | 65,—   | 18,—            | 83,—                            |
| Crash Guard                                   | B        | 75,—   | 9,—             | 84,—                            |
| <b>3011, hot-dip galvanized</b>               | B        | 1071,— | 280,—           | 1351,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Environment / Storage



| Drum Shelves with Sump Trays Type SERIES 3000 | Category | Price | Freight charges | Price including freight charges |
|-----------------------------------------------|----------|-------|-----------------|---------------------------------|
| Retainer Bar                                  | B        | 48,—  | 12,—            | 60,—                            |
| Rotating Support RA 200, hot-dip galvanized   | B        | 97,—  | 10,—            | 107,—                           |
| Can Stand Type GS, hot-dip galvanized         | B        | 65,—  | 18,—            | 83,—                            |
| Crash Guard                                   | B        | 75,—  | 9,—             | 84,—                            |

| Small Can Shelves with Sumps Type SERIES 3000 | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------|----------|--------|-----------------|---------------------------------|
| 3017-4E, galvanized                           | B        | 478,—  | 138,—           | 616,—                           |
| 3018-4E, galvanized                           | B        | 397,—  | 138,—           | 535,—                           |
| 3019-4E, galvanized                           | B        | 576,—  | 226,—           | 802,—                           |
| 3020-4E, galvanized                           | B        | 493,—  | 226,—           | 719,—                           |
| 3021-4E, galvanized                           | B        | 719,—  | 226,—           | 945,—                           |
| 3022-4E, galvanized                           | B        | 626,—  | 138,—           | 764,—                           |
| 3023-4E, galvanized                           | B        | 1162,— | 280,—           | 1442,—                          |
| 3024-4E, galvanized                           | B        | 968,—  | 280,—           | 1248,—                          |

| Shelves Type AG             | Category | Price | Freight charges | Price including freight charges |
|-----------------------------|----------|-------|-----------------|---------------------------------|
| AG 60-1, hot-dip galvanized | B        | 112,— | 12,—            | 124,—                           |
| AG 60-2, hot-dip galvanized | B        | 117,— | 14,—            | 131,—                           |
| AG 60-3, hot-dip galvanized | B        | 126,— | 15,—            | 141,—                           |

| Sump Tray Type AM                         | Category | Price | Freight charges | Price including freight charges |
|-------------------------------------------|----------|-------|-----------------|---------------------------------|
| AM-1, painted                             | B        | 335,— | 138,—           | 473,—                           |
| AM-1, hot-dip galvanized                  | B        | 379,— | 138,—           | 517,—                           |
| AM-2, painted                             | B        | 370,— | 138,—           | 508,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 109,— | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 118,— | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 138,— | 21,—            | 159,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 118,— | 15,—            | 133,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| AM-2, hot-dip galvanized                  | B        | 427,— | 138,—           | 565,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 109,— | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 118,— | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 138,— | 21,—            | 159,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 118,— | 15,—            | 133,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| AM-4/A, painted                           | B        | 443,— | 138,—           | 581,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 109,— | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 118,— | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 138,— | 21,—            | 159,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 118,— | 15,—            | 133,—                           |
| Drum Support FA 200-2, hot-dip galvanized | B        | 138,— | 22,—            | 160,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Environment / Storage



| Sump Tray Type AM                         | Category | Price | Freight charges | Price including freight charges |
|-------------------------------------------|----------|-------|-----------------|---------------------------------|
| Can Shelf Type GR-A, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| <b>AM-4/A, hot-dip galvanized</b>         | B        | 499,— | 226,—           | 725,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 109,— | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 118,— | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 138,— | 21,—            | 159,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 118,— | 15,—            | 133,—                           |
| Drum Support FA 200-2, hot-dip galvanized | B        | 138,— | 22,—            | 160,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| <b>AM-4/B, painted</b>                    | B        | 532,— | 226,—           | 758,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 109,— | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 118,— | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 138,— | 21,—            | 159,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| <b>AM-4/B, hot-dip galvanized</b>         | B        | 624,— | 226,—           | 850,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 109,— | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 118,— | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 138,— | 21,—            | 159,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Sump Tray Type A0                         | Category | Price | Freight charges | Price including freight charges |
| <b>A0-1, painted</b>                      | B        | 292,— | 138,—           | 430,—                           |
| <b>A0-1, hot-dip galvanized</b>           | B        | 337,— | 138,—           | 475,—                           |
| <b>A0-2, painted</b>                      | B        | 310,— | 138,—           | 448,—                           |
| <b>A0-2, hot-dip galvanized</b>           | B        | 367,— | 138,—           | 505,—                           |
| <b>A0-4/A, painted</b>                    | B        | 322,— | 138,—           | 460,—                           |
| <b>A0-4/A, hot-dip galvanized</b>         | B        | 378,— | 138,—           | 516,—                           |
| <b>A0-4/B, painted</b>                    | B        | 412,— | 138,—           | 550,—                           |
| <b>A0-4/B, hot-dip galvanized</b>         | B        | 500,— | 138,—           | 638,—                           |
| Sump Tray Type AW                         | Category | Price | Freight charges | Price including freight charges |
| <b>AW 450, painted</b>                    | B        | 641,— | 226,—           | 867,—                           |
| <b>AW 450, hot-dip galvanized</b>         | B        | 795,— | 226,—           | 1021,—                          |
| <b>AW 800, painted</b>                    | B        | 667,— | 226,—           | 893,—                           |
| <b>AW 800, hot-dip galvanized</b>         | B        | 831,— | 226,—           | 1057,—                          |
| <b>AW 1000, painted</b>                   | B        | 672,— | 226,—           | 898,—                           |
| <b>AW 1000, hot-dip galvanized</b>        | B        | 838,— | 226,—           | 1064,—                          |
| <b>AW 1000-2, painted</b>                 | B        | 861,— | 384,—           | 1245,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Environment / Storage



| Sump Tray Type AW               | Category | Price  | Freight charges | Price including freight charges |
|---------------------------------|----------|--------|-----------------|---------------------------------|
| AW 1000-2, hot-dip galvanized   | B        | 966,—  | 384,—           | 1350,—                          |
| AW 1000-3, painted              | B        | 1524,— | 384,—           | 1908,—                          |
| AW 1000-3, hot-dip galvanized   | B        | 1641,— | 455,—           | 2096,—                          |
| AW 1000-10F, painted            | B        | 1032,— | 384,—           | 1416,—                          |
| AW 1000-10F, hot-dip galvanized | B        | 1195,— | 384,—           | 1579,—                          |

| Sump Tray Type AW/SW               | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------|----------|--------|-----------------|---------------------------------|
| AW 450/SW, painted                 | B        | 844,—  | 226,—           | 1070,—                          |
| AW 450/SW, hot-dip galvanized      | B        | 998,—  | 331,—           | 1329,—                          |
| AW 800/SW, painted                 | B        | 869,—  | 331,—           | 1200,—                          |
| AW 800/SW, hot-dip galvanized      | B        | 1032,— | 331,—           | 1363,—                          |
| AW 1000/SW, painted                | B        | 874,—  | 331,—           | 1205,—                          |
| AW 1000/SW, hot-dip galvanized     | B        | 1042,— | 331,—           | 1373,—                          |
| AW 1000-2/SW, painted              | B        | 1091,— | 384,—           | 1475,—                          |
| AW 1000-2/SW, hot-dip galvanized   | B        | 1196,— | 455,—           | 1651,—                          |
| AW 1000-3/SW, painted              | B        | 1787,— | on request      | on request                      |
| AW 1000-3/SW, hot-dip galvanized   | B        | 2121,— | on request      | on request                      |
| AW 1000-10F/SW, painted            | B        | 1387,— | 455,—           | 1842,—                          |
| AW 1000-10F/SW, hot-dip galvanized | B        | 1548,— | 455,—           | 2003,—                          |

| Mobile Sump Tray AW 60-1 SR                     | Category | Price | Freight charges | Price including freight charges |
|-------------------------------------------------|----------|-------|-----------------|---------------------------------|
| AW 60-1 SR, painted                             | B        | 325,— | 138,—           | 463,—                           |
| Fixture and Tension belt for 2 x 60 Litre Drums | B        | 45,—  | 8,—             | 53,—                            |
| AW 60-1 SR, hot-dip galvanized                  | B        | 345,— | 138,—           | 483,—                           |
| Fixture and Tension belt for 2 x 60 Litre Drums | B        | 45,—  | 8,—             | 53,—                            |

| Mobile Sump Tray AW 60-1 SRF    | Category | Price | Freight charges | Price including freight charges |
|---------------------------------|----------|-------|-----------------|---------------------------------|
| AW 60-1 SRF, painted            | B        | 429,— | 138,—           | 567,—                           |
| AW 60-1 SRF, hot-dip galvanized | B        | 451,— | 138,—           | 589,—                           |

| Sump Tray Type AW 60                                     | Category | Price | Freight charges | Price including freight charges |
|----------------------------------------------------------|----------|-------|-----------------|---------------------------------|
| AW 60-1, painted                                         | B        | 176,— | 118,—           | 294,—                           |
| Grid GR 60-1, hot-dip galvanized                         | B        | 23,—  | 8,—             | 31,—                            |
| Drum Support FA 60-A, galvanized                         | B        | 25,—  | 8,—             | 33,—                            |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 97,—  | 9,—             | 106,—                           |
| AG 60-1, hot-dip galvanized                              | B        | 112,— | 12,—            | 124,—                           |
| Canister Stand AB, galvanized                            | B        | 19,—  | 8,—             | 27,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 86,—  | 15,—            | 101,—                           |
| AW 60-1, hot-dip galvanized                              | B        | 189,— | 118,—           | 307,—                           |
| Grid GR 60-1, hot-dip galvanized                         | B        | 23,—  | 8,—             | 31,—                            |
| Drum Support FA 60-A, galvanized                         | B        | 25,—  | 8,—             | 33,—                            |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 97,—  | 9,—             | 106,—                           |
| AG 60-1, hot-dip galvanized                              | B        | 112,— | 12,—            | 124,—                           |
| Canister Stand AB, galvanized                            | B        | 19,—  | 8,—             | 27,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 86,—  | 15,—            | 101,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Environment / Storage



| Sump Tray Type AW 60                                     | Category | Price | Freight charges | Price including freight charges |
|----------------------------------------------------------|----------|-------|-----------------|---------------------------------|
| <b>AW 60-2, painted</b>                                  | B        | 177,— | 138,—           | 315,—                           |
| Grid GR 60-2, hot-dip galvanized                         | B        | 27,—  | 12,—            | 39,—                            |
| Drum Support FA 60-A, galvanized                         | B        | 25,—  | 8,—             | 33,—                            |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 97,—  | 9,—             | 106,—                           |
| <b>AG 60-2, hot-dip galvanized</b>                       | B        | 117,— | 14,—            | 131,—                           |
| Canister Stand AB, galvanized                            | B        | 19,—  | 8,—             | 27,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 86,—  | 15,—            | 101,—                           |
| <b>AW 60-2, hot-dip galvanized</b>                       | B        | 195,— | 138,—           | 333,—                           |
| Grid GR 60-2, hot-dip galvanized                         | B        | 27,—  | 12,—            | 39,—                            |
| Drum Support FA 60-A, galvanized                         | B        | 25,—  | 8,—             | 33,—                            |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 97,—  | 9,—             | 106,—                           |
| <b>AG 60-2, hot-dip galvanized</b>                       | B        | 117,— | 14,—            | 131,—                           |
| Canister Stand AB, galvanized                            | B        | 19,—  | 8,—             | 27,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 86,—  | 15,—            | 101,—                           |
| <b>AW 60-3, painted</b>                                  | B        | 193,— | 138,—           | 331,—                           |
| Grid GR 60-3, hot-dip galvanized                         | B        | 40,—  | 14,—            | 54,—                            |
| Drum Support FA 60-A, galvanized                         | B        | 25,—  | 8,—             | 33,—                            |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 97,—  | 9,—             | 106,—                           |
| <b>AG 60-3, hot-dip galvanized</b>                       | B        | 126,— | 15,—            | 141,—                           |
| Canister Stand AB, galvanized                            | B        | 19,—  | 8,—             | 27,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 86,—  | 15,—            | 101,—                           |
| <b>AW 60-3, hot-dip galvanized</b>                       | B        | 217,— | 138,—           | 355,—                           |
| Grid GR 60-3, hot-dip galvanized                         | B        | 40,—  | 14,—            | 54,—                            |
| Drum Support FA 60-A, galvanized                         | B        | 25,—  | 8,—             | 33,—                            |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 97,—  | 9,—             | 106,—                           |
| <b>AG 60-3, hot-dip galvanized</b>                       | B        | 126,— | 15,—            | 141,—                           |
| Canister Stand AB, galvanized                            | B        | 19,—  | 8,—             | 27,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 86,—  | 15,—            | 101,—                           |

| Sump Tray Type AW 60/M                                   | Category | Price | Freight charges | Price including freight charges |
|----------------------------------------------------------|----------|-------|-----------------|---------------------------------|
| <b>AW 60-1/M, painted</b>                                | B        | 196,— | 138,—           | 334,—                           |
| Drum Support FA 60-A, galvanized                         | B        | 25,—  | 8,—             | 33,—                            |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 97,—  | 9,—             | 106,—                           |
| <b>AG 60-1, hot-dip galvanized</b>                       | B        | 112,— | 12,—            | 124,—                           |
| Canister Stand AB, galvanized                            | B        | 19,—  | 8,—             | 27,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 86,—  | 15,—            | 101,—                           |
| <b>AW 60-1/M, hot-dip galvanized</b>                     | B        | 211,— | 138,—           | 349,—                           |
| Drum Support FA 60-A, galvanized                         | B        | 25,—  | 8,—             | 33,—                            |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 97,—  | 9,—             | 106,—                           |
| <b>AG 60-1, hot-dip galvanized</b>                       | B        | 112,— | 12,—            | 124,—                           |
| Canister Stand AB, galvanized                            | B        | 19,—  | 8,—             | 27,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 86,—  | 15,—            | 101,—                           |
| <b>AW 60-2/M, painted</b>                                | B        | 203,— | 138,—           | 341,—                           |
| Drum Support FA 60-A, galvanized                         | B        | 25,—  | 8,—             | 33,—                            |
| Drum Support FA 60-2, hot-dip galvanized                 | B        | 118,— | 18,—            | 136,—                           |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 97,—  | 9,—             | 106,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Environment / Storage



| Sump Tray Type AW 60/M                                   | Category | Price | Freight charges | Price including freight charges |
|----------------------------------------------------------|----------|-------|-----------------|---------------------------------|
| <b>AG 60-2, hot-dip galvanized</b>                       | B        | 117,— | 14,—            | 131,—                           |
| Canister Stand AB, galvanized                            | B        | 19,—  | 8,—             | 27,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 86,—  | 15,—            | 101,—                           |
| <b>AW 60-2/M, hot-dip galvanized</b>                     | B        | 221,— | 138,—           | 359,—                           |
| Drum Support FA 60-A, galvanized                         | B        | 25,—  | 8,—             | 33,—                            |
| Drum Support FA 60-2, hot-dip galvanized                 | B        | 118,— | 18,—            | 136,—                           |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 97,—  | 9,—             | 106,—                           |
| <b>AG 60-2, hot-dip galvanized</b>                       | B        | 117,— | 14,—            | 131,—                           |
| Canister Stand AB, galvanized                            | B        | 19,—  | 8,—             | 27,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 86,—  | 15,—            | 101,—                           |
| <b>AW 60-3/M, painted</b>                                | B        | 232,— | 138,—           | 370,—                           |
| Drum Support FA 60-A, galvanized                         | B        | 25,—  | 8,—             | 33,—                            |
| Drum Support FA 60-2, hot-dip galvanized                 | B        | 118,— | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized                 | B        | 138,— | 21,—            | 159,—                           |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 97,—  | 9,—             | 106,—                           |
| <b>AG 60-3, hot-dip galvanized</b>                       | B        | 126,— | 15,—            | 141,—                           |
| Canister Stand AB, galvanized                            | B        | 19,—  | 8,—             | 27,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 86,—  | 15,—            | 101,—                           |
| <b>AW 60-3/M, hot-dip galvanized</b>                     | B        | 254,— | 138,—           | 392,—                           |
| Drum Support FA 60-A, galvanized                         | B        | 25,—  | 8,—             | 33,—                            |
| Drum Support FA 60-2, hot-dip galvanized                 | B        | 118,— | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized                 | B        | 138,— | 21,—            | 159,—                           |
| Rotating Support RA 60-A, hot-dip galvanized             | B        | 97,—  | 9,—             | 106,—                           |
| <b>AG 60-3, hot-dip galvanized</b>                       | B        | 126,— | 15,—            | 141,—                           |
| Canister Stand AB, galvanized                            | B        | 19,—  | 8,—             | 27,—                            |
| Castor Set, polyamide, Load capacity 375 kg / castor set | B        | 86,—  | 15,—            | 101,—                           |

| Sump Tray Type AW/PE                      | Category | Price | Freight charges | Price including freight charges |
|-------------------------------------------|----------|-------|-----------------|---------------------------------|
| <b>AW-1/PE, painted</b>                   | B        | 658,— | 138,—           | 796,—                           |
| <b>AW-1/PE, hot-dip galvanized</b>        | B        | 688,— | 138,—           | 826,—                           |
| <b>AW-2/PE, painted</b>                   | B        | 721,— | 138,—           | 859,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 109,— | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 118,— | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 138,— | 21,—            | 159,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 118,— | 15,—            | 133,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| <b>AW-2/PE, hot-dip galvanized</b>        | B        | 757,— | 138,—           | 895,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 109,— | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 118,— | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 138,— | 21,—            | 159,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 118,— | 15,—            | 133,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 138,— | 118,—           | 256,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Environment / Storage



| Sump Tray Type AW/PE                      | Category | Price  | Freight charges | Price including freight charges |
|-------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>AW-4/A/PE, painted</b>                 | B        | 818,—  | 226,—           | 1044,—                          |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 109,—  | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 118,—  | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 138,—  | 21,—            | 159,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 118,—  | 15,—            | 133,—                           |
| Drum Support FA 200-2, hot-dip galvanized | B        | 138,—  | 22,—            | 160,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 138,—  | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 138,—  | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 138,—  | 118,—           | 256,—                           |
| <b>AW-4/A/PE, hot-dip galvanized</b>      | B        | 859,—  | 226,—           | 1085,—                          |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 109,—  | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 118,—  | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 138,—  | 21,—            | 159,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 118,—  | 15,—            | 133,—                           |
| Drum Support FA 200-2, hot-dip galvanized | B        | 138,—  | 22,—            | 160,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 138,—  | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 138,—  | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 138,—  | 118,—           | 256,—                           |
| <b>AW-4/B/PE, painted</b>                 | B        | 1021,— | 280,—           | 1301,—                          |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 109,—  | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 118,—  | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 138,—  | 21,—            | 159,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 138,—  | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 138,—  | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 138,—  | 118,—           | 256,—                           |
| <b>AW-4/B/PE, hot-dip galvanized</b>      | B        | 1096,— | 280,—           | 1376,—                          |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 109,—  | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 118,—  | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 138,—  | 21,—            | 159,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 138,—  | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 138,—  | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 138,—  | 118,—           | 256,—                           |
| <b>AW 1000/PE, painted</b>                | B        | 1386,— | 331,—           | 1717,—                          |
| <b>AW 1000/PE, hot-dip galvanized</b>     | B        | 1575,— | 331,—           | 1906,—                          |
| <b>AW 1000-2/PE, painted</b>              | B        | 1700,— | 384,—           | 2084,—                          |
| <b>AW 1000-2/PE, hot-dip galvanized</b>   | B        | 1818,— | 384,—           | 2202,—                          |

| Sump Trays AW 8-12               | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------|----------|--------|-----------------|---------------------------------|
| <b>AW-8, painted</b>             | B        | 732,—  | 280,—           | 1012,—                          |
| <b>AW-8, hot-dip galvanized</b>  | B        | 815,—  | 384,—           | 1199,—                          |
| <b>AW-10, painted</b>            | B        | 904,—  | 384,—           | 1288,—                          |
| <b>AW-10, hot-dip galvanized</b> | B        | 1239,— | 384,—           | 1623,—                          |
| <b>AW-12, painted</b>            | B        | 1035,— | 384,—           | 1419,—                          |
| <b>AW-12, hot-dip galvanized</b> | B        | 1431,— | 384,—           | 1815,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Environment / Storage



| Sump Tray Type AWA             | Category | Price  | Freight charges | Price including freight charges |
|--------------------------------|----------|--------|-----------------|---------------------------------|
| AWA 1000, painted              | B        | 864,—  | 226,—           | 1090,—                          |
| AWA 1000, hot-dip galvanized   | B        | 1045,— | 331,—           | 1376,—                          |
| AWA 1000-2, painted            | B        | 1239,— | 384,—           | 1623,—                          |
| AWA 1000-2, hot-dip galvanized | B        | 1374,— | 384,—           | 1758,—                          |
| AWA 1000-3, painted            | B        | 2254,— | 455,—           | 2709,—                          |
| AWA 1000-3, hot-dip galvanized | B        | 2385,— | 635,—           | 3020,—                          |
| AWA 21, painted                | B        | 1048,— | 384,—           | 1432,—                          |
| AWA 21, hot-dip galvanized     | B        | 1182,— | 384,—           | 1566,—                          |
| AWA 31, painted                | B        | 1956,— | 455,—           | 2411,—                          |
| AWA 31, hot-dip galvanized     | B        | 2077,— | 455,—           | 2532,—                          |
| AWA 32, painted                | B        | 2127,— | 455,—           | 2582,—                          |
| AWA 32, hot-dip galvanized     | B        | 2250,— | 455,—           | 2705,—                          |

| Sump Tray Type AWA/SW             | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------|----------|--------|-----------------|---------------------------------|
| AWA 1000/SW, painted              | B        | 1064,— | 331,—           | 1395,—                          |
| AWA 1000/SW, hot-dip galvanized   | B        | 1246,— | 331,—           | 1577,—                          |
| AWA 1000-2/SW, painted            | B        | 1472,— | 455,—           | 1927,—                          |
| AWA 1000-2/SW, hot-dip galvanized | B        | 1605,— | 455,—           | 2060,—                          |
| AWA 1000-3/SW, painted            | B        | 2518,— | on request      | on request                      |
| AWA 1000-3/SW, hot-dip galvanized | B        | 2648,— | on request      | on request                      |
| AWA 21/SW, painted                | B        | 1278,— | 455,—           | 1733,—                          |
| AWA 21/SW, hot-dip galvanized     | B        | 1413,— | 455,—           | 1868,—                          |
| AWA 31/SW, painted                | B        | 2217,— | on request      | on request                      |
| AWA 31/SW, hot-dip galvanized     | B        | 2339,— | on request      | on request                      |
| AWA 32/SW, painted                | B        | 2388,— | on request      | on request                      |
| AWA 32/SW, hot-dip galvanized     | B        | 2512,— | on request      | on request                      |

| Sump Tray Type AW-F                              | Category | Price | Freight charges | Price including freight charges |
|--------------------------------------------------|----------|-------|-----------------|---------------------------------|
| AW-F 1, painted                                  | B        | 657,— | 138,—           | 795,—                           |
| Fixture and Tension Belt for 1 x 200 Litre Drum  | B        | 48,—  | 9,—             | 57,—                            |
| AW-F 1, hot-dip galvanized                       | B        | 780,— | 138,—           | 918,—                           |
| Fixture and Tension Belt for 1 x 200 Litre Drum  | B        | 48,—  | 9,—             | 57,—                            |
| AW-F 2, painted                                  | B        | 688,— | 138,—           | 826,—                           |
| Fixture and Tension Belt for 2 x 200 Litre Drums | B        | 48,—  | 9,—             | 57,—                            |
| AW-F 2, hot-dip galvanized                       | B        | 842,— | 138,—           | 980,—                           |
| Fixture and Tension Belt for 2 x 200 Litre Drums | B        | 48,—  | 9,—             | 57,—                            |

| Ground Protection Spill Tray Type BSW    | Category | Price | Freight charges | Price including freight charges |
|------------------------------------------|----------|-------|-----------------|---------------------------------|
| BSW 21, galvanized                       | B        | 449,— | 226,—           | 675,—                           |
| Access Ramp AR 21, galvanized            | B        | 166,— | 22,—            | 188,—                           |
| Access Corner Piece AE 24, galvanized    | B        | 130,— | 10,—            | 140,—                           |
| Cross-Shaped Connector KV 24, galvanized | B        | 20,—  | 8,—             | 28,—                            |
| Tray Connecting Strip WV 21, galvanized  | B        | 22,—  | 8,—             | 30,—                            |
| BSW 22, galvanized                       | B        | 590,— | 226,—           | 816,—                           |
| Access Ramp AR 21, galvanized            | B        | 166,— | 22,—            | 188,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Environment / Storage



| Ground Protection Spill Tray Type BSW    | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------------|----------|--------|-----------------|---------------------------------|
| Access Ramp AR 22, galvanized            | B        | 211,—  | 32,—            | 243,—                           |
| Access Corner Piece AE 24, galvanized    | B        | 130,—  | 10,—            | 140,—                           |
| Cross-Shaped Connector KV 24, galvanized | B        | 20,—   | 8,—             | 28,—                            |
| Tray Connecting Strip WV 21, galvanized  | B        | 22,—   | 8,—             | 30,—                            |
| Tray Connecting Strip WV 22, galvanized  | B        | 24,—   | 8,—             | 32,—                            |
| <b>BSW 23, galvanized</b>                | B        | 764,—  | 360,—           | 1124,—                          |
| Access Ramp AR 23, galvanized            | B        | 300,—  | 191,—           | 491,—                           |
| Access Ramp AR 21, galvanized            | B        | 166,—  | 22,—            | 188,—                           |
| Access Corner Piece AE 24, galvanized    | B        | 130,—  | 10,—            | 140,—                           |
| Cross-Shaped Connector KV 24, galvanized | B        | 20,—   | 8,—             | 28,—                            |
| Tray Connecting Strip WV 21, galvanized  | B        | 22,—   | 8,—             | 30,—                            |
| Tray Connecting Strip WV 23, galvanized  | B        | 37,—   | 9,—             | 46,—                            |
| <b>BSW 24, galvanized</b>                | B        | 1341,— | 450,—           | 1791,—                          |
| Access Ramp AR 23, galvanized            | B        | 300,—  | 191,—           | 491,—                           |
| Access Ramp AR 22, galvanized            | B        | 211,—  | 32,—            | 243,—                           |
| Access Corner Piece AE 24, galvanized    | B        | 130,—  | 10,—            | 140,—                           |
| Cross-Shaped Connector KV 24, galvanized | B        | 20,—   | 8,—             | 28,—                            |
| Tray Connecting Strip WV 22, galvanized  | B        | 24,—   | 8,—             | 32,—                            |
| Tray Connecting Strip WV 23, galvanized  | B        | 37,—   | 9,—             | 46,—                            |
| <b>BSW 121, galvanized</b>               | B        | 199,—  | 118,—           | 317,—                           |
| Access Ramp AR 121, galvanized           | B        | 163,—  | 22,—            | 185,—                           |
| Cross-Shaped Connector KV 24, galvanized | B        | 20,—   | 8,—             | 28,—                            |
| Tray Connecting Strip WV 121, galvanized | B        | 21,—   | 9,—             | 30,—                            |
| <b>BSW 122, galvanized</b>               | B        | 243,—  | 138,—           | 381,—                           |
| Access Ramp AR 121, galvanized           | B        | 163,—  | 22,—            | 185,—                           |
| Access Ramp AR 122, galvanized           | B        | 275,—  | 36,—            | 311,—                           |
| Access Corner Piece AE 124, galvanized   | B        | 261,—  | 21,—            | 282,—                           |
| Cross-Shaped Connector KV 24, galvanized | B        | 20,—   | 8,—             | 28,—                            |
| Tray Connecting Strip WV 121, galvanized | B        | 21,—   | 9,—             | 30,—                            |
| Tray Connecting Strip WV 122, galvanized | B        | 26,—   | 9,—             | 35,—                            |
| <b>BSW 123, galvanized</b>               | B        | 339,—  | 138,—           | 477,—                           |
| Access Ramp AR 122, galvanized           | B        | 275,—  | 36,—            | 311,—                           |
| Access Corner Piece AE 124, galvanized   | B        | 261,—  | 21,—            | 282,—                           |
| Cross-Shaped Connector KV 24, galvanized | B        | 20,—   | 8,—             | 28,—                            |
| Tray Connecting Strip WV 122, galvanized | B        | 26,—   | 9,—             | 35,—                            |
| <b>BSW 124, galvanized</b>               | B        | 553,—  | 226,—           | 779,—                           |
| Access Ramp AR 122, galvanized           | B        | 275,—  | 36,—            | 311,—                           |
| Access Ramp AR 123, galvanized           | B        | 338,—  | 226,—           | 564,—                           |
| Access Corner Piece AE 124, galvanized   | B        | 261,—  | 21,—            | 282,—                           |
| Cross-Shaped Connector KV 24, galvanized | B        | 20,—   | 8,—             | 28,—                            |
| Tray Connecting Strip WV 122, galvanized | B        | 26,—   | 9,—             | 35,—                            |
| Tray Connecting Strip WV 123, galvanized | B        | 36,—   | 9,—             | 45,—                            |
| <b>BSW 125, galvanized</b>               | B        | 426,—  | 280,—           | 706,—                           |
| Access Ramp AR 121, galvanized           | B        | 163,—  | 22,—            | 185,—                           |
| Access Ramp AR 124, galvanized           | B        | 392,—  | 280,—           | 672,—                           |
| Access Corner Piece AE 124, galvanized   | B        | 261,—  | 21,—            | 282,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Environment / Storage



| Ground Protection Spill Tray Type BSW           | Category | Price   | Freight charges | Price including freight charges |
|-------------------------------------------------|----------|---------|-----------------|---------------------------------|
| Cross-Shaped Connector KV 24, galvanized        | B        | 20,—    | 8,—             | 28,—                            |
| Tray Connecting Strip WV 121, galvanized        | B        | 21,—    | 9,—             | 30,—                            |
| Tray Connecting Strip WV 124, galvanized        | B        | 49,—    | 9,—             | 58,—                            |
| <b>BSW 126, galvanized</b>                      | B        | 668,—   | 384,—           | 1052,—                          |
| Access Ramp AR 122, galvanized                  | B        | 275,—   | 36,—            | 311,—                           |
| Access Ramp AR 124, galvanized                  | B        | 392,—   | 280,—           | 672,—                           |
| Access Corner Piece AE 124, galvanized          | B        | 261,—   | 21,—            | 282,—                           |
| Cross-Shaped Connector KV 24, galvanized        | B        | 20,—    | 8,—             | 28,—                            |
| Tray Connecting Strip WV 122, galvanized        | B        | 26,—    | 9,—             | 35,—                            |
| Tray Connecting Strip WV 124, galvanized        | B        | 49,—    | 9,—             | 58,—                            |
| Polyethylene Bunded Spill Flooring Type BWP-PE  | Category | Price   | Freight charges | Price including freight charges |
| <b>BWP-PE 150, made of robust polyethylene</b>  | B        | 316,—   | 138,—           | 454,—                           |
| Ramp Type BWR, robust polyethylene, black       | B        | 222,—   | 12,—            | 234,—                           |
| Joining Element BWV 2, stainless steel 1.4301   | B        | 29,—    | 9,—             | 38,—                            |
| <b>BWP-PE 300, made of robust polyethylene</b>  | B        | 641,—   | 138,—           | 779,—                           |
| Ramp Type BWR, robust polyethylene, black       | B        | 222,—   | 12,—            | 234,—                           |
| Joining Element BWV 4, stainless steel 1.4301   | B        | 38,—    | 10,—            | 48,—                            |
| Polyethylene Bunded Spill Flooring Type BWPS-PE | Category | Price   | Freight charges | Price including freight charges |
| <b>BWPS-PE 300, made of robust polyethylene</b> | B        | 786,—   | 191,—           | 977,—                           |
| Ramp Type BWR, robust polyethylene, black       | B        | 222,—   | 12,—            | 234,—                           |
| Joining Element BWV 2, stainless steel 1.4301   | B        | 29,—    | 9,—             | 38,—                            |
| Shelf Container Type CEH                        | Category | Price   | Freight charges | Price including freight charges |
| CEH 29-2, painted                               | C        | 9142,—  | on request      | on request                      |
| CEH 29-2 IBC, painted                           | C        | 10076,— | on request      | on request                      |
| CEH 36-2 IBC, painted                           | C        | 11727,— | on request      | on request                      |
| CEH 38-2, painted                               | C        | 11719,— | on request      | on request                      |
| CEH 59-2, painted                               | C        | 17352,— | on request      | on request                      |
| CEH 59-2 IBC, painted                           | C        | 18629,— | on request      | on request                      |
| CEH 75-2 IBC, painted                           | C        | 22081,— | on request      | on request                      |
| CEH 81-2, painted                               | C        | 22524,— | on request      | on request                      |
| Shelf Container Type CEN                        | Category | Price   | Freight charges | Price including freight charges |
| CEN 29-2, painted                               | C        | 7714,—  | on request      | on request                      |
| Potential equalisation                          | C        | 184,—   | 0,—             | 184,—                           |
| CEN 29-2 IBC, painted                           | C        | 8421,—  | on request      | on request                      |
| Potential equalisation                          | C        | 184,—   | 0,—             | 184,—                           |
| CEN 29-2b, painted                              | C        | 13445,— | on request      | on request                      |
| Potential equalisation                          | C        | 366,—   | 0,—             | 366,—                           |
| CEN 29-2b IBC, painted                          | C        | 14379,— | on request      | on request                      |
| Potential equalisation                          | C        | 366,—   | 0,—             | 366,—                           |
| CEN 29-3, painted                               | C        | 12140,— | on request      | on request                      |
| Potential equalisation                          | C        | 274,—   | 0,—             | 274,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Environment / Storage



| Shelf Container Type CEN      | Category | Price   | Freight charges | Price including freight charges |
|-------------------------------|----------|---------|-----------------|---------------------------------|
| <b>CEN 29-3 IBC, painted</b>  | C        | 12917,- | on request      | on request                      |
| Potential equalisation        | C        | 274,-   | 0,-             | 274,-                           |
| <b>CEN 29-3b, painted</b>     | C        | 19757,- | on request      | on request                      |
| Potential equalisation        | C        | 546,-   | 0,-             | 546,-                           |
| <b>CEN 29-3b IBC, painted</b> | C        | 20862,- | on request      | on request                      |
| Potential equalisation        | C        | 546,-   | 0,-             | 546,-                           |
| <b>CEN 33-2 IBC, painted</b>  | C        | 9393,-  | on request      | on request                      |
| Potential equalisation        | C        | 184,-   | 0,-             | 184,-                           |
| <b>CEN 33-2b IBC, painted</b> | C        | 15740,- | on request      | on request                      |
| Potential equalisation        | C        | 366,-   | 0,-             | 366,-                           |
| <b>CEN 33-3 IBC, painted</b>  | C        | 13849,- | on request      | on request                      |
| Potential equalisation        | C        | 274,-   | 0,-             | 274,-                           |
| <b>CEN 33-3b IBC, painted</b> | C        | 22018,- | on request      | on request                      |
| Potential equalisation        | C        | 546,-   | 0,-             | 546,-                           |
| <b>CEN 36-2, painted</b>      | C        | 9470,-  | on request      | on request                      |
| Potential equalisation        | C        | 184,-   | 0,-             | 184,-                           |
| <b>CEN 36-2b, painted</b>     | C        | 16110,- | on request      | on request                      |
| Potential equalisation        | C        | 366,-   | 0,-             | 366,-                           |
| <b>CEN 36-3, painted</b>      | C        | 14046,- | on request      | on request                      |
| Potential equalisation        | C        | 274,-   | 0,-             | 274,-                           |
| <b>CEN 36-3b, painted</b>     | C        | 22693,- | on request      | on request                      |
| Potential equalisation        | C        | 546,-   | 0,-             | 546,-                           |
| <b>CEN 59-2, painted</b>      | C        | 12772,- | on request      | on request                      |
| Potential equalisation        | C        | 365,-   | 0,-             | 365,-                           |
| <b>CEN 59-2 IBC, painted</b>  | C        | 13917,- | on request      | on request                      |
| Potential equalisation        | C        | 365,-   | 0,-             | 365,-                           |
| <b>CEN 59-2b, painted</b>     | C        | 21982,- | on request      | on request                      |
| Potential equalisation        | C        | 729,-   | 0,-             | 729,-                           |
| <b>CEN 59-2b IBC, painted</b> | C        | 22754,- | on request      | on request                      |
| Potential equalisation        | C        | 729,-   | 0,-             | 729,-                           |
| <b>CEN 59-3, painted</b>      | C        | 19663,- | on request      | on request                      |
| Potential equalisation        | C        | 545,-   | 0,-             | 545,-                           |
| <b>CEN 59-3 IBC, painted</b>  | C        | 20812,- | on request      | on request                      |
| Potential equalisation        | C        | 545,-   | 0,-             | 545,-                           |
| <b>CEN 59-3b, painted</b>     | C        | 31741,- | on request      | on request                      |
| Potential equalisation        | C        | 1089,-  | 0,-             | 1089,-                          |
| <b>CEN 59-3b IBC, painted</b> | C        | 33404,- | on request      | on request                      |
| Potential equalisation        | C        | 1089,-  | 0,-             | 1089,-                          |
| <b>CEN 65-2 IBC, painted</b>  | C        | 15002,- | on request      | on request                      |
| Potential equalisation        | C        | 365,-   | 0,-             | 365,-                           |
| <b>CEN 65-2b IBC, painted</b> | C        | 25299,- | on request      | on request                      |
| Potential equalisation        | C        | 729,-   | 0,-             | 729,-                           |
| <b>CEN 65-3 IBC, painted</b>  | C        | 21999,- | on request      | on request                      |
| Potential equalisation        | C        | 545,-   | 0,-             | 545,-                           |
| <b>CEN 65-3b IBC, painted</b> | C        | 35919,- | on request      | on request                      |
| Potential equalisation        | C        | 1089,-  | 0,-             | 1089,-                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Environment / Storage



| Shelf Container Type CEN         | Category | Price   | Freight charges | Price including freight charges |
|----------------------------------|----------|---------|-----------------|---------------------------------|
| CEN 75-2, painted                | C        | 16004,- | on request      | on request                      |
| Potential equalisation           | C        | 365,-   | 0,-             | 365,-                           |
| CEN 75-2b, painted               | C        | 26485,- | on request      | on request                      |
| Potential equalisation           | C        | 729,-   | 0,-             | 729,-                           |
| CEN 75-3, painted                | C        | 23086,- | on request      | on request                      |
| Potential equalisation           | C        | 545,-   | 0,-             | 545,-                           |
| CEN 75-3b, painted               | C        | 37480,- | on request      | on request                      |
| Potential equalisation           | C        | 1089,-  | 0,-             | 1089,-                          |
| CEN 81-2, painted                | C        | 16788,- | on request      | on request                      |
| Potential equalisation           | C        | 365,-   | 0,-             | 365,-                           |
| CEN 81-2b, painted               | C        | 27692,- | on request      | on request                      |
| Potential equalisation           | C        | 729,-   | 0,-             | 729,-                           |
| CEN 81-3, painted                | C        | 24174,- | on request      | on request                      |
| Potential equalisation           | C        | 545,-   | 0,-             | 545,-                           |
| CEN 81-3b, painted               | C        | 39119,- | on request      | on request                      |
| Potential equalisation           | C        | 1089,-  | 0,-             | 1089,-                          |
| Sump Tray for Skips Type CW      | Category | Price   | Freight charges | Price including freight charges |
| CW 1, painted                    | B        | 2952,-  | on request      | on request                      |
| CW 2, painted                    | B        | 3226,-  | on request      | on request                      |
| CW 3, painted                    | B        | 3722,-  | on request      | on request                      |
| Sump Tray Type ECO               | Category | Price   | Freight charges | Price including freight charges |
| ECO 1/200, painted               | B        | 246,-   | 138,-           | 384,-                           |
| ECO 1/200, hot-dip galvanized    | B        | 256,-   | 138,-           | 394,-                           |
| ECO 2/200, painted               | B        | 261,-   | 138,-           | 399,-                           |
| ECO 2/200, hot-dip galvanized    | B        | 270,-   | 138,-           | 408,-                           |
| ECO 4/200, painted               | B        | 285,-   | 138,-           | 423,-                           |
| ECO 4/200, hot-dip galvanized    | B        | 297,-   | 138,-           | 435,-                           |
| ECO 4/400, painted               | B        | 354,-   | 138,-           | 492,-                           |
| ECO 4/400, hot-dip galvanized    | B        | 370,-   | 138,-           | 508,-                           |
| ECO 1/1000, painted              | B        | 632,-   | 226,-           | 858,-                           |
| ECO 1/1000, hot-dip galvanized   | B        | 759,-   | 226,-           | 985,-                           |
| ECO 2/1000, painted              | B        | 826,-   | 280,-           | 1106,-                          |
| ECO 2/1000, hot-dip galvanized   | B        | 915,-   | 280,-           | 1195,-                          |
| Sump Tray Type ECO-A             | Category | Price   | Freight charges | Price including freight charges |
| ECO-A 1/1000, painted            | B        | 831,-   | 226,-           | 1057,-                          |
| ECO-A 1/1000, hot-dip galvanized | B        | 971,-   | 226,-           | 1197,-                          |
| ECO-A 2/1000, painted            | B        | 1221,-  | 384,-           | 1605,-                          |
| ECO-A 2/1000, hot-dip galvanized | B        | 1341,-  | 384,-           | 1725,-                          |
| Sump Tray Type ECO-S             | Category | Price   | Freight charges | Price including freight charges |
| ECO-S 2/200, hot-dip galvanized  | B        | 3447,-  | 690,-           | 4137,-                          |
| ECO-S 4/200, hot-dip galvanized  | B        | 4053,-  | 1050,-          | 5103,-                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Environment / Storage



| Sump Tray Type ECO-S            | Category | Price  | Freight charges | Price including freight charges |
|---------------------------------|----------|--------|-----------------|---------------------------------|
| ECO-S 4/400, hot-dip galvanized | B        | 5000,— | 1050,—          | 6050,—                          |

| Suspended Sump with Polyethylene Inlay Type EHW PE | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------------------------|----------|--------|-----------------|---------------------------------|
| EHW 1800 PE, painted                               | B        | 909,—  | 226,—           | 1135,—                          |
| EHW 1800 PE, hot-dip galvanized                    | B        | 922,—  | 226,—           | 1148,—                          |
| EHW 2200 PE, painted                               | B        | 987,—  | 226,—           | 1213,—                          |
| EHW 2200 PE, hot-dip galvanized                    | B        | 1028,— | 226,—           | 1254,—                          |
| EHW 2700 PE, painted                               | B        | 1144,— | 384,—           | 1528,—                          |
| EHW 2700 PE, hot-dip galvanized                    | B        | 1211,— | 384,—           | 1595,—                          |
| EHW 3300 PE, painted                               | B        | 1653,— | 384,—           | 2037,—                          |
| EHW 3300 PE, hot-dip galvanized                    | B        | 1727,— | 384,—           | 2111,—                          |

| Suspended Sump Type EHW      | Category | Price  | Freight charges | Price including freight charges |
|------------------------------|----------|--------|-----------------|---------------------------------|
| EHW 1800, painted            | B        | 509,—  | 226,—           | 735,—                           |
| EHW 1800, hot-dip galvanized | B        | 521,—  | 226,—           | 747,—                           |
| EHW 2200, painted            | B        | 564,—  | 226,—           | 790,—                           |
| EHW 2200, hot-dip galvanized | B        | 605,—  | 226,—           | 831,—                           |
| EHW 2700, painted            | B        | 648,—  | 280,—           | 928,—                           |
| EHW 2700, hot-dip galvanized | B        | 717,—  | 280,—           | 997,—                           |
| EHW 3300, painted            | B        | 1002,— | 384,—           | 1386,—                          |
| EHW 3300, hot-dip galvanized | B        | 1076,— | 384,—           | 1460,—                          |
| EHW 3600, painted            | B        | 1050,— | 384,—           | 1434,—                          |
| EHW 3600, hot-dip galvanized | B        | 1131,— | 384,—           | 1515,—                          |

| Drum Pallet Type FP      | Category | Price | Freight charges | Price including freight charges |
|--------------------------|----------|-------|-----------------|---------------------------------|
| FP 2, hot-dip galvanized | B        | 92,—  | 138,—           | 230,—                           |

| Drum Shelf Type FR                         | Category | Price | Freight charges | Price including freight charges |
|--------------------------------------------|----------|-------|-----------------|---------------------------------|
| FR-1, hot-dip galvanized                   | B        | 293,— | 138,—           | 431,—                           |
| Can Stand Type GS, hot-dip galvanized      | B        | 65,—  | 18,—            | 83,—                            |
| Clip-on Rotating Support, galvanized       | B        | 85,—  | 10,—            | 95,—                            |
| FR-2, hot-dip galvanized                   | B        | 375,— | 138,—           | 513,—                           |
| Can Stand Type GS, hot-dip galvanized      | B        | 65,—  | 18,—            | 83,—                            |
| Clip-on Rotating Support, galvanized       | B        | 85,—  | 10,—            | 95,—                            |
| FR-3, hot-dip galvanized                   | B        | 419,— | 138,—           | 557,—                           |
| Can Stand Type GS, hot-dip galvanized      | B        | 65,—  | 18,—            | 83,—                            |
| Rotating Support RA 60, hot-dip galvanized | B        | 97,—  | 9,—             | 106,—                           |

| Sump Tray Type FRA        | Category | Price | Freight charges | Price including freight charges |
|---------------------------|----------|-------|-----------------|---------------------------------|
| FRA-1, painted            | B        | 310,— | 138,—           | 448,—                           |
| Grid, hot-dip galvanized  | B        | 67,—  | 16,—            | 83,—                            |
| FRA-1, hot-dip galvanized | B        | 367,— | 138,—           | 505,—                           |
| Grid, hot-dip galvanized  | B        | 67,—  | 16,—            | 83,—                            |
| FRA-2, painted            | B        | 322,— | 138,—           | 460,—                           |
| Grid, hot-dip galvanized  | B        | 132,— | 24,—            | 156,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Environment / Storage



| Sump Tray Type FRA                         | Category | Price  | Freight charges | Price including freight charges |
|--------------------------------------------|----------|--------|-----------------|---------------------------------|
| FRA-2, hot-dip galvanized                  | B        | 378,—  | 138,—           | 516,—                           |
| Grid, hot-dip galvanized                   | B        | 132,—  | 24,—            | 156,—                           |
| FRA-3, painted                             | B        | 322,—  | 138,—           | 460,—                           |
| Grid, hot-dip galvanized                   | B        | 132,—  | 24,—            | 156,—                           |
| FRA-3, hot-dip galvanized                  | B        | 378,—  | 138,—           | 516,—                           |
| Grid, hot-dip galvanized                   | B        | 132,—  | 24,—            | 156,—                           |
| Drum Shelf Type FRE/M                      | Category | Price  | Freight charges | Price including freight charges |
| FRE-1/M, hot-dip galvanized                | B        | 225,—  | 21,—            | 246,—                           |
| Clip-on Rotating Support, galvanized       | B        | 85,—   | 10,—            | 95,—                            |
| Can Stand Type GS, hot-dip galvanized      | B        | 65,—   | 18,—            | 83,—                            |
| FRE-2/M, hot-dip galvanized                | B        | 261,—  | 22,—            | 283,—                           |
| Clip-on Rotating Support, galvanized       | B        | 85,—   | 10,—            | 95,—                            |
| Can Stand Type GS, hot-dip galvanized      | B        | 65,—   | 18,—            | 83,—                            |
| FRE-3/M, hot-dip galvanized                | B        | 279,—  | 27,—            | 306,—                           |
| Rotating Support RA 60, hot-dip galvanized | B        | 97,—   | 9,—             | 106,—                           |
| Can Stand Type GS, hot-dip galvanized      | B        | 65,—   | 18,—            | 83,—                            |
| Can Shelf Type FRE-G/M                     | Category | Price  | Freight charges | Price including freight charges |
| FRE-G1/M, hot-dip galvanized               | B        | 236,—  | 27,—            | 263,—                           |
| FRE-G2/M, hot-dip galvanized               | B        | 274,—  | 32,—            | 306,—                           |
| Can Shelf for Small Cans Type FRG          | Category | Price  | Freight charges | Price including freight charges |
| FRG, hot-dip galvanized                    | B        | 381,—  | 138,—           | 519,—                           |
| Drum Stacking Pallet Type FSP-D            | Category | Price  | Freight charges | Price including freight charges |
| FSP-1 D, lackiert                          | B        | 845,—  | 226,—           | 1071,—                          |
| FSP-1 D, hot-dip galvanized                | B        | 1106,— | 226,—           | 1332,—                          |
| FSP-2 D, lackiert                          | B        | 901,—  | 226,—           | 1127,—                          |
| FSP-2 D, hot-dip galvanized                | B        | 1222,— | 226,—           | 1448,—                          |
| FSP-4 D, lackiert                          | B        | 1170,— | 226,—           | 1396,—                          |
| FSP-4 D, hot-dip galvanized                | B        | 1615,— | 226,—           | 1841,—                          |
| Drum Stacking Pallet Type FSP-G            | Category | Price  | Freight charges | Price including freight charges |
| FSP-1 G, lackiert                          | B        | 821,—  | 226,—           | 1047,—                          |
| FSP-1 G, hot-dip galvanized                | B        | 1089,— | 226,—           | 1315,—                          |
| FSP-2 G, painted                           | B        | 879,—  | 226,—           | 1105,—                          |
| FSP-2 G, hot-dip galvanized                | B        | 1197,— | 226,—           | 1423,—                          |
| FSP-4 G, painted                           | B        | 1148,— | 331,—           | 1479,—                          |
| FSP-4 G, hot-dip galvanized                | B        | 1587,— | 331,—           | 1918,—                          |
| Drum Stacking Pallet Type FSP              | Category | Price  | Freight charges | Price including freight charges |
| FSP-1, painted                             | B        | 484,—  | 138,—           | 622,—                           |
| FSP-1, hot-dip galvanized                  | B        | 727,—  | 226,—           | 953,—                           |
| FSP-2, painted                             | B        | 655,—  | 226,—           | 881,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Environment / Storage



| Drum Stacking Pallet Type FSP | Category | Price  | Freight charges | Price including freight charges |
|-------------------------------|----------|--------|-----------------|---------------------------------|
| FSP-2, hot-dip galvanized     | B        | 913,—  | 226,—           | 1139,—                          |
| FSP-4, painted                | B        | 746,—  | 226,—           | 972,—                           |
| FSP-4, hot-dip galvanized     | B        | 1151,— | 226,—           | 1377,—                          |

| Hazardous Materials Depot Type GD-A      | Category | Price | Freight charges | Price including freight charges |
|------------------------------------------|----------|-------|-----------------|---------------------------------|
| GD-A, painted                            | C        | 762,— | 226,—           | 988,—                           |
| Drum Support FA 60-1, hot-dip galvanized | B        | 109,— | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized | B        | 118,— | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized | B        | 138,— | 21,—            | 159,—                           |
| Can Shelf Type GR-A, galvanized          | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized          | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized          | B        | 138,— | 118,—           | 256,—                           |
| GD-A, hot-dip galvanized                 | C        | 960,— | 226,—           | 1186,—                          |
| Drum Support FA 60-1, hot-dip galvanized | B        | 109,— | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized | B        | 118,— | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized | B        | 138,— | 21,—            | 159,—                           |
| Can Shelf Type GR-A, galvanized          | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized          | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized          | B        | 138,— | 118,—           | 256,—                           |

| Hazardous Materials Depot Type GD-B      | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------------|----------|--------|-----------------|---------------------------------|
| GD-B, painted                            | C        | 1363,— | 226,—           | 1589,—                          |
| Drum Support FA 60-1, hot-dip galvanized | B        | 109,—  | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized | B        | 118,—  | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized | B        | 138,—  | 21,—            | 159,—                           |
| Can Shelf Type GR-A, galvanized          | B        | 138,—  | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized          | B        | 138,—  | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized          | B        | 138,—  | 118,—           | 256,—                           |
| GD-B, hot-dip galvanized                 | C        | 1625,— | 226,—           | 1851,—                          |
| Drum Support FA 60-1, hot-dip galvanized | B        | 109,—  | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized | B        | 118,—  | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized | B        | 138,—  | 21,—            | 159,—                           |
| Can Shelf Type GR-A, galvanized          | B        | 138,—  | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized          | B        | 138,—  | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized          | B        | 138,—  | 118,—           | 256,—                           |

| Hazardous Materials Depot Type GD-C      | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------------|----------|--------|-----------------|---------------------------------|
| GD-C, painted                            | C        | 1163,— | 226,—           | 1389,—                          |
| Drum Support FA 60-1, hot-dip galvanized | B        | 109,—  | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized | B        | 118,—  | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized | B        | 138,—  | 21,—            | 159,—                           |
| Can Shelf Type GR-A, galvanized          | B        | 138,—  | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized          | B        | 138,—  | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized          | B        | 138,—  | 118,—           | 256,—                           |
| GD-C, hot-dip galvanized                 | C        | 1314,— | 226,—           | 1540,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Environment / Storage



| Hazardous Materials Depot Type GD-C      | Category | Price | Freight charges | Price including freight charges |
|------------------------------------------|----------|-------|-----------------|---------------------------------|
| Drum Support FA 60-1, hot-dip galvanized | B        | 109,— | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized | B        | 118,— | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized | B        | 138,— | 21,—            | 159,—                           |
| Can Shelf Type GR-A, galvanized          | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized          | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized          | B        | 138,— | 118,—           | 256,—                           |

| Hazardous Materials Depot Type GD-E      | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>GD-E 2, galvanized</b>                | C        | 1562,— | 331,—           | 1893,—                          |
| Drum Support FA 60-1, hot-dip galvanized | B        | 109,—  | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized | B        | 118,—  | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized | B        | 138,—  | 21,—            | 159,—                           |
| Can Shelf Type GR-A, galvanized          | B        | 138,—  | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized          | B        | 138,—  | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized          | B        | 138,—  | 118,—           | 256,—                           |
| <b>GD-E 4, galvanized</b>                | C        | 1907,— | 402,—           | 2309,—                          |
| Drum Support FA 60-1, hot-dip galvanized | B        | 109,—  | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized | B        | 118,—  | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized | B        | 138,—  | 21,—            | 159,—                           |
| Can Shelf Type GR-A, galvanized          | B        | 138,—  | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized          | B        | 138,—  | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized          | B        | 138,—  | 118,—           | 256,—                           |

| Hazardous Materials Depot Type GD-E/IBC | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>GD-E/IBC, galvanized</b>             | C        | 2367,— | on request      | on request                      |
| <b>GD-E/IBC-2, galvanized</b>           | C        | 3552,— | 426,—           | 3978,—                          |

| Hazardous Materials Depot Type GD-N            | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>GD-N 2, galvanized</b>                      | C        | 1362,— | 331,—           | 1693,—                          |
| Intermediate Storage Level, hot-dip galvanized | C        | 106,—  | 18,—            | 124,—                           |
| Drum Support FA 60-1, hot-dip galvanized       | B        | 109,—  | 15,—            | 124,—                           |
| Can Shelf Type GR-A, galvanized                | B        | 138,—  | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized                | B        | 138,—  | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized                | B        | 138,—  | 118,—           | 256,—                           |
| <b>GD-N 4, galvanized</b>                      | C        | 1697,— | 331,—           | 2028,—                          |
| Intermediate Storage Level, hot-dip galvanized | C        | 106,—  | 18,—            | 124,—                           |
| Drum Support FA 60-1, hot-dip galvanized       | B        | 109,—  | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized       | B        | 118,—  | 18,—            | 136,—                           |
| Drum Support FA 200-1, hot-dip galvanized      | B        | 118,—  | 15,—            | 133,—                           |
| Drum Support FA 200-2, hot-dip galvanized      | B        | 138,—  | 22,—            | 160,—                           |
| Can Shelf Type GR-A, galvanized                | B        | 138,—  | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized                | B        | 138,—  | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized                | B        | 138,—  | 118,—           | 256,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Environment / Storage



| Hazardous Materials DepotType GD-N/R           | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>GD-N/R 2, galvanized</b>                    | C        | 1562,— | 331,—           | 1893,—                          |
| Intermediate Storage Level, hot-dip galvanized | C        | 106,—  | 18,—            | 124,—                           |
| Drum Support FA 60-1, hot-dip galvanized       | B        | 109,—  | 15,—            | 124,—                           |
| Can Shelf Type GR-A, galvanized                | B        | 138,—  | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized                | B        | 138,—  | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized                | B        | 138,—  | 118,—           | 256,—                           |
| <b>GD-N/R 4, galvanized</b>                    | C        | 1901,— | 331,—           | 2232,—                          |
| Intermediate Storage Level, hot-dip galvanized | C        | 106,—  | 18,—            | 124,—                           |
| Drum Support FA 60-1, hot-dip galvanized       | B        | 109,—  | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized       | B        | 118,—  | 18,—            | 136,—                           |
| Drum Support FA 200-1, hot-dip galvanized      | B        | 118,—  | 15,—            | 133,—                           |
| Drum Support FA 200-2, hot-dip galvanized      | B        | 138,—  | 22,—            | 160,—                           |
| Can Shelf Type GR-A, galvanized                | B        | 138,—  | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized                | B        | 138,—  | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized                | B        | 138,—  | 118,—           | 256,—                           |

| Gas Cylinder Containers Type GFC-B                                    | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>GFC-B M0, painted</b>                                              | B        | 3406,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 72,—   | 12,—            | 84,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| <b>GFC-B M1, painted</b>                                              | B        | 3949,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 72,—   | 12,—            | 84,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| <b>GFC-B M2, painted</b>                                              | B        | 4114,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 72,—   | 12,—            | 84,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| <b>GFC-B M3, painted</b>                                              | B        | 4761,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 72,—   | 12,—            | 84,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| <b>GFC-B M4, painted</b>                                              | B        | 5355,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 72,—   | 12,—            | 84,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| <b>GFC-B M5, painted</b>                                              | B        | 7439,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 72,—   | 12,—            | 84,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |

| Gas Cylinder Containers Type GFC-B/W                                  | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>GFC-B/W M1, painted</b>                                            | B        | 4216,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 72,—   | 12,—            | 84,—                            |
| <b>GFC-B/W M2, painted</b>                                            | B        | 4421,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 72,—   | 12,—            | 84,—                            |
| <b>GFC-B/W M3, painted</b>                                            | B        | 5076,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 72,—   | 12,—            | 84,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| <b>GFC-B/W M4, painted</b>                                            | B        | 5675,— | on request      | on request                      |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Environment / Storage



| Gas Cylinder Containers Type GFC-B/W                                  | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 72,—   | 12,—            | 84,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| <b>GFC-B/W M5, painted</b>                                            | B        | 7844,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 72,—   | 12,—            | 84,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| Gas Cylinder Containers Type GFC-E/G                                  | Category | Price  | Freight charges | Price including freight charges |
| <b>GFC-E/G M0, hot-dip galvanized</b>                                 | B        | 1540,— | 331,—           | 1871,—                          |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—   | 12,—            | 52,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| Access Ramp Type AR, galvanized                                       | B        | 163,—  | 22,—            | 185,—                           |
| <b>GFC-E/G M1, hot-dip galvanized</b>                                 | B        | 2191,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—   | 12,—            | 52,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| Access Ramp Type AR, galvanized                                       | B        | 163,—  | 22,—            | 185,—                           |
| Central Dividing Wall, galvanized                                     | B        | 87,—   | 22,—            | 109,—                           |
| <b>GFC-E/G M2, hot-dip galvanized</b>                                 | B        | 2401,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—   | 12,—            | 52,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| Access Ramp Type AR, galvanized                                       | B        | 163,—  | 22,—            | 185,—                           |
| Central Dividing Wall, galvanized                                     | B        | 129,—  | 32,—            | 161,—                           |
| <b>GFC-E/G M3, hot-dip galvanized</b>                                 | B        | 2671,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—   | 12,—            | 52,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| Access Ramp Type AR, galvanized                                       | B        | 163,—  | 22,—            | 185,—                           |
| Central Dividing Wall, galvanized                                     | B        | 129,—  | 32,—            | 161,—                           |
| <b>GFC-E/G M4, hot-dip galvanized</b>                                 | B        | 2895,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—   | 12,—            | 52,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| Access Ramp Type AR, galvanized                                       | B        | 163,—  | 22,—            | 185,—                           |
| Central Dividing Wall, galvanized                                     | B        | 129,—  | 32,—            | 161,—                           |
| <b>GFC-E/G M5, hot-dip galvanized</b>                                 | B        | 3587,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—   | 12,—            | 52,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| Access Ramp Type AR, galvanized                                       | B        | 163,—  | 22,—            | 185,—                           |
| Central Dividing Wall, galvanized                                     | B        | 191,—  | 40,—            | 231,—                           |
| Gas Cylinder Containers Type GFC-E/T                                  | Category | Price  | Freight charges | Price including freight charges |
| <b>GFC-E/T M0, hot-dip galvanized</b>                                 | B        | 1560,— | 331,—           | 1891,—                          |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—   | 12,—            | 52,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| Access Ramp Type AR, galvanized                                       | B        | 163,—  | 22,—            | 185,—                           |
| <b>GFC-E/T M1, hot-dip galvanized</b>                                 | B        | 2229,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—   | 12,—            | 52,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Environment / Storage



| Gas Cylinder Containers Type GFC-E/T                                  | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Access Ramp Type AR, galvanized                                       | B        | 163,—  | 22,—            | 185,—                           |
| Central Dividing Wall, galvanized                                     | B        | 87,—   | 22,—            | 109,—                           |
| <b>GFC-E/T M2, hot-dip galvanized</b>                                 | B        | 2448,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—   | 12,—            | 52,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| Access Ramp Type AR, galvanized                                       | B        | 163,—  | 22,—            | 185,—                           |
| Central Dividing Wall, galvanized                                     | B        | 129,—  | 32,—            | 161,—                           |
| <b>GFC-E/T M3, hot-dip galvanized</b>                                 | B        | 2737,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—   | 12,—            | 52,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| Access Ramp Type AR, galvanized                                       | B        | 163,—  | 22,—            | 185,—                           |
| Central Dividing Wall, galvanized                                     | B        | 129,—  | 32,—            | 161,—                           |
| <b>GFC-E/T M4, hot-dip galvanized</b>                                 | B        | 2960,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—   | 12,—            | 52,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| Access Ramp Type AR, galvanized                                       | B        | 163,—  | 22,—            | 185,—                           |
| Central Dividing Wall, galvanized                                     | B        | 129,—  | 32,—            | 161,—                           |
| <b>GFC-E/T M5, hot-dip galvanized</b>                                 | B        | 3678,— | on request      | on request                      |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—   | 12,—            | 52,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| Access Ramp Type AR, galvanized                                       | B        | 163,—  | 22,—            | 185,—                           |
| Central Dividing Wall, galvanized                                     | B        | 191,—  | 40,—            | 231,—                           |

| Gas Cylinder Containers Type GFC-M/D                                  | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>GFC-M0/D, hot-dip galvanized</b>                                   | B        | 1028,— | 226,—           | 1254,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 152,—  | 72,—            | 224,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—   | 12,—            | 52,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| <b>GFC-M1/D, hot-dip galvanized</b>                                   | B        | 1247,— | 331,—           | 1578,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 274,—  | 138,—           | 412,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—   | 12,—            | 52,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| <b>GFC-M2/D, hot-dip galvanized</b>                                   | B        | 1327,— | 331,—           | 1658,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 375,—  | 138,—           | 513,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—   | 12,—            | 52,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| <b>GFC-M3/D, hot-dip galvanized</b>                                   | B        | 1498,— | 331,—           | 1829,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 510,—  | 226,—           | 736,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—   | 12,—            | 52,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| <b>GFC-M4/D, hot-dip galvanized</b>                                   | B        | 1601,— | 331,—           | 1932,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 627,—  | 226,—           | 853,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—   | 12,—            | 52,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| <b>GFC-M5/D, hot-dip galvanized</b>                                   | B        | 1903,— | 402,—           | 2305,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 765,—  | 226,—           | 991,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Environment / Storage



| Gas Cylinder Containers Type GFC-M/D                                  | Category | Price | Freight charges | Price including freight charges |
|-----------------------------------------------------------------------|----------|-------|-----------------|---------------------------------|
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—  | 12,—            | 52,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,— | 138,—           | 342,—                           |

| Gas Cylinder Containers Type GFC-M                                    | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>GFC-M1, hot-dip galvanized</b>                                     | B        | 1101,— | 226,—           | 1327,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 274,—  | 138,—           | 412,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—   | 12,—            | 52,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| <b>GFC-M2, hot-dip galvanized</b>                                     | B        | 1169,— | 331,—           | 1500,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 375,—  | 138,—           | 513,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—   | 12,—            | 52,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| <b>GFC-M3, hot-dip galvanized</b>                                     | B        | 1312,— | 331,—           | 1643,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 510,—  | 226,—           | 736,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—   | 12,—            | 52,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| <b>GFC-M4, hot-dip galvanized</b>                                     | B        | 1380,— | 331,—           | 1711,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 627,—  | 226,—           | 853,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—   | 12,—            | 52,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| <b>GFC-M5, hot-dip galvanized</b>                                     | B        | 1602,— | 331,—           | 1933,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 765,—  | 226,—           | 991,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—   | 12,—            | 52,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |

| Gas Cylinder Containers Type GFC-M/D-DF                               | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>GFC-M1/D-DF, hot-dip galvanized</b>                                | B        | 1424,— | 331,—           | 1755,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 274,—  | 138,—           | 412,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—   | 12,—            | 52,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| <b>GFC-M2/D-DF, hot-dip galvanized</b>                                | B        | 1503,— | 331,—           | 1834,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 375,—  | 138,—           | 513,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—   | 12,—            | 52,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| <b>GFC-M3/D-DF, hot-dip galvanized</b>                                | B        | 1675,— | 331,—           | 2006,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 510,—  | 226,—           | 736,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—   | 12,—            | 52,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| <b>GFC-M4/D-DF, hot-dip galvanized</b>                                | B        | 1810,— | 402,—           | 2212,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 627,—  | 226,—           | 853,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—   | 12,—            | 52,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| <b>GFC-M5/D-DF, hot-dip galvanized</b>                                | B        | 2112,— | 402,—           | 2514,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 765,—  | 226,—           | 991,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—   | 12,—            | 52,—                            |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Environment / Storage



| Gas Cylinder Containers Type GFC-M/D-DF                               | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| GFC-M6/D-DF, hot-dip galvanized                                       | B        | 2775,— | 582,—           | 3357,—                          |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—   | 12,—            | 52,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| Gas Cylinder Containers Type GFC-M-DF                                 | Category | Price  | Freight charges | Price including freight charges |
| GFC-M1-DF, hot-dip galvanized                                         | B        | 1276,— | 226,—           | 1502,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 274,—  | 138,—           | 412,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—   | 12,—            | 52,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| GFC-M2-DF, hot-dip galvanized                                         | B        | 1346,— | 331,—           | 1677,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 375,—  | 138,—           | 513,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—   | 12,—            | 52,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| GFC-M3-DF, hot-dip galvanized                                         | B        | 1490,— | 331,—           | 1821,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 510,—  | 226,—           | 736,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—   | 12,—            | 52,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| GFC-M4-DF, hot-dip galvanized                                         | B        | 1591,— | 331,—           | 1922,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 627,—  | 226,—           | 853,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—   | 12,—            | 52,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| GFC-M5-DF, hot-dip galvanized                                         | B        | 1812,— | 402,—           | 2214,—                          |
| Grid Floor, hot-dip galvanized                                        | B        | 765,—  | 226,—           | 991,—                           |
| Fixture with Safety Chain to Secure Gas Cylinders, hot-dip galvanized | B        | 40,—   | 12,—            | 52,—                            |
| Rack for Gas Cylinders GFG-2, galvanized                              | B        | 204,—  | 138,—           | 342,—                           |
| Gas Cylinder Depot Type GFD-G                                         | Category | Price  | Freight charges | Price including freight charges |
| GFD-G 1, galvanized                                                   | B        | 429,—  | 226,—           | 655,—                           |
| GFD-G 2, galvanized                                                   | B        | 790,—  | 226,—           | 1016,—                          |
| Gas Cylinder Depot Type GFD-L                                         | Category | Price  | Freight charges | Price including freight charges |
| GFD-L 1, galvanized                                                   | B        | 462,—  | 138,—           | 600,—                           |
| GFD-L 2, galvanized                                                   | B        | 880,—  | 226,—           | 1106,—                          |
| Gas Cylinder Depot Type GFD-R                                         | Category | Price  | Freight charges | Price including freight charges |
| GFD-R 2, painted                                                      | B        | 774,—  | 138,—           | 912,—                           |
| GFD-R 2, hot-dip galvanized                                           | B        | 798,—  | 138,—           | 936,—                           |
| GFD-R 4, painted                                                      | B        | 879,—  | 138,—           | 1017,—                          |
| GFD-R 4, hot-dip galvanized                                           | B        | 909,—  | 138,—           | 1047,—                          |
| Hazardous Materials Cabinet Type GS                                   | Category | Price  | Freight charges | Price including freight charges |
| GS-1, painted                                                         | B        | 789,—  | 226,—           | 1015,—                          |
| Intermediate Storage Level, galvanized                                | B        | 90,—   | 14,—            | 104,—                           |
| GS-1, hot-dip galvanized                                              | B        | 849,—  | 226,—           | 1075,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Environment / Storage



| Hazardous Materials Cabinet Type GS            | Category | Price  | Freight charges | Price including freight charges |
|------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Intermediate Storage Level, galvanized         | B        | 90,—   | 14,—            | 104,—                           |
| GS-2, painted                                  | B        | 1049,— | 331,—           | 1380,—                          |
| Intermediate Storage Level, galvanized         | B        | 90,—   | 14,—            | 104,—                           |
| GS-2, hot-dip galvanized                       | B        | 1139,— | 331,—           | 1470,—                          |
| Intermediate Storage Level, galvanized         | B        | 90,—   | 14,—            | 104,—                           |
| GS-3, painted                                  | B        | 2143,— | 402,—           | 2545,—                          |
| GS-3, hot-dip galvanized                       | B        | 2295,— | 402,—           | 2697,—                          |
| GS-4, painted                                  | B        | 2154,— | on request      | on request                      |
| GS-4, hot-dip galvanized                       | B        | 2340,— | on request      | on request                      |
| Gas Cylinder Wall Bracket Type GWH             | Category | Price  | Freight charges | Price including freight charges |
| GWH 140-I, hot-dip galvanized                  | F        | 26,—   | 118,—           | 144,—                           |
| GWH 140-II, hot-dip galvanized                 | F        | 40,—   | 118,—           | 158,—                           |
| GWH 140-III, hot-dip galvanized                | F        | 59,—   | 118,—           | 177,—                           |
| GWH 230-I, hot-dip galvanized                  | F        | 28,—   | 118,—           | 146,—                           |
| GWH 230-II, hot-dip galvanized                 | F        | 43,—   | 118,—           | 161,—                           |
| GWH 230-III, hot-dip galvanized                | F        | 65,—   | 118,—           | 183,—                           |
| GWH 320-I, hot-dip galvanized                  | F        | 29,—   | 118,—           | 147,—                           |
| GWH 320-II, hot-dip galvanized                 | F        | 48,—   | 118,—           | 166,—                           |
| GWH 320-III, hot-dip galvanized                | F        | 72,—   | 118,—           | 190,—                           |
| Tilting Canister Stand Type KAH                | Category | Price  | Freight charges | Price including freight charges |
| KAH-5, galvanized                              | A        | 96,—   | 118,—           | 214,—                           |
| KAH-25, galvanized                             | A        | 109,—  | 118,—           | 227,—                           |
| KAH-60, galvanized                             | A        | 140,—  | 118,—           | 258,—                           |
| Spill Tray for Canisters/Small Cans Type KGW   | Category | Price  | Freight charges | Price including freight charges |
| KGW 1, galvanized                              | B        | 92,—   | 118,—           | 210,—                           |
| KGW 1 V4A, stainless steel 1.4571              | B        | 280,—  | 118,—           | 398,—                           |
| KGW 2, galvanized                              | B        | 96,—   | 118,—           | 214,—                           |
| KGW 2 V4A, stainless steel 1.4571              | B        | 322,—  | 118,—           | 440,—                           |
| KGW 3, galvanized                              | B        | 100,—  | 118,—           | 218,—                           |
| KGW 3 V4A, stainless steel 1.4571              | B        | 400,—  | 118,—           | 518,—                           |
| KGW 4, galvanized                              | B        | 117,—  | 138,—           | 255,—                           |
| KGW 4 V4A, stainless steel 1.4571              | B        | 472,—  | 138,—           | 610,—                           |
| KGW 5, galvanized                              | B        | 161,—  | 138,—           | 299,—                           |
| KGW 5 V4A, stainless steel 1.4571              | B        | 614,—  | 138,—           | 752,—                           |
| Spill Tray for Canisters/Small Cans Type KGW/M | Category | Price  | Freight charges | Price including freight charges |
| KGW 1/M, galvanized                            | B        | 129,—  | 118,—           | 247,—                           |
| KGW 1/M V4A, stainless steel 1.4571            | B        | 421,—  | 118,—           | 539,—                           |
| KGW 2/M, galvanized                            | B        | 137,—  | 118,—           | 255,—                           |
| KGW 2/M V4A, stainless steel 1.4571            | B        | 485,—  | 118,—           | 603,—                           |
| KGW 3/M, galvanized                            | B        | 157,—  | 118,—           | 275,—                           |
| KGW 3/M V4A, stainless steel 1.4571            | B        | 610,—  | 118,—           | 728,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Environment / Storage



| Spill Tray for Canisters/Small Cans Type KGW/M                | Category | Price  | Freight charges | Price including freight charges |
|---------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| KGW 4/M, galvanized                                           | B        | 182,—  | 138,—           | 320,—                           |
| KGW 4/M V4A, stainless steel 1.4571                           | B        | 730,—  | 138,—           | 868,—                           |
| KGW 5/M, galvanized                                           | B        | 235,—  | 138,—           | 373,—                           |
| KGW 5/M V4A, stainless steel 1.4571                           | B        | 962,—  | 138,—           | 1100,—                          |
| Spill Tray for Canisters/Small Cans on Pallets Type KGW-P     | Category | Price  | Freight charges | Price including freight charges |
| KGW-P 1, galvanized                                           | B        | 98,—   | 118,—           | 216,—                           |
| KGW-P 1 V4A, stainless steel 1.4571                           | B        | 276,—  | 118,—           | 394,—                           |
| KGW-P 2, galvanized                                           | B        | 147,—  | 118,—           | 265,—                           |
| KGW-P 2 V4A, stainless steel 1.4571                           | B        | 396,—  | 118,—           | 514,—                           |
| KGW-P 3, galvanized                                           | B        | 185,—  | 138,—           | 323,—                           |
| KGW-P 3 V4A, stainless steel 1.4571                           | B        | 607,—  | 118,—           | 725,—                           |
| KGW-P 4, galvanized                                           | B        | 175,—  | 118,—           | 293,—                           |
| KGW-P 4 V4A, stainless steel 1.4571                           | B        | 466,—  | 118,—           | 584,—                           |
| Spill Tray for Canisters/Small Cans on Pallets Type KGW-P/M   | Category | Price  | Freight charges | Price including freight charges |
| KGW-P 1/M, galvanized                                         | B        | 142,—  | 118,—           | 260,—                           |
| KGW-P 1/M V4A, stainless steel 1.4571                         | B        | 399,—  | 118,—           | 517,—                           |
| KGW-P 2/M, galvanized                                         | B        | 218,—  | 118,—           | 336,—                           |
| KGW-P 2/M V4A, stainless steel 1.4571                         | B        | 579,—  | 118,—           | 697,—                           |
| KGW-P 3/M, galvanized                                         | B        | 265,—  | 138,—           | 403,—                           |
| KGW-P 3/M V4A, stainless steel 1.4571                         | B        | 895,—  | 138,—           | 1033,—                          |
| KGW-P 4/M, galvanized                                         | B        | 250,—  | 138,—           | 388,—                           |
| KGW-P 4/M V4A, stainless steel 1.4571                         | B        | 719,—  | 118,—           | 837,—                           |
| Diesel Filling Point Type KPS                                 | Category | Price  | Freight charges | Price including freight charges |
| KPS 1, painted                                                | B        | 2966,— | on request      | on request                      |
| KPS 2, painted                                                | B        | 3854,— | on request      | on request                      |
| KPS 3, painted                                                | B        | 5432,— | on request      | on request                      |
| Polyethylene Sump Tray for Pallets Type KWP-P                 | Category | Price  | Freight charges | Price including freight charges |
| KWP-P 20, made of robust polyethylene                         | B        | 48,—   | 118,—           | 166,—                           |
| Deck with Punched Holes LR-PE 20, robust polyethylene, black  | B        | 64,—   | 14,—            | 78,—                            |
| KWP-P 30, made of robust polyethylene                         | B        | 58,—   | 118,—           | 176,—                           |
| Deck with Punched Holes LR-PE 30, robust polyethylene, black  | B        | 66,—   | 14,—            | 80,—                            |
| KWP-P 40, made of robust polyethylene                         | B        | 65,—   | 118,—           | 183,—                           |
| Deck with Punched Holes LR-PE 40, robust polyethylene, black  | B        | 70,—   | 14,—            | 84,—                            |
| KWP-P 60, made of robust polyethylene                         | B        | 103,—  | 118,—           | 221,—                           |
| Deck with punched holes LR-PE 60, robust polyethylene, black  | B        | 73,—   | 14,—            | 87,—                            |
| KWP-P 100, made of robust polyethylene                        | B        | 117,—  | 138,—           | 255,—                           |
| Deck with punched holes LR-PE 100, robust polyethylene, black | B        | 90,—   | 16,—            | 106,—                           |
| Mobile Sump Tray with Perforated Panel Type LPW               | Category | Price  | Freight charges | Price including freight charges |
| LPW 60-1, painted                                             | B        | 627,—  | 138,—           | 765,—                           |
| Tool Deposit                                                  | B        | 32,—   | 16,—            | 48,—                            |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Environment / Storage



| Mobile Sump Tray with Perforated Panel Type LPW | Category | Price  | Freight charges | Price including freight charges |
|-------------------------------------------------|----------|--------|-----------------|---------------------------------|
| Drip Tray                                       | B        | 50,—   | 16,—            | 66,—                            |
| LPW 60-1, hot-dip galvanized                    | B        | 645,—  | 138,—           | 783,—                           |
| Tool Deposit                                    | B        | 32,—   | 16,—            | 48,—                            |
| Drip Tray                                       | B        | 50,—   | 16,—            | 66,—                            |
| LPW 60-2, painted                               | B        | 640,—  | 138,—           | 778,—                           |
| Tool Deposit                                    | B        | 32,—   | 16,—            | 48,—                            |
| Drip Tray                                       | B        | 50,—   | 16,—            | 66,—                            |
| LPW 60-2, hot-dip galvanized                    | B        | 661,—  | 138,—           | 799,—                           |
| Tool Deposit                                    | B        | 32,—   | 16,—            | 48,—                            |
| Drip Tray                                       | B        | 50,—   | 16,—            | 66,—                            |
| LPW 60-3, painted                               | B        | 646,—  | 138,—           | 784,—                           |
| Tool Deposit                                    | B        | 32,—   | 16,—            | 48,—                            |
| Drip Tray                                       | B        | 50,—   | 16,—            | 66,—                            |
| LPW 60-3, hot-dip galvanized                    | B        | 667,—  | 138,—           | 805,—                           |
| Tool Deposit                                    | B        | 32,—   | 16,—            | 48,—                            |
| Drip Tray                                       | B        | 50,—   | 16,—            | 66,—                            |
| LPW 200-1, painted                              | B        | 822,—  | 226,—           | 1048,—                          |
| Tool Deposit                                    | B        | 32,—   | 16,—            | 48,—                            |
| Drip Tray                                       | B        | 50,—   | 16,—            | 66,—                            |
| LPW 200-1, hot-dip galvanized                   | B        | 856,—  | 226,—           | 1082,—                          |
| Tool Deposit                                    | B        | 32,—   | 16,—            | 48,—                            |
| Drip Tray                                       | B        | 50,—   | 16,—            | 66,—                            |
| LPW 200-2, painted                              | B        | 863,—  | 226,—           | 1089,—                          |
| Tool Deposit                                    | B        | 32,—   | 16,—            | 48,—                            |
| Drip Tray                                       | B        | 50,—   | 16,—            | 66,—                            |
| LPW 200-2, hot-dip galvanized                   | B        | 899,—  | 226,—           | 1125,—                          |
| Tool Deposit                                    | B        | 32,—   | 16,—            | 48,—                            |
| Drip Tray                                       | B        | 50,—   | 16,—            | 66,—                            |
| LPW 200-3, painted                              | B        | 878,—  | 226,—           | 1104,—                          |
| Tool Deposit                                    | B        | 32,—   | 16,—            | 48,—                            |
| Drip Tray                                       | B        | 50,—   | 16,—            | 66,—                            |
| LPW 200-3, hot-dip galvanized                   | B        | 914,—  | 226,—           | 1140,—                          |
| Tool Deposit                                    | B        | 32,—   | 16,—            | 48,—                            |
| Drip Tray                                       | B        | 50,—   | 16,—            | 66,—                            |
| LPW 200-4, painted                              | B        | 1055,— | 226,—           | 1281,—                          |
| LPW 200-4, hot-dip galvanized                   | B        | 1086,— | 226,—           | 1312,—                          |

| Modular Sump Tray Type MAW                        | Category | Price | Freight charges | Price including freight charges |
|---------------------------------------------------|----------|-------|-----------------|---------------------------------|
| MAW, painted                                      | B        | 336,— | 138,—           | 474,—                           |
| MAW, hot-dip galvanized                           | B        | 366,— | 138,—           | 504,—                           |
| Element No. 1: grid grate incl. supportS, painted | B        | 78,—  | 18,—            | 96,—                            |
| Element No. 2: galvanized handle + castors        | B        | 138,— | 19,—            | 157,—                           |
| Element No. 3: runners, painted                   | B        | 103,— | 15,—            | 118,—                           |
| Element No. 3: runners, hot-dip galvanized        | B        | 66,—  | 15,—            | 81,—                            |
| Element No. 6: surround, galvanized               | B        | 601,— | 138,—           | 739,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Environment / Storage



| Spline Sump Type PW          | Category | Price | Freight charges | Price including freight charges |
|------------------------------|----------|-------|-----------------|---------------------------------|
| PW 200-2, painted            | B        | 245,— | 138,—           | 383,—                           |
| PW 200-2, hot-dip galvanized | B        | 235,— | 138,—           | 373,—                           |
| PW 200-4, painted            | B        | 271,— | 138,—           | 409,—                           |
| PW 200-4, hot-dip galvanized | B        | 261,— | 138,—           | 399,—                           |
| PW 400-4, painted            | B        | 349,— | 138,—           | 487,—                           |
| PW 400-4, hot-dip galvanized | B        | 332,— | 138,—           | 470,—                           |

| Spline Sump Type PWE          | Category | Price | Freight charges | Price including freight charges |
|-------------------------------|----------|-------|-----------------|---------------------------------|
| PWE 200-2, painted            | B        | 217,— | 138,—           | 355,—                           |
| PWE 200-2, hot-dip galvanized | B        | 207,— | 138,—           | 345,—                           |
| PWE 200-4, painted            | B        | 236,— | 138,—           | 374,—                           |
| PWE 200-4, hot-dip galvanized | B        | 228,— | 138,—           | 366,—                           |
| PWE 400-4, painted            | B        | 288,— | 138,—           | 426,—                           |
| PWE 400-4, hot-dip galvanized | B        | 278,— | 138,—           | 416,—                           |

| Hazardous Materials Cabinet with Roller Shutter Door Type RSG | Category | Price  | Freight charges | Price including freight charges |
|---------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| RSG-1, painted                                                | B        | 1906,— | 226,—           | 2132,—                          |
| Set of 4 Feet, height adjustable                              | B        | 80,—   | 9,—             | 89,—                            |
| RSG-2, painted                                                | B        | 1920,— | 226,—           | 2146,—                          |
| Set of 4 Feet, height adjustable                              | B        | 80,—   | 9,—             | 89,—                            |
| RSG-3, painted                                                | B        | 1971,— | 226,—           | 2197,—                          |
| Set of 4 Feet, height adjustable                              | B        | 80,—   | 9,—             | 89,—                            |
| RSG-4, painted                                                | B        | 2109,— | 331,—           | 2440,—                          |
| Set of 4 Feet, height adjustable                              | B        | 80,—   | 9,—             | 89,—                            |

| Shelf Sump with Polyethylene Inlay Type RW PE | Category | Price  | Freight charges | Price including freight charges |
|-----------------------------------------------|----------|--------|-----------------|---------------------------------|
| RW 1800 PE, painted                           | B        | 1044,— | 226,—           | 1270,—                          |
| RW 1800 PE, hot-dip galvanized                | B        | 1100,— | 226,—           | 1326,—                          |
| RW 2200-1 PE, painted                         | B        | 1089,— | 226,—           | 1315,—                          |
| RW 2200-1 PE, hot-dip galvanized              | B        | 1147,— | 226,—           | 1373,—                          |
| RW 2200-2 PE, painted                         | B        | 1276,— | 226,—           | 1502,—                          |
| RW 2200-2 PE, hot-dip galvanized              | B        | 1341,— | 226,—           | 1567,—                          |
| RW 2700-1 PE, painted                         | B        | 1108,— | 280,—           | 1388,—                          |
| RW 2700-1 PE, hot-dip galvanized              | B        | 1192,— | 280,—           | 1472,—                          |
| RW 2700-2 PE, painted                         | B        | 1266,— | 280,—           | 1546,—                          |
| RW 2700-2 PE, hot-dip galvanized              | B        | 1365,— | 280,—           | 1645,—                          |
| RW 2700-3 PE, painted                         | B        | 1466,— | 280,—           | 1746,—                          |
| RW 2700-3 PE, hot-dip galvanized              | B        | 1592,— | 280,—           | 1872,—                          |
| RW 3300-1 PE, painted                         | B        | 1417,— | 280,—           | 1697,—                          |
| RW 3300-1 PE, hot-dip galvanized              | B        | 1510,— | 280,—           | 1790,—                          |
| RW 3300-2 PE, painted                         | B        | 1535,— | 280,—           | 1815,—                          |
| RW 3300-2 PE, hot-dip galvanized              | B        | 1637,— | 280,—           | 1917,—                          |
| RW 3300-3 PE, painted                         | B        | 1738,— | 384,—           | 2122,—                          |
| RW 3300-3 PE, hot-dip galvanized              | B        | 1850,— | 384,—           | 2234,—                          |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Environment / Storage



| Shelf Sump Type RW            | Category | Price | Freight charges | Price including freight charges |
|-------------------------------|----------|-------|-----------------|---------------------------------|
| RW 1800, painted              | B        | 507,– | 138,–           | 645,–                           |
| RW 1800, hot-dip galvanized   | B        | 561,– | 138,–           | 699,–                           |
| RW 2200-1, painted            | B        | 519,– | 138,–           | 657,–                           |
| RW 2200-1, hot-dip galvanized | B        | 577,– | 138,–           | 715,–                           |
| RW 2200-2, painted            | B        | 532,– | 226,–           | 758,–                           |
| RW 2200-2, hot-dip galvanized | B        | 597,– | 226,–           | 823,–                           |
| RW 2700-1, painted            | B        | 528,– | 280,–           | 808,–                           |
| RW 2700-1, hot-dip galvanized | B        | 611,– | 280,–           | 891,–                           |
| RW 2700-2, painted            | B        | 607,– | 280,–           | 887,–                           |
| RW 2700-2, hot-dip galvanized | B        | 706,– | 280,–           | 986,–                           |
| RW 2700-3, painted            | B        | 657,– | 280,–           | 937,–                           |
| RW 2700-3, hot-dip galvanized | B        | 781,– | 280,–           | 1061,–                          |
| RW 3300-1, painted            | B        | 680,– | 280,–           | 960,–                           |
| RW 3300-1, hot-dip galvanized | B        | 774,– | 280,–           | 1054,–                          |
| RW 3300-2, painted            | B        | 748,– | 280,–           | 1028,–                          |
| RW 3300-2, hot-dip galvanized | B        | 850,– | 280,–           | 1130,–                          |
| RW 3300-3, painted            | B        | 834,– | 280,–           | 1114,–                          |
| RW 3300-3, hot-dip galvanized | B        | 945,– | 280,–           | 1225,–                          |

| Shelf Sump with Polyethylene Inlay Type RW-GR PE | Category | Price  | Freight charges | Price including freight charges |
|--------------------------------------------------|----------|--------|-----------------|---------------------------------|
| RW-GR 1800 PE, painted                           | B        | 1178,– | 226,–           | 1404,–                          |
| RW-GR 1800 PE, hot-dip galvanized                | B        | 1231,– | 226,–           | 1457,–                          |
| RW-GR 2200-1 PE, painted                         | B        | 1255,– | 226,–           | 1481,–                          |
| RW-GR 2200-1 PE, hot-dip galvanized              | B        | 1313,– | 226,–           | 1539,–                          |
| RW-GR 2200-2 PE, painted                         | B        | 1443,– | 331,–           | 1774,–                          |
| RW-GR 2200-2 PE, hot-dip galvanized              | B        | 1505,– | 331,–           | 1836,–                          |
| RW-GR 2700-1 PE, painted                         | B        | 1313,– | 384,–           | 1697,–                          |
| RW-GR 2700-1 PE, hot-dip galvanized              | B        | 1395,– | 384,–           | 1779,–                          |
| RW-GR 2700-2 PE, painted                         | B        | 1469,– | 384,–           | 1853,–                          |
| RW-GR 2700-2 PE, hot-dip galvanized              | B        | 1570,– | 384,–           | 1954,–                          |
| RW-GR 2700-3 PE, painted                         | B        | 1671,– | 384,–           | 2055,–                          |
| RW-GR 2700-3 PE, hot-dip galvanized              | B        | 1776,– | 384,–           | 2160,–                          |
| RW-GR 3300-1 PE, painted                         | B        | 1790,– | 384,–           | 2174,–                          |
| RW-GR 3300-1 PE, hot-dip galvanized              | B        | 1882,– | 384,–           | 2266,–                          |
| RW-GR 3300-2 PE, painted                         | B        | 1906,– | 384,–           | 2290,–                          |
| RW-GR 3300-2 PE, hot-dip galvanized              | B        | 2018,– | 384,–           | 2402,–                          |
| RW-GR 3300-3 PE, painted                         | B        | 2110,– | 455,–           | 2565,–                          |
| RW-GR 3300-3 PE, hot-dip galvanized              | B        | 2222,– | 455,–           | 2677,–                          |
| RW-GR 3600-3 PE, painted                         | B        | 2428,– | 468,–           | 2896,–                          |
| RW-GR 3600-3 PE, hot-dip galvanized              | B        | 2580,– | 468,–           | 3048,–                          |

| Shelf Sump Type RW-GR          | Category | Price | Freight charges | Price including freight charges |
|--------------------------------|----------|-------|-----------------|---------------------------------|
| RW-GR 1800, painted            | B        | 641,– | 226,–           | 867,–                           |
| RW-GR 1800, hot-dip galvanized | B        | 696,– | 226,–           | 922,–                           |
| RW-GR 2200-1, painted          | B        | 686,– | 226,–           | 912,–                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Environment / Storage



| Shelf Sump Type RW-GR            | Category | Price  | Freight charges | Price including freight charges |
|----------------------------------|----------|--------|-----------------|---------------------------------|
| RW-GR 2200-1, hot-dip galvanized | B        | 745,—  | 226,—           | 971,—                           |
| RW-GR 2200-2, painted            | B        | 700,—  | 331,—           | 1031,—                          |
| RW-GR 2200-2, hot-dip galvanized | B        | 761,—  | 331,—           | 1092,—                          |
| RW-GR 2700-1, painted            | B        | 732,—  | 280,—           | 1012,—                          |
| RW-GR 2700-1, hot-dip galvanized | B        | 815,—  | 384,—           | 1199,—                          |
| RW-GR 2700-2, painted            | B        | 811,—  | 384,—           | 1195,—                          |
| RW-GR 2700-2, hot-dip galvanized | B        | 911,—  | 384,—           | 1295,—                          |
| RW-GR 2700-3, painted            | B        | 861,—  | 384,—           | 1245,—                          |
| RW-GR 2700-3, hot-dip galvanized | B        | 966,—  | 384,—           | 1350,—                          |
| RW-GR 3300-1, painted            | B        | 1052,— | 384,—           | 1436,—                          |
| RW-GR 3300-1, hot-dip galvanized | B        | 1146,— | 384,—           | 1530,—                          |
| RW-GR 3300-2, painted            | B        | 1119,— | 384,—           | 1503,—                          |
| RW-GR 3300-2, hot-dip galvanized | B        | 1230,— | 384,—           | 1614,—                          |
| RW-GR 3300-3, painted            | B        | 1206,— | 384,—           | 1590,—                          |
| RW-GR 3300-3, hot-dip galvanized | B        | 1317,— | 384,—           | 1701,—                          |
| RW-GR 3600-3, painted            | B        | 1330,— | 384,—           | 1714,—                          |
| RW-GR 3600-3, hot-dip galvanized | B        | 1483,— | 384,—           | 1867,—                          |

| Safety Cabinet Type SIW | Category | Price | Freight charges | Price including freight charges |
|-------------------------|----------|-------|-----------------|---------------------------------|
| SIW 1005                | B        | 596,— | 138,—           | 734,—                           |
| SIW 2005                | B        | 751,— | 226,—           | 977,—                           |

| Diesel Filling Point Type TAW | Category | Price  | Freight charges | Price including freight charges |
|-------------------------------|----------|--------|-----------------|---------------------------------|
| TAW 1, painted                | B        | 2448,— | on request      | on request                      |
| TAW 2, painted                | B        | 3195,— | on request      | on request                      |
| TAW 3, painted                | B        | 4603,— | on request      | on request                      |

| Environmental Shelf Type UR  | Category | Price  | Freight charges | Price including freight charges |
|------------------------------|----------|--------|-----------------|---------------------------------|
| UR-G 2200, painted           | B        | 1827,— | 390,—           | 2217,—                          |
| Grid Set, hot-dip galvanized | B        | 198,—  | 138,—           | 336,—                           |
| Crash Guard                  | B        | 75,—   | 9,—             | 84,—                            |
| UR-G 2700, painted           | B        | 1968,— | 390,—           | 2358,—                          |
| Grid Set, hot-dip galvanized | B        | 245,—  | 138,—           | 383,—                           |
| Crash Guard                  | B        | 75,—   | 9,—             | 84,—                            |
| UR-G 3300, painted           | B        | 2749,— | 455,—           | 3204,—                          |
| Grid Set, hot-dip galvanized | B        | 297,—  | 138,—           | 435,—                           |
| Crash Guard                  | B        | 75,—   | 9,—             | 84,—                            |
| UR-A 2200, painted           | B        | 1395,— | 390,—           | 1785,—                          |
| Grid Set, hot-dip galvanized | B        | 198,—  | 138,—           | 336,—                           |
| Crash Guard                  | B        | 75,—   | 9,—             | 84,—                            |
| UR-A 2700, painted           | B        | 1535,— | 390,—           | 1925,—                          |
| Grid Set, hot-dip galvanized | B        | 245,—  | 138,—           | 383,—                           |
| Crash Guard                  | B        | 75,—   | 9,—             | 84,—                            |
| UR-A 3300, painted           | B        | 2317,— | 455,—           | 2772,—                          |
| Grid Set, hot-dip galvanized | B        | 297,—  | 138,—           | 435,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Environment / Storage



| Environmental Shelf Type UR | Category | Price | Freight charges | Price including freight charges |
|-----------------------------|----------|-------|-----------------|---------------------------------|
| Crash Guard                 | B        | 75,—  | 9,—             | 84,—                            |

| Stainless Steel Sump Tray Type VAW                                  | Category | Price  | Freight charges | Price including freight charges |
|---------------------------------------------------------------------|----------|--------|-----------------|---------------------------------|
| <b>VAW-1, stainless steel 1.4571</b>                                | B        | 990,—  | 138,—           | 1128,—                          |
| Grid, stainless steel 1.4571                                        | B        | 494,—  | 14,—            | 508,—                           |
| Grid, hot-dip galvanized                                            | B        | 71,—   | 14,—            | 85,—                            |
| <b>VAW-2, stainless steel 1.4571</b>                                | B        | 1079,— | 138,—           | 1217,—                          |
| Grid, stainless steel 1.4571                                        | B        | 731,—  | 16,—            | 747,—                           |
| Grid, hot-dip galvanized                                            | B        | 95,—   | 38,—            | 133,—                           |
| <b>VAW-4/A, stainless steel 1.4571</b>                              | B        | 1236,— | 138,—           | 1374,—                          |
| Grid, stainless steel 1.4571                                        | B        | 1061,— | 22,—            | 1083,—                          |
| Grid, hot-dip galvanized                                            | B        | 124,—  | 22,—            | 146,—                           |
| <b>VAW-4/B, stainless steel 1.4571</b>                              | B        | 1511,— | 138,—           | 1649,—                          |
| Grid, stainless steel 1.4571                                        | B        | 1461,— | 27,—            | 1488,—                          |
| Grid, hot-dip galvanized                                            | B        | 169,—  | 27,—            | 196,—                           |
| <b>VAW 1000 (Stainless Steel Grid), stainless steel 1.4571</b>      | B        | 3909,— | 254,—           | 4163,—                          |
| <b>VAW 1000 (Hot-dip Galvanized Grid), stainless steel 1.4571</b>   | B        | 2868,— | 254,—           | 3122,—                          |
| <b>VAW 1000-2 (Stainless Steel Grid), stainless steel 1.4571</b>    | B        | 5472,— | 418,—           | 5890,—                          |
| <b>VAW 1000-2 (Hot-dip Galvanized Grid), stainless steel 1.4571</b> | B        | 3561,— | 418,—           | 3979,—                          |

| Heating Chamber Type WK     | Category | Price   | Freight charges | Price including freight charges |
|-----------------------------|----------|---------|-----------------|---------------------------------|
| <b>WK 29-2 E65, painted</b> | C        | 30688,— | on request      | on request                      |
| <b>WK 29-2 E85, painted</b> | C        | 30859,— | on request      | on request                      |
| <b>WK 57-2 E65, painted</b> | C        | 43080,— | on request      | on request                      |
| <b>WK 57-2 E85, painted</b> | C        | 45540,— | on request      | on request                      |

| Sump Tray Type WM                         | Category | Price | Freight charges | Price including freight charges |
|-------------------------------------------|----------|-------|-----------------|---------------------------------|
| <b>WM-2/200, hot-dip galvanized</b>       | B        | 290,— | 138,—           | 428,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 109,— | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 118,— | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 138,— | 21,—            | 159,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 118,— | 15,—            | 133,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| <b>WM-4/200, hot-dip galvanized</b>       | B        | 330,— | 138,—           | 468,—                           |
| Drum Support FA 60-1, hot-dip galvanized  | B        | 109,— | 15,—            | 124,—                           |
| Drum Support FA 60-2, hot-dip galvanized  | B        | 118,— | 18,—            | 136,—                           |
| Drum Support FA 60-3, hot-dip galvanized  | B        | 138,— | 21,—            | 159,—                           |
| Drum Support FA 200-1, hot-dip galvanized | B        | 118,— | 15,—            | 133,—                           |
| Drum Support FA 200-2, hot-dip galvanized | B        | 138,— | 22,—            | 160,—                           |
| Can Shelf Type GR-A, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-B, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| Can Shelf Type GR-C, galvanized           | B        | 138,— | 118,—           | 256,—                           |
| <b>WM-4/400, hot-dip galvanized</b>       | B        | 396,— | 226,—           | 622,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Environment / Storage



| Sump Tray Type W0                               | Category | Price  | Freight charges | Price including freight charges |
|-------------------------------------------------|----------|--------|-----------------|---------------------------------|
| W0-2/200, hot-dip galvanized                    | B        | 221,—  | 138,—           | 359,—                           |
| W0-4/200, hot-dip galvanized                    | B        | 240,—  | 138,—           | 378,—                           |
| W0-4/400, hot-dip galvanized                    | B        | 309,—  | 138,—           | 447,—                           |
| Polyethylene Sump Pallet Type WP                | Category | Price  | Freight charges | Price including freight charges |
| WP 1/11, made of robust polyethylene            | B        | 1089,— | 138,—           | 1227,—                          |
| WP 2/11, made of robust polyethylene            | B        | 1377,— | 138,—           | 1515,—                          |
| Dispensing Tray VB 2, robust polyethylene, blue | B        | 158,—  | 118,—           | 276,—                           |
| Polyethylene Sump Pallet Type WPA-PE            | Category | Price  | Freight charges | Price including freight charges |
| WPA-PE 2/2, made of robust polyethylene         | B        | 324,—  | 138,—           | 462,—                           |
| WPA-PE 4/2, made of robust polyethylene         | B        | 512,—  | 138,—           | 650,—                           |
| Polyethylene Sump Pallet Type WP-PE             | Category | Price  | Freight charges | Price including freight charges |
| WP-PE 1/11, made of robust polyethylene         | B        | 1179,— | 138,—           | 1317,—                          |
| Dispensing Tray VB 1, robust polyethylene, blue | B        | 169,—  | 118,—           | 287,—                           |
| WP-PE 2/11, made of robust polyethylene         | B        | 1560,— | 280,—           | 1840,—                          |
| Dispensing Tray VB 2, robust polyethylene, blue | B        | 158,—  | 118,—           | 276,—                           |
| WP-PE 2/2, made of robust polyethylene          | B        | 301,—  | 138,—           | 439,—                           |
| WP-PE 4/2, made of robust polyethylene          | B        | 469,—  | 138,—           | 607,—                           |
| WP-PE 4/4, made of robust polyethylene          | B        | 487,—  | 138,—           | 625,—                           |
| WP-PE 8/11, made of robust polyethylene         | B        | 1560,— | 280,—           | 1840,—                          |
| Mobile Polyethylene Sump Tray Type WPT          | Category | Price  | Freight charges | Price including freight charges |
| WPT 230, made of robust polyethylene            | B        | 538,—  | 138,—           | 676,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

## Price List 0726 en-BG

### Hazardous Materials Containers

| Fluorescent Tube Box Type AL-D                                                 | Category | Price      | Freight charges | Price including freight charges |
|--------------------------------------------------------------------------------|----------|------------|-----------------|---------------------------------|
| AL-D 150, aluminium                                                            | C        | 518,—      | 138,—           | 656,—                           |
| AL-D 200, aluminium                                                            | C        | 571,—      | 138,—           | 709,—                           |
| Collecting Container Type ASB                                                  | Category | Price      | Freight charges | Price including freight charges |
| ASB 250, hot-dip galvanized                                                    | C        | 2038,—     | 331,—           | 2369,—                          |
| ASB 450-I, hot-dip galvanized                                                  | C        | 2155,—     | 331,—           | 2486,—                          |
| Special Waste Container Type ASK                                               | Category | Price      | Freight charges | Price including freight charges |
| ASK 540-4, hot-dip galvanized                                                  | C        | on request | on request      | on request                      |
| Duo-Container Type DC                                                          | Category | Price      | Freight charges | Price including freight charges |
| DC 450, hot-dip galvanized                                                     | C        | 2347,—     | on request      | on request                      |
| Stainless steel strainer                                                       | D        | 118,—      | 9,—             | 127,—                           |
| Wing nut spanner for M12, hot-dip galvanized                                   | F        | 35,—       | 15,—            | 50,—                            |
| DC 1000, hot-dip galvanized                                                    | C        | 2493,—     | on request      | on request                      |
| Stainless steel strainer                                                       | D        | 118,—      | 9,—             | 127,—                           |
| Wing nut spanner for M12, hot-dip galvanized                                   | F        | 35,—       | 15,—            | 50,—                            |
| Lithium-Ion Storage Container Type LIL                                         | Category | Price      | Freight charges | Price including freight charges |
| LIL 30, hot-dip galvanized                                                     | B        | 1937,—     | 138,—           | 2075,—                          |
| LIL 90, hot-dip galvanized                                                     | B        | 2816,—     | 226,—           | 3042,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set                      | A        | 156,—      | 15,—            | 171,—                           |
| LIL 220, hot-dip galvanized                                                    | B        | 4864,—     | 331,—           | 5195,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set                      | A        | 156,—      | 15,—            | 171,—                           |
| LIL 280, hot-dip galvanized                                                    | B        | 5884,—     | 331,—           | 6215,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set                      | A        | 156,—      | 15,—            | 171,—                           |
| LIL 340, hot-dip galvanized                                                    | B        | 6792,—     | 331,—           | 7123,—                          |
| Castor Set, polyamide, Load capacity 1050 kg / castor set                      | A        | 156,—      | 15,—            | 171,—                           |
| MobiCont Type M 800                                                            | Category | Price      | Freight charges | Price including freight charges |
| M 800, painted                                                                 | C        | 1389,—     | 331,—           | 1720,—                          |
| Level Indicator                                                                | C        | 220,—      | 9,—             | 229,—                           |
| Funnel for filling, PP                                                         | D        | 68,—       | 9,—             | 77,—                            |
| Filling/Extraction lid                                                         | C        | 68,—       | 9,—             | 77,—                            |
| Lid, galvanized, without a lock                                                | C        | 195,—      | 15,—            | 210,—                           |
| Lid, galvanized, with square lock                                              | C        | 242,—      | 18,—            | 260,—                           |
| Lid, galvanized, with cylinder lock                                            | C        | 242,—      | 18,—            | 260,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                      | A        | 192,—      | 15,—            | 207,—                           |
| Hand Pump K 10 C, connects to drum thread, suitable for fuels and heating fuel | C        | 95,—       | 14,—            | 109,—                           |
| Hose Kit (1.5 m) for Hand Pump Type K 10 C, suitable for diesel and fuel       | C        | 68,—       | 14,—            | 82,—                            |
| Hose Kit (3 m) for Hand Pump Type K 10 C, suitable for diesel and fuel         | C        | 96,—       | 15,—            | 111,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Hazardous Materials Containers



| MobiCont Type M 800                                                            | Category | Price      | Freight charges | Price including freight charges |
|--------------------------------------------------------------------------------|----------|------------|-----------------|---------------------------------|
| Hose Kit (4 m) for Hand Pump Type K 10 C, suitable for diesel and fuel         | C        | 109,—      | 15,—            | 124,—                           |
| Electric Pump TecPump 400 DC 12V                                               | C        | 510,—      | 15,—            | 525,—                           |
| Electric Pump TecPump 400 DC 24V                                               | C        | 510,—      | 15,—            | 525,—                           |
| Electric Pump TecPump 600 AC 230V                                              | C        | 510,—      | 15,—            | 525,—                           |
| <b>M 800, hot-dip galvanized</b>                                               | C        | 1483,—     | 331,—           | 1814,—                          |
| Level Indicator                                                                | C        | 220,—      | 9,—             | 229,—                           |
| Funnel for filling, PP                                                         | D        | 68,—       | 9,—             | 77,—                            |
| Filling/Extraction lid                                                         | C        | 68,—       | 9,—             | 77,—                            |
| Lid, galvanized, without a lock                                                | C        | 195,—      | 15,—            | 210,—                           |
| Lid, galvanized, with square lock                                              | C        | 242,—      | 18,—            | 260,—                           |
| Lid, galvanized, with cylinder lock                                            | C        | 242,—      | 18,—            | 260,—                           |
| Castor Set, polyamide, Load capacity 1350 kg / castor set                      | A        | 192,—      | 15,—            | 207,—                           |
| Hand Pump K 10 C, connects to drum thread, suitable for fuels and heating fuel | C        | 95,—       | 14,—            | 109,—                           |
| Hose Kit (1.5 m) for Hand Pump Type K 10 C, suitable for diesel and fuel       | C        | 68,—       | 14,—            | 82,—                            |
| Hose Kit (3 m) for Hand Pump Type K 10 C, suitable for diesel and fuel         | C        | 96,—       | 15,—            | 111,—                           |
| Hose Kit (4 m) for Hand Pump Type K 10 C, suitable for diesel and fuel         | C        | 109,—      | 15,—            | 124,—                           |
| Electric Pump TecPump 400 DC 12V                                               | C        | 510,—      | 15,—            | 525,—                           |
| Electric Pump TecPump 400 DC 24V                                               | C        | 510,—      | 15,—            | 525,—                           |
| Electric Pump TecPump 600 AC 230V                                              | C        | 510,—      | 15,—            | 525,—                           |
| MobiCont Type MD                                                               | Category | Price      | Freight charges | Price including freight charges |
| <b>MD 800, painted</b>                                                         | C        | 1934,—     | 331,—           | 2265,—                          |
| Level Indicator                                                                | C        | 220,—      | 9,—             | 229,—                           |
| Hand Pump K 10 C, connects to drum thread, suitable for fuels and heating fuel | C        | 95,—       | 14,—            | 109,—                           |
| Hose Kit (1.5 m) for Hand Pump Type K 10 C, suitable for diesel and fuel       | C        | 68,—       | 14,—            | 82,—                            |
| Hose Kit (3 m) for Hand Pump Type K 10 C, suitable for diesel and fuel         | C        | 96,—       | 15,—            | 111,—                           |
| Hose Kit (4 m) for Hand Pump Type K 10 C, suitable for diesel and fuel         | C        | 109,—      | 15,—            | 124,—                           |
| Electric Pump TecPump 400 DC 12V                                               | C        | 510,—      | 15,—            | 525,—                           |
| Electric Pump TecPump 400 DC 24V                                               | C        | 510,—      | 15,—            | 525,—                           |
| Electric Pump TecPump 600 AC 230V                                              | C        | 510,—      | 15,—            | 525,—                           |
| <b>MD 800, hot-dip galvanized</b>                                              | C        | 2025,—     | 331,—           | 2356,—                          |
| Level Indicator                                                                | C        | 220,—      | 9,—             | 229,—                           |
| Hand Pump K 10 C, connects to drum thread, suitable for fuels and heating fuel | C        | 95,—       | 14,—            | 109,—                           |
| Hose Kit (1.5 m) for Hand Pump Type K 10 C, suitable for diesel and fuel       | C        | 68,—       | 14,—            | 82,—                            |
| Hose Kit (3 m) for Hand Pump Type K 10 C, suitable for diesel and fuel         | C        | 96,—       | 15,—            | 111,—                           |
| Hose Kit (4 m) for Hand Pump Type K 10 C, suitable for diesel and fuel         | C        | 109,—      | 15,—            | 124,—                           |
| Electric Pump TecPump 400 DC 12V                                               | C        | 510,—      | 15,—            | 525,—                           |
| Electric Pump TecPump 400 DC 24V                                               | C        | 510,—      | 15,—            | 525,—                           |
| Electric Pump TecPump 600 AC 230V                                              | C        | 510,—      | 15,—            | 525,—                           |
| MobiCont Type MO                                                               | Category | Price      | Freight charges | Price including freight charges |
| <b>MO 800, painted</b>                                                         | C        | on request | on request      | on request                      |
| Level Indicator                                                                | C        | 220,—      | 9,—             | 229,—                           |
| <b>MO 800, hot-dip galvanized</b>                                              | C        | on request | on request      | on request                      |
| Level Indicator                                                                | C        | 220,—      | 9,—             | 229,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Hazardous Materials Containers



| Fuel Container Type MT                                                                        | Category        | Price        | Freight charges        | Price including freight charges        |
|-----------------------------------------------------------------------------------------------|-----------------|--------------|------------------------|----------------------------------------|
| <b>MT 450, hot-dip galvanized</b>                                                             | C               | 2223,—       | 331,—                  | 2554,—                                 |
| Level Indicator                                                                               | C               | 220,—        | 9,—                    | 229,—                                  |
| Hand Pump K 10 C, connects to drum thread, suitable for fuels and heating fuel                | C               | 95,—         | 14,—                   | 109,—                                  |
| Digital Flow Counter FMT 3 with screwed joints                                                | C               | 320,—        | 9,—                    | 329,—                                  |
| Electric Pump TecPump 400 DC 12V                                                              | C               | 510,—        | 12,—                   | 522,—                                  |
| Electric Pump TecPump 400 DC 24V                                                              | C               | 510,—        | 12,—                   | 522,—                                  |
| Electric Pump TecPump 600 AC 230V                                                             | C               | 510,—        | 12,—                   | 522,—                                  |
| Counter Z 400, Retrofit Kit for Electric Pumps TecPump 400 DC 12V, 400 DC 24V and 600 AC 230V | C               | 159,—        | 9,—                    | 168,—                                  |
| <b>MT 600, hot-dip galvanized</b>                                                             | C               | 2644,—       | 331,—                  | 2975,—                                 |
| Level Indicator                                                                               | C               | 220,—        | 9,—                    | 229,—                                  |
| Hand Pump K 10 C, connects to drum thread, suitable for fuels and heating fuel                | C               | 95,—         | 14,—                   | 109,—                                  |
| Digital Flow Counter FMT 3 with screwed joints                                                | C               | 320,—        | 9,—                    | 329,—                                  |
| Electric Pump TecPump 400 DC 12V                                                              | C               | 510,—        | 12,—                   | 522,—                                  |
| Electric Pump TecPump 400 DC 24V                                                              | C               | 510,—        | 12,—                   | 522,—                                  |
| Electric Pump TecPump 600 AC 230V                                                             | C               | 510,—        | 12,—                   | 522,—                                  |
| Counter Z 400, Retrofit Kit for Electric Pumps TecPump 400 DC 12V, 400 DC 24V and 600 AC 230V | C               | 159,—        | 9,—                    | 168,—                                  |
| <b>MT 1000, hot-dip galvanized</b>                                                            | C               | 2858,—       | 402,—                  | 3260,—                                 |
| Level Indicator                                                                               | C               | 220,—        | 9,—                    | 229,—                                  |
| Hand Pump K 10 C, connects to drum thread, suitable for fuels and heating fuel                | C               | 95,—         | 14,—                   | 109,—                                  |
| Digital Flow Counter FMT 3 with screwed joints                                                | C               | 320,—        | 9,—                    | 329,—                                  |
| Electric Pump TecPump 400 DC 12V                                                              | C               | 510,—        | 12,—                   | 522,—                                  |
| Electric Pump TecPump 400 DC 24V                                                              | C               | 510,—        | 12,—                   | 522,—                                  |
| Electric Pump TecPump 600 AC 230V                                                             | C               | 510,—        | 12,—                   | 522,—                                  |
| Counter Z 400, Retrofit Kit for Electric Pumps TecPump 400 DC 12V, 400 DC 24V and 600 AC 230V | C               | 159,—        | 9,—                    | 168,—                                  |
| <b>MobiCont Type MW</b>                                                                       | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>MW 800, painted</b>                                                                        | C               | 1783,—       | 331,—                  | 2114,—                                 |
| Level Indicator                                                                               | C               | 220,—        | 9,—                    | 229,—                                  |
| Filling coupling                                                                              | C               | 53,—         | 8,—                    | 61,—                                   |
| Tank heating, 220 W                                                                           | C               | 384,—        | 12,—                   | 396,—                                  |
| Tank fitting                                                                                  | B               | 67,—         | 9,—                    | 76,—                                   |
| Anti-siphon valve                                                                             | D               | 71,—         | 8,—                    | 79,—                                   |
| Aeration/Vent valve                                                                           | C               | 27,—         | 8,—                    | 35,—                                   |
| <b>MW 800, hot-dip galvanized</b>                                                             | C               | 1877,—       | 331,—                  | 2208,—                                 |
| Level Indicator                                                                               | C               | 220,—        | 9,—                    | 229,—                                  |
| Filling coupling                                                                              | C               | 53,—         | 8,—                    | 61,—                                   |
| Tank heating, 220 W                                                                           | C               | 384,—        | 12,—                   | 396,—                                  |
| Tank fitting                                                                                  | B               | 67,—         | 9,—                    | 76,—                                   |
| Anti-siphon valve                                                                             | D               | 71,—         | 8,—                    | 79,—                                   |
| Aeration/Vent valve                                                                           | C               | 27,—         | 8,—                    | 35,—                                   |
| <b>Special Waste Container Type SAF</b>                                                       | <b>Category</b> | <b>Price</b> | <b>Freight charges</b> | <b>Price including freight charges</b> |
| <b>SAF 450, hot-dip galvanized</b>                                                            | C               | 1136,—       | on request             | on request                             |
| <b>SAF 600, hot-dip galvanized</b>                                                            | C               | 1136,—       | on request             | on request                             |
| <b>SAF 1000, hot-dip galvanized</b>                                                           | C               | 1136,—       | on request             | on request                             |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Hazardous Materials Containers



| Large Salvage Packaging Type SAG                 | Category | Price      | Freight charges | Price including freight charges |
|--------------------------------------------------|----------|------------|-----------------|---------------------------------|
| SAG 800, hot-dip galvanized                      | C        | 1141,—     | 331,—           | 1472,—                          |
| SAG 1500, hot-dip galvanized                     | C        | 2151,—     | on request      | on request                      |
| Polyethylene sacks, 25 pieces on roll            | C        | 187,—      | 41,—            | 228,—                           |
| SAG 2100, hot-dip galvanized                     | C        | 2257,—     | on request      | on request                      |
| Polyethylene sacks, 25 pieces on roll            | C        | 187,—      | 41,—            | 228,—                           |
| SAG 2700, hot-dip galvanized                     | C        | 2331,—     | on request      | on request                      |
| Polyethylene sacks, 25 pieces on roll            | C        | 187,—      | 41,—            | 228,—                           |
| Special Waste Container Type SAP                 | Category | Price      | Freight charges | Price including freight charges |
| SAP 450, hot-dip galvanized                      | C        | 953,—      | on request      | on request                      |
| Polyethylene sacks, 50 pieces on roll - 0,085 mm | C        | 139,—      | 62,—            | 201,—                           |
| Polyethylene sacks, 50 pieces on roll - 0,16 mm  | C        | 246,—      | 138,—           | 384,—                           |
| SAP 600, hot-dip galvanized                      | C        | 953,—      | on request      | on request                      |
| Polyethylene sacks, 50 pieces on roll - 0,085 mm | C        | 139,—      | 62,—            | 201,—                           |
| Polyethylene sacks, 50 pieces on roll - 0,16 mm  | C        | 246,—      | 138,—           | 384,—                           |
| SAP 800, hot-dip galvanized                      | C        | 953,—      | on request      | on request                      |
| Polyethylene sacks, 50 pieces on roll - 0,085 mm | C        | 139,—      | 62,—            | 201,—                           |
| Polyethylene sacks, 50 pieces on roll - 0,16 mm  | C        | 246,—      | 138,—           | 384,—                           |
| Special Waste Container Type SAP-1               | Category | Price      | Freight charges | Price including freight charges |
| SAP 450-1, hot-dip galvanized                    | C        | 891,—      | on request      | on request                      |
| Polyethylene sacks, 50 pieces on roll - 0,085 mm | C        | 139,—      | 62,—            | 201,—                           |
| Polyethylene sacks, 50 pieces on roll - 0,16 mm  | C        | 246,—      | 138,—           | 384,—                           |
| SAP 600-1, hot-dip galvanized                    | C        | 891,—      | on request      | on request                      |
| Polyethylene sacks, 50 pieces on roll - 0,085 mm | C        | 139,—      | 62,—            | 201,—                           |
| Polyethylene sacks, 50 pieces on roll - 0,16 mm  | C        | 246,—      | 138,—           | 384,—                           |
| SAP 800-1, hot-dip galvanized                    | C        | 891,—      | on request      | on request                      |
| Polyethylene sacks, 50 pieces on roll - 0,085 mm | C        | 139,—      | 62,—            | 201,—                           |
| Polyethylene sacks, 50 pieces on roll - 0,16 mm  | C        | 246,—      | 138,—           | 384,—                           |
| SAP 800-3, hot-dip galvanized                    | C        | 874,—      | on request      | on request                      |
| Polyethylene sacks, 50 pieces on roll - 0,085 mm | C        | 139,—      | 62,—            | 201,—                           |
| Polyethylene sacks, 50 pieces on roll - 0,16 mm  | C        | 246,—      | 138,—           | 384,—                           |
| Used Battery Container Type SAP 600 K            | Category | Price      | Freight charges | Price including freight charges |
| SAP 600 K, hot-dip galvanized                    | C        | 1286,—     | on request      | on request                      |
| Used Battery Container Type SAP 601 K            | Category | Price      | Freight charges | Price including freight charges |
| SAP 601 K, hot-dip galvanized                    | C        | 1141,—     | on request      | on request                      |
| Special Waste Container Type SAS                 | Category | Price      | Freight charges | Price including freight charges |
| SAS 800, hot-dip galvanized                      | C        | 963,—      | on request      | on request                      |
| Hazardous Materials Container Type SF            | Category | Price      | Freight charges | Price including freight charges |
| SF 240, hot-dip galvanized                       | C        | on request | on request      | on request                      |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded

# Price List 0726 en-BG

## Hazardous Materials Containers



| Fluorescent Tube Box Type SL            | Category | Price      | Freight charges | Price including freight charges |
|-----------------------------------------|----------|------------|-----------------|---------------------------------|
| SL 150, painted                         | C        | 688,—      | 226,—           | 914,—                           |
| SL 150, hot-dip galvanized              | C        | 822,—      | 226,—           | 1048,—                          |
| SL 200, painted                         | C        | 766,—      | 226,—           | 992,—                           |
| SL 200, hot-dip galvanized              | C        | 902,—      | 331,—           | 1233,—                          |
| Fluorescent Tube Box Type SL-D          | Category | Price      | Freight charges | Price including freight charges |
| SL-D 150, painted                       | C        | 757,—      | 226,—           | 983,—                           |
| Removable Tray, galvanized              | C        | 87,—       | 10,—            | 97,—                            |
| SL-D 150, hot-dip galvanized            | C        | 880,—      | 226,—           | 1106,—                          |
| Removable Tray, galvanized              | C        | 87,—       | 10,—            | 97,—                            |
| SL-D 200, painted                       | C        | 837,—      | 226,—           | 1063,—                          |
| Removable Tray, galvanized              | C        | 87,—       | 10,—            | 97,—                            |
| SL-D 200, hot-dip galvanized            | C        | 973,—      | 226,—           | 1199,—                          |
| Removable Tray, galvanized              | C        | 87,—       | 10,—            | 97,—                            |
| Fluorescent Tube Box Type SL-N          | Category | Price      | Freight charges | Price including freight charges |
| SL-N 220, painted                       | C        | 861,—      | 226,—           | 1087,—                          |
| SL-N 220, hot-dip galvanized            | C        | 1003,—     | 226,—           | 1229,—                          |
| Special Waste Container Type SP         | Category | Price      | Freight charges | Price including freight charges |
| SP 100, hot-dip galvanized              | C        | on request | on request      | on request                      |
| SP 240, hot-dip galvanized              | C        | on request | on request      | on request                      |
| Transport Box for Aerosol Cans Type STB | Category | Price      | Freight charges | Price including freight charges |
| STB 1000, hot-dip galvanized            | C        | 1158,—     | on request      | on request                      |
| Polyethylene sacks, 50 pieces on roll   | C        | 192,—      | 62,—            | 254,—                           |
| Absorbent felt, 100 pieces              | C        | 366,—      | 118,—           | 484,—                           |

Prices in EUR, valid EXW DE-46354 Südlohn, DE-38820 Halberstadt, unpacked  
Freight charges valid CPT Bulgaria, islands and oversea territories excluded